



Nebraska

2007 Vital Statistics Report

Issued May 2009

**Dave Heineman
Governor**

Joann Schaefer, MD
Chief Medical Officer
Director, Division of Public Health

Jacquelyn Miller, DDS
Chief Administrator
Community Health Section

Bob Zagozda
Chief Operating Officer

Ming Qu, PhD
Acting Administrator
Public Health Support Unit

Stanley S. Cooper, MS, PhD
Vital Records Administrator
Public Health Support Unit

Mark A. Miller
Health Data Coordinator
Public Health Support Unit

Paula S. Hartig, MS
Program Analysis & Research Administrator
Research and Performance Measurement

FOREWORD

Nebraska statute requires that records of birth, death, fetal death, marriage and divorce be filed with the Vital Records Office in the Division of Public Health of the Nebraska Department of Health and Human Services. Approximately 60,000 records of vital events occurring in Nebraska are filed annually, adding to the approximately 6 million such records already on file. Over 100,000 certified copies of these records are issued each year.

Responsibility for filing certificates of birth lies with the individual in attendance at birth, usually a physician. Funeral directors are responsible for filing certificates of death and of fetal death when burial takes place. Hospitals must file fetal death certificates when hospital disposal is performed. County clerks and District Court clerks are, respectively, responsible for filing records of marriage and divorce. The excellent cooperation of all these individuals is appreciated. Without their support, this report would not be possible.

The following individuals in the Nebraska Department of Health and Human Services have contributed to the information presented in this report.

Norm Nelson, MS, Statistical Analyst	Kay Pytko, Staff Assistant
Meridel Funk, Program Analyst	Bryan Rettig, MS, Program Analyst
Christine Noren, Staff Assistant	Deb Firman, Staff Assistant
Nila Irwin, Staff Assistant	Barb Trusty, Vital Statistics Clerk
Joe Boone, Business Appl. Supp. Tech.	Cindy Stolldorf, Data Entry Operator
Diana Yeager, Vital Statistics Clerk	Beverly Kliment, Vital Statistics Clerk
Carla Becker, Health Data Manager	Victor Filos, Data Base Manager
Jill Krause, Staff Assistant	Edilma Him, Supervisor
Jackie Fairbanks, Registration Supervisor	Wendell Harper, MS, PM Consultant

Providing useful data stands as the goal of this report. Any questions or comments regarding the report, or requests for more detailed information, should be directed to:

**Health Statistics
Division of Public Health
Nebraska Department of Health and Human Services
301 Centennial Mall South
PO Box 95026
Lincoln, NE 68509
Phone: (402) 471-2241**

A copy of this report may be found at: www.hhs.state.ne.us/ced/vs.htm

TABLE OF CONTENTS

	<u>Page</u>
Introduction	1
Definitions of Terms	2-4
Graph 1: Birth and death rates, 1940-2007	5
Graph 2: Marriage and divorce rates, 1940-2007	6
Table 1: Births, deaths, marriages and divorces, number and rate per 1,000 estimated population – 1940-2007	7
Table 2: Population by county, 1960-2007	8-9
Table 3: Summary of vital statistics by month, 2007.....	10

BIRTH SECTION

Birth Highlights.....	11-12
Map 1: Live births by county of residence, Nebraska, 2007	13
Map 2: Live birth rates by county of residence, Nebraska, 2007	14
Table 4: Births by place of occurrence and by usual residence of the mother, 2005-2007, rate for 2007	15-18
Table 5: Births by sex, race and Hispanic origin, by place of residence, 2007	19-22
Graph 3: Percent of all births by age of mother, 2003-2007	23
Graph 4: Average age of mother giving birth, 1975-2007	24
Table 6: Birth order by age of mother, 2007	25
Table 7: Teen births by place of residence, 2007 and 2003-2007	26-27
Graph 5: Trimester prenatal care began by age of mother, 2007	28
Table 8: Births - trimester prenatal care began (percent) by number of prenatal visits, 2007	29
Table 9: Births - number of prenatal care visits (percent) by age of mother, 2007	29
Table 10: Number of prenatal care visits (%) by education of mother, 2007	30
Table 11: Number of prenatal care visits (%) by birth weight of child, 2007	30
Table 12: Number of prenatal care visits (%) by race/Hispanic origin of mother, 2007	30
Table 13: Births by trimester prenatal care began and percent receiving inadequate care by county of residence, 2007	31-32
Graph 6: Low and very low birth weight rates, 1970-2007.....	33
Table 14: Births by weight groups, 2007	34
Table 15: Births, very low and low birth weight by county of residence, 2007 and 2003-2007	35-36
Table 16: Medical risk factors of the mother, 2007	37
Table 17: Obstetric procedures, 2007	37
Table 18: Characteristics of labor and delivery, 2007	37
Table 19: Method of delivery, 2007.....	38
Table 20: Onset of labor, 2007	38
Table 21: Perinatal cigarette smoking, 2007.....	38
Graph 7: Average birth weight by tobacco usage of the mother, 2003-2007	39
Graph 8: Tobacco use during pregnancy by race/Hispanic origin of the mother, 2007	40
Graph 9: Birth rates for unmarried women, 1960-2007	41
Table 22: Births to unmarried women by place of residence, 2007 and 2003-2007	42-44
Table 23: Births to unmarried women by age of mother, 2003-2007	45
Table 24: Births to unmarried women by age and race/Hispanic origin of mother, 2007.....	45
Table 25: Percent of race/Hispanic origin births to unmarried women, 1980-2007	46

Page**BIRTH SECTION (continued)**

Table 26: Percent of age group births to unmarried women, 1980-2007.....	46
Table 27: Birth order of births to unmarried women by age of mother, 2007.....	47
Table 28: Birth defects – number and rate, 2007 and 2003-2007	48-49
Table 29: Birth defects by county of residence, 2007 and 2003-2007	50-51
Table 30: Birth defects by month of birth, 2007	52
Table 31: Birth defects by age of mother, 2007	52
Table 32: Birth defects by age of father, 2007	52
Table 33: Birth defects by weight and sex of child, 2007	53
Table 34: Birth defects by race of mother, 2007	53

DEATH SECTION

Death Highlights.....	54-55
Map 3: Deaths by county of residence, 2007.....	56
Map 4: Death rates by county of residence, 2007	57
Table 35: Deaths by place of occurrence and usual residence of deceased, 2005-2007.....	58-61
Table 36: Deaths by sex, race and Hispanic origin, by place of residence, 2007	62-65
Table 37: Deaths by principal and other causes, 2003-2007.....	66
Table 38: Deaths by principal and other causes, crude rates per 100,000 population, 2003-2007	67
Table 39: Deaths by principal and other causes, age-adjusted rates per 100,000 population, 2003-2007	68
Table 40: Cancer deaths by selected sites and sex, 2003-2007	69
Table 41: Age-adjusted cancer death rates by selected sites and sex, 2003-2007	69
Graph 10: Average age at time of death, 1925–2007	70
Graph 11: Average age at time of death by sex, 1960-2007	71
Table 42: Deaths by age group and sex, 2007	72
Table 43: Deaths by age group and average age by county of residence, 2007	73-74
Graphs 12-18: leading causes of death by selected age groups and sex, 2007	75-81
Graph 12: all ages	75
Graph 13: by sex.....	76
Graph 14: ages 1-19	77
Graph 15: ages 20-44	78
Graph 16: ages 45-59	79
Graph 17: ages 60-74	80
Graph 18: ages 75+	81
Maps 5-14 and Tables 44-53: Ten leading causes of death by county of residence, 2007 and 2003-2007	82-111
Map 5 and Table 44: Heart disease	82-84
Map 6 and Table 45: Cancer	85-87
Map 7 and Table 46: Cerebrovascular disease	88-90
Map 8 and Table 47: Chronic lung disease	91-93
Map 9 and Table 48: Accidental	94-96
Map 10 and Table 49: Alzheimer's disease	97-99
Map 11 and Table 50: Diabetes.....	100-102
Map 12 and Table 51: Pneumonia.....	103-105

Page**DEATH SECTION (continued)**

Map 13 and Table 52: Nephritis and Nephrosis.....	106-108
Map 14 and Table 53: Essential hypertension and hypertensive renal disease	109-111
Table 54: Accidental deaths by cause, 2003-2007	112
Graph 19: Leading causes of accidental deaths, 2007	113
Table 55: Accidental deaths by principal cause by place of residence, 2007	114-117
Table 56: Drownings by site, sex and age group, 2007	118
Table 57: Farm fatalities by type, sex and age group, 2007	118
Graph 20: Intentional self-harm (suicide), 1918-2007.....	119
Table 58: Intentional self harm (suicide) by type, sex and age group, 2007	120
Graph 21: Infant and neonatal death rates, 1925-2007	121
Table 59: Infant and neonatal deaths by place of residence, 2007 and 2003-2007	122-124
Table 60: Deaths under one year of age by cause, 2007	125
Table 61: Deaths under one year of age by race/Hispanic origin and sex, 2007	125
Table 62: Deaths under one year of age by birth weight groups, 2007	125
Table 63: Perinatal and fetal deaths by place of residence, 2007 and 2003-2007	126-128
Table 64: Fetal deaths by cause of death, 2007 and 2003-2007.....	129-130
Table 65: Fetal deaths by age group of mother, sex, race, Hispanic origin and place of delivery, 2007	130

MARRIAGE AND DIVORCE SECTION

Marriage and Divorce Highlights.....	131
Map 15: Marriages by county of occurrence, 2007	132
Map 16: Marriage rates by county of occurrence, 2007	133
Table 66: Marriages – number and rate by county, 2004-2007	134-135
Table 67: Number of marriages by race of bride and groom, 2007	136
Table 68: Number of marriages by Hispanic origin of bride and groom, 2007	136
Table 69: Number of marriages by age of bride and groom, 2007	137
Map 17: Divorces by county of occurrence, 2007	138
Map 18: Divorce rates by county of occurrence, 2007	139
Table 70: Divorces - number and rate by county, 2004-2007	140-141
Table 71: Number of divorces by age of husband and wife, 2007	142
Table 72: Divorces by duration of marriage, 2005-2007	143
Table 73: Number of divorces by race of husband and wife, 2007	144
Table 74: Number of divorces by Hispanic origin of husband and wife, 2007	144
Table 75: Number of divorces by settlement type, 2007	145
Table 76: Divorces - number of children affected, 2007	145
Table 77: Divorces - custody and number of children awarded, 2007	145

Page**Supplemental Tables:**

Table S1: Principal source of payment for delivery, 2007	146
Table S2: WIC/breastfeeding, 2007	146
Table S3: Weight change during pregnancy by pre-pregnancy Body Mass Index (BMI), 2007 (for singleton births)	146
Table S4: Maternal morbidity, 2007	147
Table S5: Infections present, 2007	147
Table S6a: Premature births by county of residence, 2007 and 2003-2007 (gestational age determined by ultrasound).....	148-149
Table S6b: Premature births by county of residence, 2007 and 2003-2007 (gestational age determined by CDC algorithm)	150-151
Table S7: Abnormal conditions of newborn, 2007	152
Table S8: Congenital abnormalities, 2007	152

Appendix – Selected Tables by Service Area and Health Department:

Table 4a: Births by place of occurrence and by usual residence of the mother, 2005-2007	155
Table 5a: Births by sex, race and Hispanic origin, by Service Area and Health Department (residence), 2007	156
Table 7a: Teen births by Service Area and Health Department (residence), 2007 and 2003-2007	157
Table 13a: Births by trimester prenatal care began and percent receiving inadequate prenatal care by Service Area and health department (residence), 2007	158
Table 35a: Deaths by place of occurrence and usual residence of deceased, 2005-2007	159
Table 43a: Deaths by age group and place of residence, 2007	160
Table 44-50a: Deaths by cause (top seven) by place of residence, 2007	161
Table 66 and 70a: Marriages and divorces – number and rate by Service Area and Health Department, 2007	162

INTRODUCTION

The information presented in this report comes from the vital records of the state of Nebraska. Records of events for Nebraska residents which occur in other states, territories and Canada, and which the Department receives through an Inter-jurisdictional Exchange Agreement, are also included. The primary period covered by this report is calendar year 2007; however, some data from previous years are also included. Records received after the following dates were not included in this report: birth, marriage, divorce and fetal death records received after February 26, 2009; and death records received after March 10, 2009. The number of such records is minimal and their statistical effect negligible.

The birth defect data presented in the report are taken from the Nebraska Birth Defects Registry, with the exception of the death data, which are taken from death and fetal death certificates. Information for the Registry is provided by reporting personnel in approximately 90 Nebraska hospitals.

The state and county population figures used in the calculation of rates are from 2007 Census estimates provided by the U.S. Department of Commerce, Bureau of the Census. City and balance of county population estimates are provided by the Nebraska Department of Health and Human Services (DHHS).

Characteristics of the population, such as size and age structure, can have a great influence on vital statistics data. Only 27 counties and 16 cities in Nebraska had populations over 10,000 at the 2000 Census. Eleven counties had less than 1,000 residents. In any area with a population under 10,000, wide variations in numbers or rates of events can appear from year to year, and no single year may be truly representative of the population. Counties with a high proportion of young people will show relatively higher crude birth rates and lower crude death rates than counties with a greater number of older residents.

Information for towns having populations of 2,500 or more (in 2000) is included in this report. Information for towns with a population of 1,000 or more persons is available from the DHHS Health Statistics Section (see address and phone number on page i).

Several marriage tables are not included in this report because the marriage number (e.g., first marriage, second marriage) for the bride and groom is not included in the new electronic record. Supplemental tables have been included to reflect new data being collected. In addition, selected tables for the 20 local health districts and five DHHS Service Areas have been included in the appendix.

DEFINITIONS OF TERMS

GEOGRAPHIC ALLOCATION

RESIDENCE – A person's usual place of abode. This means, in general, the place where one lives and sleeps most of the time. However, when usual residence is a nursing home or other institution, residence is considered the place where the person lived prior to admission to the institution.

OCCURRENCE – The location in which an event takes place irrespective of the usual residence of persons involved.

BIRTHS

BIRTH WEIGHT – The first weight of the fetus or newborn obtained after birth. This weight should be measured preferably within the first hour of life before significant postnatal weight loss has occurred.

LOW BIRTH WEIGHT – A birth weight under 2500 grams or 5 pounds, 9 ounces.

VERY LOW BIRTH WEIGHT – A birth weight under 1500 grams or 3 pounds, 5 ounces.

LENGTH OF PREGNANCY – The duration of gestation, in completed weeks, as calculated from the first day of the last normal menses to the date of birth.

LIVE BIRTH – The complete expulsion or extraction of a product of conception from its mother, irrespective of the period of gestation which, after such separation, breathes or shows any other evidence of life such as beating of a heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached, and is reportable.

LIVE BIRTH ORDER – The number of live born children including the current birth.

DEATHS

CAUSE OF DEATH – Deaths, by cause, are classified according to the International Classification of Diseases, Tenth Revision, of the World Health Organization.

FETAL DEATH – Death prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy. Until the pregnancy has reached 20 weeks duration, it is not required that such a death be reported.

INFANT DEATH – Death of a person under one year of age.

NEONATAL DEATH – Death of a person under 28 days of age.

PERINATAL DEATH – Fetal deaths plus neonatal deaths.

MATERNAL DEATH – Deaths attributable to delivery or the complications of pregnancy, childbirth or the puerperium.

DEFINITIONS AND FORMULAS FOR RATES AND RATIOS

CRUDE BIRTH RATE = The number of live births per 1,000 population.

$$\frac{\text{Number of Live Births X 1,000}}{\text{Population of Area}}$$

FERTILITY RATE = The number of live births per 1,000 females 15-44 years of age.

$$\frac{\text{Number of Live Births X 1,000}}{\text{Female Population (ages 15-44)}}$$

UNMARRIED BIRTH RATE = The number of births to unmarried women per 1,000 live births.

$$\frac{\text{Number of Births to Unmarried Women X 1,000}}{\text{Number of Live Births}}$$

SEX RATIO = The number of male births for each 1,000 female births.

$$\frac{\text{Number of Male Live Births X 1,000}}{\text{Number of Female Live Births}}$$

CRUDE DEATH RATE = The number of deaths per 100,000 population.

$$\frac{\text{Number of Deaths X 100,000}}{\text{Population of Area}}$$

FETAL DEATH RATIO = The number of fetal deaths per 1,000 live births.

$$\frac{\text{Number of Fetal Deaths X 1,000}}{\text{Number of Live Births}}$$

INFANT DEATH RATE = The number of infant deaths per 1,000 live births.

$$\frac{\text{Number of Infant Deaths X 1,000}}{\text{Number of Live Births}}$$

NEONATAL DEATH RATE = The number of neonatal deaths per 1,000 live births.

$$\frac{\text{Number of Neonatal Deaths X 1,000}}{\text{Number of Live Births}}$$

PERINATAL DEATH RATE = The number of perinatal deaths per 1,000 live births, plus fetal deaths.

$$\frac{\text{Number of Perinatal Deaths X 1,000}}{\text{Number of Live Births} + \text{Number of Fetal Deaths}}$$

MATERNAL DEATH RATE = The number of maternal deaths per 100,000 live births.

$$\frac{\text{Number of Maternal Deaths X 100,000}}{\text{Number of Live Births}}$$

AGE-SPECIFIC DEATH RATE = The number of deaths in a specific age group per 100,000 population in a specific age group.

$$\frac{\text{Number of Deaths in Age Group X 100,000}}{\text{Population in Age Group}}$$

AGE-ADJUSTED DEATH RATE = A weighted average of a crude death rate according to a standard age distribution. An age-adjusted death rate represents what the crude death rate would be if the population for which the rate is adjusted and the standard population had the same age distribution.


This procedure allows for the comparison of death rates among populations having different age distributions. **The age-adjusted death rates in this report have been adjusted according to the age distribution of the United States population in 2000.**

$$\frac{\text{The sum of Age-Specific Death Rates for Each Age Group}}{\text{Total Standard Population}} \times \frac{\text{Standard Population in Each Age Group}}{\text{Total Standard Population}}$$

CAUSE-SPECIFIC DEATH RATE = The number of deaths from a specific cause per 100,000 population.

$$\frac{\text{Number of Deaths for a Specific Cause X 100,000}}{\text{Population of Area}}$$

Graph 1: Birth and Death Rates, 1940-2007



Graph 2: Marriage and Divorce Rates, 1940-2007




TABLE 1: Births, Deaths, Marriages and Divorces, Number and Rate per 1,000 Estimated Population, 1940-2007

Year	Estimated Population	Births		Deaths		Marriages		Divorces	
		#	Rate	#	Rate	#	Rate	#	Rate
1940	1,315,834	22,153	16.8	12,593	9.6	15,977	12.1	2,028	1.5
1941	1,315,834	22,186	16.9	12,203	9.3	18,802	14.3	2,089	1.6
1942	1,315,834	23,950	18.2	12,293	9.3	18,462	14.0	1,805	1.4
1943	1,176,023	25,091	21.3	12,956	11.0	13,818	11.8	2,218	1.9
1944	1,213,792	24,694	20.3	12,560	10.3	9,115	7.5	2,471	2.0
1945	1,198,482	24,292	20.3	12,446	10.0	10,358	8.6	3,176	2.7
1946	1,198,482	27,753	23.2	12,365	10.3	14,130	11.8	4,504	3.8
1947	1,301,000	32,018	24.7	12,823	9.9	14,726	11.3	3,180	2.4
1948	1,301,000	31,066	23.9	12,569	9.7	14,928	11.5	2,648	2.0
1949	1,285,000	31,482	24.5	12,607	9.8	12,743	9.9	2,521	2.0
1950	1,325,510	31,713	23.9	12,548	9.5	13,828	10.4	2,471	1.9
1951	1,348,000	33,595	24.9	12,880	9.6	12,399	9.2	2,290	1.7
1952	1,371,000	33,809	24.7	13,056	9.5	11,484	8.4	2,363	1.7
1953	1,358,000	32,633	24.0	13,298	9.8	11,575	8.5	2,287	1.7
1954	1,358,000	33,617	24.8	12,741	9.4	11,307	8.3	2,355	1.7
1955	1,369,000	34,087	24.9	13,001	9.5	11,892	8.7	2,350	1.7
1956	1,402,000	33,855	24.1	13,161	9.4	11,364	8.1	2,284	1.6
1957	1,439,000	33,161	23.0	13,797	9.6	10,702	7.4	2,130	1.5
1958	1,444,000	32,935	23.0	13,680	9.5	10,607	7.3	2,062	1.4
1959	1,441,000	34,162	23.7	13,887	9.6	10,724	7.4	2,124	1.5
1960	1,411,330	34,257	24.3	14,071	10.0	10,635	7.5	2,092	1.5
1961	1,431,000	34,544	24.1	13,812	9.7	10,976	7.7	2,311	1.6
1962	1,484,000	33,886	22.8	14,305	9.6	11,185	7.5	2,301	1.6
1963	1,460,000	32,624	22.3	14,657	10.0	11,711	8.0	2,378	1.6
1964	1,480,000	30,727	20.8	14,758	10.0	11,920	8.1	2,455	1.7
1965	1,477,000	27,829	18.8	14,799	10.0	12,069	8.2	2,448	1.7
1966	1,456,000	25,618	17.6	14,799	10.2	12,390	8.5	2,531	1.7
1967	1,435,000	24,259	16.9	14,465	10.1	13,161	9.2	2,825	2.0
1968	1,439,000	24,236	16.8	15,017	10.4	14,287	9.9	2,940	2.0
1969	1,449,000	24,801	17.1	14,898	10.3	15,145	10.4	3,194	2.2
1970	1,483,791	25,877	17.4	15,016	10.1	15,666	10.6	3,629	2.4
1971	1,512,000	25,507	16.9	15,182	10.0	15,080	10.0	3,946	2.6
1972	1,525,000	23,473	15.4	15,540	10.2	14,106	9.2	4,326	2.8
1973	1,542,000	22,771	14.8	14,977	9.7	13,957	9.1	4,849	3.1
1974	1,543,000	23,695	15.4	15,016	9.7	13,873	9.0	5,114	3.3
1975	1,542,000	23,658	15.3	14,569	9.4	13,087	8.5	5,504	3.6
1976	1,553,000	23,767	15.3	14,536	9.4	13,431	8.6	5,788	3.7
1977	1,561,155	25,158	16.1	14,316	9.2	13,387	8.6	6,047	3.9
1978	1,565,390	25,103	16.0	14,408	9.2	13,711	8.8	6,010	3.8
1979	1,573,946	26,199	16.6	14,228	9.0	14,074	8.9	6,220	4.0
1980	1,569,825	27,335	17.4	14,465	9.2	14,239	9.1	6,368	4.1
1981	1,577,000	27,164	17.2	14,580	9.2	14,363	9.1	6,769	4.3
1982	1,586,000	26,954	17.0	14,567	9.2	14,350	9.0	6,357	4.0
1983	1,597,000	26,254	16.4	14,695	9.2	13,703	8.6	6,172	3.9
1984	1,606,000	26,099	16.3	14,633	9.1	13,274	8.3	6,348	4.0
1985	1,605,574	25,540	15.9	14,895	9.3	12,696	7.9	6,318	3.9
1986	1,598,000	24,425	15.3	14,662	9.2	12,107	7.6	6,127	3.8
1987	1,594,000	23,813	14.9	14,820	9.3	11,808	7.4	6,189	3.9
1988	1,602,000	23,904	14.9	14,858	9.3	12,242	7.6	6,225	3.9
1989	1,611,000	24,205	15.0	14,776	9.2	12,709	7.9	6,273	3.9
1990	1,578,385	24,362	15.4	14,751	9.3	12,625	8.0	6,454	4.1
1991	1,580,950	23,947	15.1	14,647	9.3	12,555	7.9	6,624	4.2
1992	1,582,900	23,336	14.7	14,577	9.2	12,437	7.9	6,516	4.1
1993	1,590,450	23,196	14.6	14,967	9.4	12,337	7.8	6,254	3.9
1994	1,598,625	23,131	14.5	14,974	9.4	12,641	7.9	6,312	3.9
1995	1,608,000	23,221	14.4	15,216	9.5	12,351	7.7	6,262	3.9
1996	1,617,550	23,271	14.4	15,435	9.5	12,257	7.6	6,140	3.8
1997	1,631,175	23,313	14.3	15,271	9.4	12,456	7.6	6,245	3.8
1998	1,643,850	23,533	14.3	15,181	9.2	12,404	7.6	6,073	3.7
1999	1,652,675	23,900	14.5	15,580	9.4	12,886	7.8	6,207	3.8
2000	1,711,263	24,643	14.4	14,979	8.8	13,396	7.8	6,304	3.7
2001	1,719,315	24,818	14.5	15,171	8.9	13,494	7.9	6,194	3.6
2002	1,727,040	25,381	14.7	15,721	9.1	12,889	7.5	6,143	3.6
2003	1,737,017	25,900	14.9	15,439	8.9	12,240	7.0	5,900	3.4
2004	1,746,980	26,324	15.1	14,647	8.4	12,484	7.1	5,942	3.4
2005	1,758,163	26,142	14.9	14,950	8.5	12,262	7.0	5,830	3.3
2006	1,768,311	26,723	15.1	14,894	8.4	12,053	6.8	6,065	3.4
2007	1,774,571	26,935	15.2	15,256	8.6	12,164	6.9	6,105	3.4

TABLE 2: Population by County, 1960-2007

County	1960	1970	1980	1990	2000	2007
Total	1,411,330	1,483,493	1,569,825	1,578,385	1,711,263	1,774,571
Adams	28,944	30,553	30,656	29,625	31,151	32,990
Antelope	10,176	9,047	8,675	7,965	7,452	6,757
Arthur	680	606	513	462	444	356
Banner	1,269	1,034	918	852	819	734
Blaine	1,016	847	867	675	583	448
Boone	9,134	8,190	7,391	6,667	6,259	5,527
Box Butte	11,688	10,094	13,696	13,130	12,158	11,001
Boyd	4,513	3,752	3,331	2,835	2,438	2,119
Brown	4,436	4,021	4,377	3,657	3,525	3,207
Buffalo	26,236	31,222	34,797	37,447	42,259	44,976
Burt	10,192	9,247	8,813	7,868	7,791	7,059
Butler	10,312	9,461	9,330	8,601	8,767	8,377
Cass	17,821	18,076	20,297	21,318	24,334	25,577
Cedar	13,368	12,192	11,375	10,131	9,615	8,530
Chase	4,317	4,129	4,758	4,381	4,068	3,698
Cherry	8,218	6,846	6,758	6,307	6,148	5,718
Cheyenne	14,828	10,778	10,057	9,494	9,830	9,972
Clay	8,717	8,266	8,106	7,123	7,039	6,330
Colfax	9,595	9,498	9,890	9,139	10,441	9,974
Cuming	12,435	12,034	11,664	10,117	10,203	9,365
Custer	16,517	14,092	13,877	12,270	11,793	10,849
Dakota	12,168	13,137	16,573	16,742	20,253	20,312
Dawes	9,536	9,693	9,609	9,021	9,060	8,818
Dawson	19,405	19,467	22,304	19,940	24,365	24,744
Deuel	3,125	2,717	2,462	2,237	2,098	1,893
Dixon	8,106	7,453	7,137	6,143	6,339	6,243
Dodge	32,471	34,782	35,847	34,500	36,160	36,004
Douglas	343,490	389,455	397,038	416,444	463,585	497,416
Dundy	3,570	2,926	2,861	2,582	2,292	2,031
Fillmore	9,425	8,137	7,920	7,103	6,634	6,051
Franklin	5,449	4,566	4,377	3,938	3,574	3,158
Frontier	4,311	3,982	3,647	3,101	3,099	2,663
Furnas	7,711	6,897	6,486	5,553	5,324	4,732
Gage	26,818	25,719	24,456	22,794	22,993	23,219
Garden	3,472	2,929	2,802	2,460	2,292	1,834
Garfield	2,699	2,411	2,363	2,141	1,902	1,722
Gosper	2,489	2,178	2,140	1,928	2,143	1,971
Grant	1,009	1,019	877	769	747	613
Greeley	4,595	4,000	3,462	3,006	2,714	2,326
Hall	35,757	42,851	47,690	48,925	53,534	55,642
Hamilton	8,714	8,867	9,301	8,862	9,403	9,298
Harlan	5,081	4,357	4,292	3,810	3,786	3,392
Hayes	1,919	1,530	1,356	1,222	1,068	980
Hitchcock	4,829	4,051	4,079	3,750	3,111	2,844
Holt	13,722	12,933	13,552	12,599	11,551	10,312
Hooker	1,130	939	990	793	783	736
Howard	6,541	6,807	6,773	6,055	6,567	6,612
Jefferson	11,620	10,436	9,817	8,759	8,333	7,516
Johnson	6,281	5,743	5,285	4,673	4,488	4,476
Kearney	6,580	6,707	7,053	6,629	6,882	6,602

TABLE 2: Population by County, 1960-2007 (Cont)

County	1960	1970	1980	1990	2000	2007
Keith	7,958	8,487	9,364	8,584	8,875	8,024
Keya Paha	1,672	1,340	1,301	1,029	983	850
Kimball	7,975	6,009	4,882	4,108	4,089	3,602
Knox	13,300	11,723	11,457	9,534	9,374	8,665
Lancaster	155,272	167,972	192,884	213,641	250,291	275,665
Lincoln	28,491	29,538	36,455	32,508	34,632	35,500
Logan	1,108	991	983	878	774	745
Loup	1,097	854	859	683	712	644
McPherson	735	623	593	546	533	502
Madison	25,147	27,402	31,382	32,655	35,226	34,134
Merrick	8,363	8,751	8,945	8,042	8,204	7,690
Morrill	7,057	5,813	6,085	5,423	5,440	5,047
Nance	5,635	5,142	4,740	4,275	4,038	3,572
Nemaha	9,099	8,976	8,367	7,980	7,576	7,039
Nuckolls	8,217	7,404	6,726	5,786	5,057	4,533
Otoe	16,503	15,576	15,183	14,252	15,396	15,647
Pawnee	5,356	4,473	3,937	3,317	3,087	2,686
Perkins	4,189	3,423	3,637	3,367	3,200	2,928
Phelps	9,800	9,553	9,769	9,715	9,747	9,175
Pierce	8,722	8,493	8,481	7,827	7,857	7,284
Platte	23,992	26,508	25,852	29,820	31,662	31,849
Polk	7,210	6,468	6,320	5,675	5,639	5,208
Red Willow	12,940	12,191	12,615	11,705	11,448	10,748
Richardson	13,903	12,277	11,315	9,937	9,531	8,351
Rock	2,554	2,231	2,383	2,019	1,756	1,515
Saline	12,542	12,809	13,131	12,715	13,843	13,873
Sarpy	31,281	63,696	86,015	102,583	122,595	146,756
Saunders	17,270	17,018	18,716	18,285	19,830	20,184
Scotts Bluff	33,809	36,432	38,344	36,025	36,951	36,370
Seward	13,581	14,460	15,789	15,450	16,496	16,554
Sheridan	9,049	7,285	7,544	6,750	6,198	5,450
Sherman	5,382	4,725	4,226	3,718	3,318	3,013
Sioux	2,575	2,034	1,845	1,549	1,475	1,351
Stanton	5,783	5,758	6,549	6,244	6,455	6,395
Thayer	9,118	7,779	7,582	6,635	6,055	5,163
Thomas	1,078	954	973	851	729	600
Thurston	7,237	6,942	7,186	6,936	7,171	7,208
Valley	6,590	5,783	5,633	5,169	4,647	4,263
Washington	12,103	13,310	15,508	16,607	18,780	19,959
Wayne	9,959	10,400	9,858	9,364	9,851	9,317
Webster	6,224	6,477	4,858	4,279	4,061	3,609
Wheeler	1,297	1,054	1,060	948	886	809
York	13,724	13,685	14,798	14,428	14,598	14,370

Population figures are from the United States Bureau of the Census.

TABLE 3: Summary of Vital Statistics by Month, 2007

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
LIVE BIRTHS	2,124	2,074	2,282	2,164	2,361	2,297	2,348	2,497	2,244	2,205	2,124	2,215	26,935
Sex:													
Male	1,071	1,053	1,144	1,136	1,190	1,180	1,236	1,328	1,115	1,160	1,119	1,140	13,872
Female	1,053	1,021	1,138	1,028	1,171	1,117	1,112	1,169	1,129	1,045	1,005	1,075	13,063
Race:													
White	1,658	1,618	1,743	1,716	1,868	1,808	1,838	1,954	1,702	1,726	1,645	1,748	21,024
Black	146	145	152	129	155	158	146	169	184	144	149	154	1,831
American Indian	29	32	57	36	35	50	48	52	43	38	33	40	493
Asian	42	49	59	52	64	45	50	60	59	48	54	54	636
Other	249	230	271	231	239	236	266	262	256	249	243	219	2,951
Hispanic Origin*													
Hispanic	344	314	359	309	329	333	370	353	349	358	331	316	4,065
Not Hispanic	1,780	1,760	1,923	1,855	2,032	1,964	1,978	2,144	1,895	1,847	1,793	1,899	22,870
Unmarried Women	715	724	766	718	748	761	782	858	716	757	697	745	8,987
FETAL DEATHS	9	11	19	6	23	16	17	19	8	18	21	7	174
DEATHS	1,475	1,266	1,455	1,204	1,226	1,120	1,181	1,177	1,228	1,226	1,299	1,399	15,256
Sex:													
Male	715	602	685	606	592	519	581	555	599	584	570	659	7,267
Female	760	664	770	598	634	601	600	622	629	642	729	740	7,989
Race:													
White	1,409	1,213	1,388	1,152	1,167	1,048	1,116	1,109	1,165	1,160	1,224	1,343	14,494
Black	48	41	54	33	40	49	50	51	40	47	58	39	550
American Indian	7	9	8	11	13	8	9	9	11	8	8	5	106
Asian	5	3	3	4	2	8	2	4	6	4	4	8	53
Other	6	0	2	4	4	7	4	4	6	7	5	4	53
Hispanic Origin*													
Hispanic	35	21	19	23	24	17	24	13	25	18	25	29	273
Not Hispanic	1,440	1,245	1,436	1,181	1,202	1,103	1,157	1,164	1,203	1,208	1,274	1,370	14,983
MARRIAGES	463	614	747	840	1,200	1,691	1,557	1,248	1,312	1,038	701	753	12,164
DIVORCES	479	504	479	476	584	526	507	481	490	557	510	512	6,105
ANNULMENTS	4	6	3	5	4	3	4	2	3	2	3	4	43

* Persons of Hispanic Origin may be any race.

BIRTH HIGHLIGHTS

In 2007, the number of resident live births in Nebraska increased for the 12th time in the last 13 years, reaching its highest level since 1982. A total of 26,935 live births were recorded among Nebraska women in 2007, compared to the 2006 tally of 26,723. The 2007 number also translates into a crude birth rate of 15.2 live births per 1,000 population.

Nebraska's increasing number of live births is largely the result of a surge in the number of live births within the state's Hispanic population. Comparison of 2007's live birth data with 1994 (the year that the current upward trend in live births began) show that live births among Hispanic women rose from 1,378 to 4,065, a 195% increase, while live births among non-Hispanic women rose from 21,753 to 22,870, a 5% increase. This trend is most likely the result of Nebraska's expanding Hispanic population, which has tripled in size since 1990.

Among Nebraska women giving birth to their first child, the average age has hardly changed during the present decade, from 24.5 years in 2000 to 24.6 years in 2007, after much larger increases were recorded during the 1970s and 1980s. Among Nebraska women giving birth to their second and third children, the trends are much the same: in both instances, the average age rose during the 1970s, 1980s, and into the early 1990s, but has changed little since the mid-1990s. In fact, the average age of Nebraska women giving birth to their second child was 27.4 years in 2007, compared to 27.6 years in 1995 and 2000. For Nebraska women bearing a third child, the average age was 29.3 years in 2007, compared to 29.5 years in 1995 and 29.3 years in 2000.

Although Nebraska women today are having children later than earlier generations, the majority of all births still occur among women in their twenties. In 2007, women 20-29 accounted for 57.8% of all Nebraska live births, compared to 31.8% for women 30-39, 8.6% for teenaged women, and 1.8% for women 40 and older.

Nebraska's 2007 live births included 466 sets of twins, 17 sets of triplets, and 1 set of quadruplets. Nebraska has experienced increasing numbers of multiple births in recent years. By comparison, Nebraska recorded 281 sets of twins and 5 sets of triplets in 1987, just 20 years ago.

Nebraska's 2007 live births also included 1,894 low birth weight babies, i.e., babies that weighed less than 2500 grams (about 5 ½ pounds) at birth. This figure translates into a low birth weight rate of 70.3 per 1,000 live births, which is a decrease from the 2006 figure of 71.5. However, long-term trends show that Nebraska's annual low birth weight rate has increased steadily since falling to an all-time low of 52.8 in 1990. Low weight birth rates in Nebraska declined throughout the 1970s and 1980s, before reversing direction in the 1990s and during the present decade.

Among the low birth weight babies born to Nebraska women in 2007, 350 were of very low weight, i.e., they weighed less than 1500 grams (about 3.3 pounds) at birth. This figure translates into a very low birth weight rate of 13.0 per 1,000 live births, an increase from the 2006 figure of 12.5. For many years, Nebraska's annual very low birth weight rate showed no consistent trend in any direction, but between 1986 and 1996, it rose by about 50%, and has changed little since.


BIRTH HIGHLIGHTS (continued)

The Nebraska birth certificate was substantially revised in 2005, adding data that have never been gathered before and altering the way that some existing data are collected. As a result, some data are not comparable to data collected in years prior to 2005. One such variable affected in this way is the trimester when prenatal care began. These data are now based on the actual calendar date when prenatal care began, which should improve their accuracy, but this has also increased the amount of missing information. In 2007, birth certificate data showed that prenatal care began during the first trimester of pregnancy for 73.2% of all Nebraska live births, an improvement from the 2006 figure of 71.5%. The 2007 figure increases to 74.8% when births with missing data are excluded. 2005 also marked the first year that Nebraska used the Kotelchuck Index as an indicator of the adequacy of prenatal care. This statistic combines information from the birth certificate concerning when prenatal care began and the number of prenatal visits from when prenatal care began to delivery. Using this measure, 14.2% of Nebraska's 2007 live births occurred among women who did not receive adequate prenatal care, compared to 13.6% in 2006.

The number of live births that occurred among unmarried Nebraska women increased in 2007, continuing a long-standing trend. A total of 8,987 live births were recorded in Nebraska among unmarried women in 2007, up from the 8,617 recorded in 2006. The 2007 figure represents 33.4% of the state's total number of resident live births, and this proportion is the highest ever recorded in Nebraska history. Thirty years ago, in 1977, teenaged mothers accounted for just over half of all births to unmarried women in Nebraska, but by 2007, this proportion had fallen to only one in five (22.2%).


A total of 1,107 birth defects were diagnosed among 659 children born to Nebraska women in 2007. The latter figure translates into a rate of 24.3 cases per 1,000 resident live births and stillborns. Defects of the circulatory system were the most frequently diagnosed conditions in Nebraska in 2007, accounting for 361 (32.6%) of all defects reported. Musculoskeletal conditions were the second most frequently reported defects among Nebraska children in 2007, with 184 diagnoses, followed by genitourinary system defects, with 139 diagnoses. Nebraska's 2007 data also show that birth defects were reported over four times more often among low birth weight (less than 2500 grams) babies than among babies of normal weight. In addition, birth defects were more likely to be diagnosed among males and children born to women 40 years of age and older.

**Map 1: Live Births by County of Residence
Nebraska, 2007**



Statewide Live Births = 26,935

**Map 2: Live Birth Rates by County of Residence
Nebraska, 2007**



Statewide Live Birth Rate = 15.2 (per 1,000 population)

TABLE 4: Births by Place of Occurrence and by Usual Residence of the Mother, 2005-2007

Place	2005		2006		2007		2007
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Birth Rate**
STATE	26,349	26,142	26,895	26,723	27,117	26,935	15.2
Adams	703	440	732	444	697	415	12.6
*Hastings	703	365	732	368	695	333	13.1
Balance of Co.	0	75	0	76	2	82	10.7
Antelope	28	80	20	76	28	83	12.3
Arthur	0	3	0	6	0	5	14.0
Banner	0	5	0	7	0	5	6.8
Blaine	0	4	0	6	0	3	6.7
Boone	87	59	82	46	87	64	11.6
Box Butte	79	143	80	150	83	149	13.5
Alliance	79	116	79	122	83	120	14.9
Balance of Co.	0	27	1	28	0	29	9.9
Boyd	1	8	0	13	0	25	11.8
Brown	6	25	5	31	0	29	9.0
Buffalo	1,028	638	1,094	709	1,054	663	14.7
*Kearney	1,028	441	1,094	488	1,054	454	15.1
Balance of Co.	0	197	0	221	0	209	14.1
Burt	1	88	2	81	2	80	11.3
Butler	61	66	69	98	61	86	10.3
David City	61	26	69	35	61	28	11.3
Balance of Co.	0	40	0	63	0	58	9.8
Cass	2	334	3	301	0	311	12.2
Plattsmouth	1	146	2	119	0	107	15.4
Balance of Co.	1	188	0	182	0	204	10.9
Cedar	0	125	1	108	1	102	12.0
Chase	35	46	28	43	31	61	16.5
Cherry	115	81	111	67	93	64	11.2
Valentine	115	43	111	35	92	30	11.3
Balance of Co.	0	38	0	32	1	34	11.1
Cheyenne	100	138	91	121	101	141	14.1
Sidney	100	103	91	87	101	112	17.3
Balance of Co.	0	35	0	34	0	29	8.3
Clay	0	72	0	82	0	68	10.7
Colfax	72	215	74	173	64	201	20.2
Schuyler	72	154	74	139	64	154	29.9
Balance of Co.	0	61	0	34	0	47	9.7
Cuming	86	123	71	110	82	104	11.1
West Point	85	43	71	41	82	44	13.0
Balance of Co.	1	80	0	69	0	60	10.0
Custer	93	135	119	131	101	134	12.4
Broken Bow	91	43	119	55	98	61	19.3
Balance of Co.	2	92	0	76	3	73	9.5
Dakota	1	418	0	374	1	419	20.6
*So. Sioux City	0	318	0	288	1	358	29.8
Balance of Co.	1	100	0	86	0	61	7.3
Dawes	111	96	119	95	129	116	13.2
Chadron	111	75	119	67	129	91	16.6
Balance of Co.	0	21	0	28	0	25	7.5
Dawson	289	410	267	418	238	377	15.2
Cozad	57	60	43	53	42	54	12.7
Gothenburg	24	48	22	54	22	45	12.1
*Lexington	208	224	202	234	173	212	20.9
Balance of Co.	0	78	0	77	1	66	10.0

TABLE 4: Births by Place of Occurrence and by Usual Residence of the Mother, 2005-2007 (Cont)

Place	2005		2006		2007		2007
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Birth Rate**
Deuel	1	25	0	21	0	26	13.7
Dixon	0	85	0	83	0	86	13.8
Dodge	504	512	443	494	420	478	13.3
*Fremont	504	394	443	385	420	380	15.0
Balance of Co.	0	118	0	109	0	98	9.2
Douglas	11,742	8,199	12,297	8,548	12,625	8,655	17.4
Elkhorn	0	97	2	127	0	82	9.7
*Omaha	11,742	6,868	12,294	7,163	12,624	7,309	17.2
Ralston	0	83	0	58	1	67	11.0
Balance of Co.	0	1,151	1	1,200	0	1,197	20.5
Dundy	22	26	19	14	29	15	7.4
Fillmore	38	67	40	61	39	60	9.9
Franklin	0	35	0	33	0	32	10.1
Frontier	0	32	0	28	0	32	12.0
Furnas	40	52	24	43	24	52	11.0
Gage	98	276	112	277	136	312	13.4
*Beatrice	98	175	112	185	136	196	15.2
Balance of Co.	0	101	0	92	0	116	11.2
Garden	0	19	0	16	0	19	10.4
Garfield	0	15	0	16	0	17	9.9
Gosper	0	21	0	26	0	14	7.1
Grant	0	3	0	7	0	8	13.1
Greeley	0	27	0	26	0	28	12.0
Hall	988	965	965	969	978	1,010	18.2
*Grand Island	988	838	965	839	978	889	19.8
Balance of Co.	0	127	0	130	0	121	11.2
Hamilton	66	85	63	103	78	83	8.9
Aurora	66	42	63	55	78	54	12.9
Balance of Co.	0	43	0	48	0	29	5.7
Harlan	0	27	0	40	1	24	7.1
Hayes	0	6	0	9	0	11	11.2
Hitchcock	0	25	0	27	0	25	8.8
Holt	117	120	132	124	128	120	11.6
O'Neill	88	49	105	49	98	35	10.5
Balance of Co.	29	71	27	75	30	85	12.2
Hooker	0	5	0	4	0	6	8.2
Howard	34	82	50	72	38	63	9.5
Jefferson	54	79	49	76	58	87	11.6
Fairbury	0	48	0	40	0	55	14.4
Balance of Co.	54	31	49	36	58	32	8.7
Johnson	46	57	59	66	38	51	11.4
Kearney	4	83	0	76	4	80	12.1
Minden	4	38	0	33	4	36	12.6
Balance of Co.	0	45	0	43	0	44	11.7
Keith	93	93	89	91	96	101	12.6
Ogallala	93	69	89	61	96	65	14.3
Balance of Co.	0	24	0	30	0	36	10.3
Keya Paha	0	6	0	15	0	3	3.5
Kimball	1	39	0	48	0	42	11.7
Kimball	1	25	0	32	0	27	12.1
Balance of Co.	0	14	0	16	0	15	11.0
Knox	1	102	1	102	4	100	11.5

TABLE 4: Births by Place of Occurrence and by Usual Residence of the Mother, 2005-2007 (Cont)

Place	2005		2006		2007		2007
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Birth Rate**
Lancaster	4,892	4,067	4,967	4,095	5,042	4,170	15.1
*Lincoln	4,890	3,792	4,965	3,822	5,042	3,885	15.6
Balance of Co.	2	275	2	273	0	285	10.6
Lincoln	591	488	638	512	635	515	14.5
*North Platte	590	364	638	382	633	400	16.6
Balance of Co.	1	124	0	130	2	115	10.1
Logan	0	10	0	15	0	6	8.1
Loup	0	4	0	3	0	12	18.6
McPherson	0	4	0	8	0	9	17.9
Madison	954	566	938	536	932	540	15.8
*Norfolk	953	430	938	395	932	401	17.3
Balance of Co.	1	136	0	141	0	139	12.7
Merrick	17	73	4	77	0	83	10.8
Central City	17	41	4	35	0	35	12.7
Balance of Co.	0	32	0	42	0	48	9.7
Morrill	0	68	1	50	0	60	11.9
Nance	0	43	0	39	0	32	9.0
Nemaha	2	70	1	87	0	84	11.9
Auburn	2	33	1	52	0	47	14.4
Balance of Co.	0	37	0	35	0	37	9.8
Nuckolls	51	59	51	50	37	37	8.2
Otoe	145	195	149	189	161	209	13.4
Nebraska City	134	102	140	101	153	110	15.6
Balance of Co.	11	93	9	88	8	99	11.5
Pawnee	0	17	0	25	0	21	7.8
Perkins	31	34	27	40	35	35	12.0
Phelps	123	110	146	117	122	121	13.2
Holdrege	123	75	146	77	122	76	14.7
Balance of Co.	0	35	0	40	0	45	11.2
Pierce	0	85	0	81	0	85	11.7
Platte	547	455	582	499	588	466	14.6
*Columbus	547	364	582	387	588	352	16.4
Balance of Co.	0	91	0	112	0	114	10.9
Polk	37	58	17	64	8	58	11.1
Red Willow	127	140	125	121	143	131	12.2
McCook	127	105	125	88	143	98	13.1
Balance of Co.	0	35	0	33	0	33	10.0
Richardson	55	81	55	84	42	67	8.0
Falls City	55	57	55	43	42	46	11.4
Balance of Co.	0	24	0	41	0	21	4.9
Rock	0	16	0	16	0	13	8.6
Saline	114	203	110	221	114	206	14.8
Crete	114	125	110	132	114	128	20.4
Balance of Co.	0	78	0	89	0	78	10.3
Sarpy	568	2,431	398	2,520	358	2,570	17.5
*Bellevue	0	873	1	897	4	969	20.0
*LaVista	0	261	0	269	0	253	15.4
*Papillion	390	313	397	304	353	361	16.2
Balance of Co.	178	984	0	1,050	1	987	16.5
Saunders	0	261	1	246	0	266	13.2
Wahoo	0	69	1	54	0	60	15.0
Balance of Co.	0	192	0	192	0	206	12.7

TABLE 4: Births by Place of Occurrence and by Usual Residence of the Mother, 2005-2007 (Cont)

Place	2005		2006		2007		2007
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Birth Rate**
Scotts Bluff	779	520	811	552	827	557	15.3
Gering	0	136	1	156	0	145	19.0
*Scottsbluff	779	261	808	252	826	282	19.2
Balance of Co.	0	123	2	144	1	130	9.3
Seward	107	184	107	202	90	197	11.9
Seward	107	74	107	83	90	80	11.9
Balance of Co.	0	110	0	119	0	117	11.9
Sheridan	54	71	36	68	24	62	11.4
Sherman	0	29	0	27	0	35	11.6
Sioux	0	14	0	10	2	11	8.1
Stanton	0	74	0	90	0	76	11.9
Thayer	41	55	33	63	35	59	11.4
Thomas	1	6	0	9	0	5	8.3
Thurston	54	151	71	174	69	181	25.1
Valley	9	44	6	56	6	51	12.0
Washington	86	225	86	234	68	219	11.0
Blair	86	105	84	114	67	117	14.9
Balance of Co.	0	120	2	120	1	102	8.4
Wayne	69	104	48	111	57	109	11.7
Wayne	69	57	48	64	57	66	12.5
Balance of Co.	0	47	0	47	0	43	10.7
Webster	0	28	1	30	1	42	11.6
Wheeler	0	7	0	6	0	6	7.4
York	148	172	175	191	172	184	12.8
York	130	102	161	118	152	106	13.4
Balance of Co.	18	70	14	73	20	78	12.1

Indented - Cities 2,500 - 10,000 population in 2000; *cities over 10,000 population in 2000; balance of county

** The number of resident live births per 1,000 population

TABLE 5: Births by Sex, Race and Hispanic Origin, By Place of Residence, 2007

Place	Total Births	Sex		Race					Hispanic Origin**
		Male	Female	White	Black	Amer Indian	Asian	Other	
STATE	26,935	13,872	13,063	21,024	1,831	493	636	2,951	4,065
Adams	415	220	195	354	4	2	9	46	51
*Hastings	333	179	154	272	4	2	9	46	51
Balance of Co.	82	41	41	82	0	0	0	0	0
Antelope	83	40	43	78	0	0	0	5	5
Arthur	5	3	2	5	0	0	0	0	0
Banner	5	4	1	4	0	0	0	1	1
Blaine	3	2	1	3	0	0	0	0	0
Boone	64	36	28	62	0	0	1	1	1
Box Butte	149	74	75	126	2	10	0	11	20
Alliance	120	57	63	97	2	10	0	11	18
Balance of Co.	29	17	12	29	0	0	0	0	2
Boyd	25	10	15	24	0	1	0	0	2
Brown	29	21	8	27	0	0	1	1	1
Buffalo	663	338	325	597	3	6	8	49	66
*Kearney	454	228	226	413	3	6	7	25	39
Balance of Co.	209	110	99	184	0	0	1	24	27
Burt	80	39	41	72	0	4	3	1	2
Butler	86	43	43	85	0	0	1	0	0
David City	28	15	13	28	0	0	0	0	0
Balance of Co.	58	28	30	57	0	0	1	0	0
Cass	311	162	149	301	1	1	2	6	7
Plattsmouth	107	53	54	100	0	0	2	5	5
Balance of Co.	204	109	95	201	1	1	0	1	2
Cedar	102	58	44	102	0	0	0	0	3
Chase	61	33	28	44	0	0	0	17	17
Cherry	64	32	32	53	0	10	0	1	0
Valentine	30	16	14	22	0	8	0	0	0
Balance of Co.	34	16	18	31	0	2	0	1	0
Cheyenne	141	67	74	125	0	5	4	7	12
Sidney	112	54	58	98	0	3	4	7	12
Balance of Co.	29	13	16	27	0	2	0	0	0
Clay	68	26	42	59	0	3	0	6	8
Colfax	201	108	93	71	0	5	14	111	132
Schuyler	154	82	72	29	0	5	14	106	126
Balance of Co.	47	26	21	42	0	0	0	5	6
Cuming	104	52	52	99	0	2	0	3	16
West Point	44	22	22	40	0	1	0	3	15
Balance of Co.	60	30	30	59	0	1	0	0	1
Custer	134	64	70	130	0	2	1	1	1
Broken Bow	61	27	34	59	0	2	0	0	0
Balance of Co.	73	37	36	71	0	0	1	1	1
Dakota	419	198	221	207	16	27	19	150	203
*So. Sioux City	358	168	190	164	16	25	16	137	187
Balance of Co.	61	30	31	43	0	2	3	13	16
Dawes	116	61	55	96	0	13	5	2	4
Chadron	91	47	44	73	0	11	5	2	3
Balance of Co.	25	14	11	23	0	2	0	0	1
Dawson	377	221	156	200	13	3	3	158	173
Cozad	54	29	25	44	0	1	0	9	10
Gothenburg	45	22	23	43	0	1	1	0	1
*Lexington	212	131	81	52	13	1	2	144	155
Balance of Co.	66	39	27	61	0	0	0	5	7

TABLE 5: Births by Sex, Race and Hispanic Origin, By Place of Residence, 2007 (Cont)

Place	Total Births	Sex		Race					Hispanic Origin**
		Male	Female	White	Black	Amer Indian	Asian	Other	
Deuel	26	11	15	26	0	0	0	0	2
Dixon	86	43	43	71	1	0	0	14	20
Dodge	478	242	236	395	2	1	6	74	79
*Fremont	380	196	184	300	2	1	6	71	75
Balance of Co.	98	46	52	95	0	0	0	3	4
Douglas	8,655	4,395	4,260	5,890	1,395	91	263	1,016	1,604
Elkhorn	82	42	40	76	0	2	4	0	0
*Omaha	7,309	3,697	3,612	4,654	1,371	85	211	988	1,563
Ralston	67	46	21	57	3	0	1	6	11
Balance of Co.	1,197	610	587	1,103	21	4	47	22	30
Dundy	15	11	4	14	0	0	0	1	1
Fillmore	60	27	33	53	1	0	1	5	5
Franklin	32	17	15	32	0	0	0	0	1
Frontier	32	17	15	31	0	1	0	0	0
Furnas	52	24	28	50	0	0	0	2	3
Gage	312	150	162	294	3	2	3	10	11
*Beatrice	196	99	97	181	3	2	3	7	9
Balance of Co.	116	51	65	113	0	0	0	3	2
Garden	19	10	9	18	0	0	1	0	0
Garfield	17	8	9	17	0	0	0	0	0
Gosper	14	6	8	13	0	0	0	1	1
Grant	8	5	3	8	0	0	0	0	0
Greeley	28	16	12	28	0	0	0	0	0
Hall	1,010	541	469	668	16	15	8	303	337
*Grand Island	889	472	417	562	16	14	7	290	324
Balance of Co.	121	69	52	106	0	1	1	13	13
Hamilton	83	45	38	81	1	0	0	1	2
Aurora	54	26	28	53	0	0	0	1	1
Balance of Co.	29	19	10	28	1	0	0	0	1
Harlan	24	12	12	23	0	0	0	1	1
Hayes	11	7	4	10	0	0	0	1	1
Hitchcock	25	13	12	25	0	0	0	0	0
Holt	120	66	54	114	0	0	0	6	6
O'Neill	35	20	15	32	0	0	0	3	3
Balance of Co.	85	46	39	82	0	0	0	3	3
Hooker	6	4	2	6	0	0	0	0	0
Howard	63	34	29	61	1	1	0	0	0
Jefferson	87	46	41	86	0	0	0	1	1
Fairbury	55	31	24	55	0	0	0	0	0
Balance of Co.	32	15	17	31	0	0	0	1	1
Johnson	51	25	26	37	0	0	2	12	12
Kearney	80	34	46	77	0	0	0	3	6
Minden	36	15	21	34	0	0	0	2	4
Balance of Co.	44	19	25	43	0	0	0	1	2
Keith	101	60	41	93	1	0	0	7	10
Ogallala	65	40	25	60	1	0	0	4	6
Balance of Co.	36	20	16	33	0	0	0	3	4
Keya Paha	3	0	3	3	0	0	0	0	0
Kimball	42	24	18	35	1	2	0	4	5
Kimball	27	15	12	20	1	2	0	4	4
Balance of Co.	15	9	6	15	0	0	0	0	1
Knox	100	57	43	81	0	19	0	0	0

TABLE 5: Births by Sex, Race and Hispanic Origin, By Place of Residence, 2007 (Cont)

Place	Total Births	Sex		Race					Hispanic Origin**	
		Male	Female	White	Black	Amer Indian	Asian	Other		
Lancaster	4,170	2,147	2,023	3,488	211		46	155	270	356
*Lincoln	3,885	2,000	1,885	3,210	211		45	152	267	349
Balance of Co.	285	147	138	278	0		1	3	3	7
Lincoln	515	279	236	472	3		2	6	32	48
*North Platte	400	217	183	364	3		1	4	28	41
Balance of Co.	115	62	53	108	0		1	2	4	7
Logan	6	4	2	6	0		0	0	0	0
Loup	12	8	4	12	0		0	0	0	0
McPherson	9	3	6	9	0		0	0	0	0
Madison	540	272	268	470	7		8	4	51	108
*Norfolk	401	203	198	351	7		6	3	34	71
Balance of Co.	139	69	70	119	0		2	1	17	37
Merrick	83	48	35	82	0		0	1	0	0
Central City	35	21	14	35	0		0	0	0	0
Balance of Co.	48	27	21	47	0		0	1	0	0
Morrill	60	27	33	53	0		0	1	6	9
Nance	32	16	16	32	0		0	0	0	1
Nemaha	84	46	38	82	0		0	2	0	0
Auburn	47	29	18	46	0		0	1	0	0
Balance of Co.	37	17	20	36	0		0	1	0	0
Nuckolls	37	21	16	34	0		0	0	3	3
Otoe	209	107	102	184	0		1	2	22	25
Nebraska City	110	58	52	86	0		1	1	22	24
Balance of Co.	99	49	50	98	0		0	1	0	1
Pawnee	21	12	9	21	0		0	0	0	0
Perkins	35	23	12	32	0		0	0	3	4
Phelps	121	66	55	113	1		2	0	5	11
Holdrege	76	39	37	73	1		0	0	2	7
Balance of Co.	45	27	18	40	0		2	0	3	4
Pierce	85	48	37	81	0		3	0	1	1
Platte	466	239	227	367	3		2	6	88	98
*Columbus	352	185	167	264	3		1	6	78	88
Balance of Co.	114	54	60	103	0		1	0	10	10
Polk	58	28	30	56	0		0	0	2	2
Red Willow	131	52	79	124	3		0	0	4	8
McCook	98	40	58	94	2		0	0	2	6
Balance of Co.	33	12	21	30	1		0	0	2	2
Richardson	67	38	29	60	1		4	0	2	3
Falls City	46	26	20	39	1		4	0	2	2
Balance of Co.	21	12	9	21	0		0	0	0	1
Rock	13	6	7	13	0		0	0	0	0
Saline	206	104	102	110	0		2	4	90	94
Crete	128	67	61	39	0		2	3	84	87
Balance of Co.	78	37	41	71	0		0	1	6	7
Sarpy	2,570	1,364	1,206	2,163	131		16	89	171	241
*Bellevue	969	510	459	704	89		6	42	128	172
*LaVista	253	145	108	217	13		5	10	8	10
*Papillion	361	189	172	303	23		4	14	17	28
Balance of Co.	987	520	467	939	6		1	23	18	31
Saunders	266	133	133	258	0		3	1	4	5
Wahoo	60	34	26	58	0		0	1	1	2
Balance of Co.	206	99	107	200	0		3	0	3	3

TABLE 5: Births by Sex, Race and Hispanic Origin, By Place of Residence, 2007 (Cont)

Place	Total Births	Sex		Race					Hispanic Origin**
		Male	Female	White	Black	Amer Indian	Asian	Other	
Scotts Bluff	557	276	281	403	3	24	1	126	172
Gering	145	74	71	109	0	4	0	32	36
*Scottsbluff	282	145	137	182	2	17	0	81	114
Balance of Co.	130	57	73	112	1	3	1	13	22
Seward	197	105	92	191	0	0	2	4	5
Seward	80	45	35	77	0	0	1	2	3
Balance of Co.	117	60	57	114	0	0	1	2	2
Sheridan	62	31	31	48	0	10	0	4	3
Sherman	35	14	21	35	0	0	0	0	0
Sioux	11	4	7	11	0	0	0	0	0
Stanton	76	34	42	71	0	0	0	5	5
Thayer	59	28	31	57	0	0	1	1	1
Thomas	5	1	4	5	0	0	0	0	0
Thurston	181	95	86	37	0	144	0	0	2
Valley	51	23	28	50	0	0	0	1	2
Washington	219	124	95	213	2	0	3	1	5
Blair	117	66	51	111	2	0	3	1	4
Balance of Co.	102	58	44	102	0	0	0	0	1
Wayne	109	59	50	103	1	0	1	4	6
Wayne	66	36	30	61	1	0	1	3	5
Balance of Co.	43	23	20	42	0	0	0	1	1
Webster	42	22	20	40	1	0	0	1	2
Wheeler	6	4	2	6	0	0	0	0	0
York	184	99	85	168	3	0	2	11	12
York	106	56	50	96	1	0	1	8	8
Balance of Co.	78	43	35	68	1	1	0	3	4

Indented - Cities 2,500 - 10,000 population in 2000

*cities over 10,000 population in 2000; balance of county

** Persons of Hispanic origin may be any race.


Multiple Pregnancies:

466 sets of Twins

17 sets of Triplets

1 set of Quadruplets

**Graph 3: Percent of All Births by Age of Mother,
2003-2007**



**Graph 4: Average Age of Mother Giving Birth,
1975-2007**




TABLE 6: Birth Order by Age of Mother, 2007

Age of Mother	Total	Birth Order												Unknown
		1	2	3	4	5	6	7	8	9	10	11	12+	
TOTAL	26,935	9,876	8,609	4,982	2,085	713	282	109	59	26	16	7	8	163
13	5	5	18	1										1
14	19	90	90											2
15	90	217	194	21	1									8
16	380	334	42	2										6
17	641	519	104	10										6
18	951	701	206	31										6
19	1,109	702	321	65	14									6
20	1,332	704	430	148	34	6								10
21	1,377	654	480	185	44	7								5
22	1,445	611	511	226	60	22	23	6						12
23	1,668	650	575	298	103	18	13	1	1					12
24	1,649	664	552	298	94	18	12	1	1					9
25	1,789	653	642	322	117	31	12	1	1					10
26	1,809	631	671	323	120	40	12	2	2					9
27	1,704	500	646	343	130	53	17	5	1					9
28	1,690	444	601	376	184	50	17	5	2					10
29	1,529	409	532	348	161	41	27	3	1	1				4
30	1,360	318	449	346	165	47	14	10	4	1				5
31	1,240	275	413	329	138	48	17	8	3	1				8
32	994	174	321	292	124	40	22	5	3					8
33	856	156	269	232	113	49	12	10	5					6
34	777	123	245	210	110	53	19	9	3					3
35	625	107	159	183	85	52	11	10	4					1
36	517	72	140	146	85	37	19	6	5					6
37	400	51	102	107	72	29	16	9	4					1
38	267	35	71	67	43	20	9	7	2					1
39	188	31	42	39	35	16	10	3	4					1
40	135	21	35	23	21	14	11	5	3					2
41	76	12	17	13	16	4	8	3	1					1
42	49	13	5	11	4	2	2	2	1					1
43	20	2	4	4	3	1	3	1						1
44	12	2	2	1	3	1								1
45	46+	13	3	2	3	1								1
	Unknown	2												

TABLE 7: Teen Births by Place of Residence, 2007 and 2003-2007

County	2007*			2003-2007		
	Teen Births	Total Births	% Teen Births	Teen Births	Total Births	% Teen Births
TOTAL	2,303	26,935	8.6	11,241	132,024	8.5
Adams	44	415	10.6	239	2,167	11.0
Antelope	*	83	*	17	383	4.4
Arthur	0	5	0.0	1	25	4.0
Banner	*	5	*	6	27	22.2
Blaine	*	3	*	1	25	4.0
Boone	5	64	7.8	18	279	6.5
Box Butte	16	149	10.7	81	738	11.0
Boyd	*	25	*	6	85	7.1
Brown	0	29	0.0	7	160	4.4
Buffalo	43	663	6.5	217	3,299	6.6
Burt	*	80	*	27	399	6.8
Butler	*	86	*	24	445	5.4
Cass	14	311	4.5	80	1,576	5.1
Cedar	*	102	*	22	544	4.0
Chase	6	61	9.8	29	246	11.8
Cherry	9	64	14.1	37	361	10.2
Cheyenne	21	141	14.9	65	667	9.7
Clay	*	68	*	31	366	8.5
Colfax	31	201	15.4	142	985	14.4
Cuming	6	104	5.8	45	615	7.3
Custer	11	134	8.2	55	654	8.4
Dakota	52	419	12.4	227	1,997	11.4
Dawes	15	116	12.9	48	519	9.2
Dawson	52	377	13.8	279	2,147	13.0
Deuel	5	26	19.2	11	111	9.9
Dixon	9	86	10.5	30	402	7.5
Dodge	60	478	12.6	227	2,498	9.1
Douglas	812	8,655	9.4	3,782	41,732	9.1
Dundy	*	15	*	9	87	10.3
Fillmore	*	60	*	28	315	8.9
Franklin	*	32	*	9	155	5.8
Frontier	*	32	*	10	141	7.1
Furnas	6	52	11.5	26	242	10.7
Gage	21	312	6.7	109	1,402	7.8
Garden	*	19	*	6	84	7.1
Garfield	*	17	*	5	83	6.0
Gosper	*	14	*	8	107	7.5
Grant	0	8	0.0	1	31	3.2
Greeley	*	28	*	9	145	6.2
Hall	131	1,010	13.0	591	4,802	12.3
Hamilton	5	83	6.0	31	492	6.3
Harlan	*	24	*	14	162	8.6
Hayes	*	11	*	3	42	7.1
Hitchcock	*	25	*	8	150	5.3
Holt	6	120	5.0	41	595	6.9
Hooker	0	6	0.0	1	27	3.7
Howard	5	63	7.9	23	389	5.9
Jefferson	6	87	6.9	36	408	8.8
Johnson	*	51	*	20	284	7.0
Kearney	6	80	7.5	23	395	5.8

TABLE 7: Teen Births by Place of Residence, 2007 and 2003-2007 (Cont)

County	2007*			2003-2007		
	Teen Births	Total Births	% Teen Births	Teen Births	Total Births	% Teen Births
Keith	7	101	6.9	53	469	11.3
Keya Paha	0	3	0.0	1	54	1.9
Kimball	6	42	14.3	30	204	14.7
Knox	*	100	*	43	497	8.7
Lancaster	268	4,170	6.4	1,411	20,501	6.9
Lincoln	44	515	8.5	257	2,499	10.3
Logan	0	6	0.0	3	50	6.0
Loup	0	12	0.0	1	27	3.7
McPherson	0	9	0.0	2	30	6.7
Madison	60	540	11.1	319	2,813	11.3
Merrick	5	83	6.0	24	417	5.8
Morrill	11	60	18.3	31	286	10.8
Nance	*	32	*	15	197	7.6
Nemaha	8	84	9.5	40	399	10.0
Nuckolls	*	37	*	27	257	10.5
Otoe	15	209	7.2	96	945	10.2
Pawnee	*	21	*	6	114	5.3
Perkins	*	35	*	13	185	7.0
Phelps	8	121	6.6	39	563	6.9
Pierce	7	85	8.2	21	432	4.9
Platte	49	466	10.5	212	2,348	9.0
Polk	*	58	*	17	316	5.4
Red Willow	11	131	8.4	59	659	9.0
Richardson	9	67	13.4	45	418	10.8
Rock	0	13	0.0	6	78	7.7
Saline	17	206	8.3	99	1,003	9.9
Sarpy	131	2,570	5.1	635	12,232	5.2
Saunders	11	266	4.1	69	1,245	5.5
Scotts Bluff	71	557	12.7	389	2,706	14.4
Seward	10	197	5.1	49	990	4.9
Sheridan	9	62	14.5	40	344	11.6
Sherman	*	35	*	10	164	6.1
Sioux	*	11	*	4	57	7.0
Stanton	5	76	6.6	31	413	7.5
Thayer	*	59	*	15	280	5.4
Thomas	*	5	*	2	34	5.9
Thurston	38	181	21.0	188	828	22.7
Valley	*	51	*	14	246	5.7
Washington	8	219	3.7	42	1,106	3.8
Wayne	6	109	5.5	34	531	6.4
Webster	*	42	*	9	156	5.8
Wheeler	0	6	0.0	0	33	0.0
York	23	184	12.5	75	908	8.3

Teen Births = Ages 19 and under

* For reasons of confidentiality, Teen Births are not provided for 2007 if there were less than five for any given county.


Graph 5: Trimester Prenatal Care Began, 2007

TABLE 8: Births - Trimester Prenatal Care Began (Percent) by Number of Prenatal Visits, 2007

Number of Visits	Trimester			No Prenatal Care		
	First	Second	Third	Unknown	Total	
0	-	-	-	100.0	-	100.0
1-5	27.6	34.8	36.1	-	1.5	100.0
6-9	61.4	32.5	5.9	-	0.3	100.0
10-12	81.4	17.1	0.7	-	0.7	100.0
13-15	84.2	10.2	0.4	-	5.2	100.0
16-18	84.4	8.3	0.1	-	7.2	100.0
> 18	82.9	9.9	0.2	-	7.0	100.0
Unknown	57.6	16.4	5.0	-	21.0	100.0
Total	73.2	20.0	3.9	0.7	2.2	100.0

TABLE 9: Births - Number of Prenatal Care Visits (Percent) by Age of Mother, 2007

Age of Mother	Number of Prenatal Care Visits								Total
	0	1-5	6-9	10-12	13-15	16-18	>18	Unknown	
< 17 years	2.7	12.6	37.2	30.0	13.5	2.4	0.9	0.6	100.0
17-19 years	0.9	9.3	29.6	36.6	17.7	3.4	1.5	0.9	100.0
20-24 years	1.0	6.8	27.0	38.5	19.8	4.2	2.0	0.9	100.0
25-29 years	0.5	4.2	25.2	41.4	21.7	4.1	1.7	1.1	100.0
30-34 years	0.4	3.9	25.4	42.5	20.5	4.3	2.1	1.0	100.0
35-39 years	0.7	4.2	26.3	41.0	20.7	3.6	2.6	0.9	100.0
> 39 years	1.2	7.5	22.3	39.8	20.9	4.1	3.2	1.0	100.0
Total	0.7	5.3	26.2	40.3	20.4	4.1	2.0	1.0	100.0

Rows may not sum to total due to rounding.

TABLE 10: Number of Prenatal Care Visits (%) by Education of Mother, 2007

Education of Mother (Yrs)	Number of Prenatal Care Visits								Total
	0	1-5	6-9	10-12	13-15	16-18	>18	Unknown	
Less than 9 years	1.0	8.9	27.5	35.0	21.7	4.2	1.2	0.5	100.0
9-11 years	1.2	10.1	30.0	34.5	18.4	3.4	1.9	0.6	100.0
12 years	1.0	7.0	28.6	38.5	18.2	4.3	2.0	0.3	100.0
13 years	0.8	4.9	26.6	40.7	20.2	4.2	2.3	0.2	100.0
14 years	0.2	3.1	24.4	44.1	22.3	4.1	1.5	0.3	100.0
15 years	-	-	-	-	-	-	-	-	-
16 years	0.3	3.0	23.8	44.5	22.1	4.2	2.0	0.2	100.0
More than 16 years	0.1	2.4	23.6	43.5	24.3	3.7	1.9	0.3	100.0
Unknown	1.7	3.7	7.0	9.5	4.5	-	0.8	72.7	100.0
Total	0.7	5.3	26.2	40.3	20.4	4.1	2.0	1.0	100.0

TABLE 11: Births - Number of Prenatal Care Visits (%) by Birth Weight of Child, 2007

Birth Weight of Child	Number of Prenatal Care Visits								Total
	0	1-5	6-9	10-12	13-15	16-18	>18	Unknown	
< 1500 grams	4.3	34.0	35.4	10.3	6.9	2.6	4.9	1.7	100.0
1500-2499 grams	1.4	10.8	31.8	28.6	14.9	4.5	6.5	1.5	100.0
2500-4499 grams	0.6	4.6	25.8	41.5	20.9	4.0	1.6	0.9	100.0
>4499 grams	0.3	4.6	20.7	39.1	25.7	5.6	3.0	1.0	100.0
Unknown	10.0	-	-	20.0	20.0	-	-	50.0	100.0
Total	0.7	5.3	26.2	40.3	20.4	4.1	2.0	1.0	100.0

TABLE 12: Births - Number of Prenatal Care Visits (%) by Race/Hispanic Origin of Mother, 2007

Race/Hispanic Origin of Mother	Number of Prenatal Care Visits								Total
	0	1-5	6-9	10-12	13-15	16-18	>18	Unknown	
Race:									
White	0.6	4.1	24.7	41.3	21.9	4.3	2.1	0.9	100.0
Black	1.4	10.7	29.7	32.8	19.3	4.1	1.7	0.3	100.0
American Indian	2.4	13.0	30.4	28.6	12.6	3.7	2.2	7.1	100.0
All Other	0.8	8.6	33.2	39.9	13.4	2.5	1.0	0.6	100.0
Unknown	-	13.8	13.8	34.5	20.7	-	-	17.2	100.0
Hispanic Origin *									
Mexican	0.6	7.7	29.2	37.0	20.0	3.9	1.2	0.5	100.0
All Other	0.8	8.0	30.0	37.5	18.4	2.8	1.8	0.7	100.0
Total	0.7	5.3	26.2	40.3	20.4	4.1	2.0	1.0	100.0

* Persons of Hispanic Origin may be any race.

Rows may not sum to total due to rounding.

**TABLE 13: Births by Trimester Prenatal Care Began and Percent Receiving Inadequate Care
by County of Residence, 2007**

County	Trimester Prenatal Care Began					Percent Inadequate Care*
	First Trimester	Second Trimester	Third Trimester	None	Unknown	
STATE	19,721	3,399	1,050	184	581	14.2
Adams	329	59	23	4	0	12.8
Antelope	71	11	0	0	1	3.7
Arthur	2	1	0	0	2	0.0
Banner	3	2	0	0	0	20.0
Blaine	3	0	0	0	0	0.0
Boone	49	13	2	0	0	15.6
Box Butte	113	31	5	0	0	20.5
Boyd	15	5	4	0	1	25.0
Brown	18	11	0	0	0	20.7
Buffalo	523	114	19	5	2	11.5
Burt	57	16	3	1	3	7.8
Butler	67	16	3	0	0	10.5
Cass	248	53	7	0	3	10.7
Cedar	87	13	2	0	0	4.0
Chase	38	21	2	0	0	16.4
Cherry	44	16	4	0	0	16.9
Cheyenne	92	37	10	2	0	23.0
Clay	51	13	4	0	0	14.7
Colfax	117	69	13	2	0	25.0
Cuming	79	18	6	0	1	13.6
Custer	99	28	6	1	0	14.3
Dakota	301	99	11	7	1	14.7
Dawes	80	25	8	1	2	19.8
Dawson	241	112	22	2	0	23.1
Deuel	18	6	2	0	0	26.9
Dixon	69	11	5	1	0	17.3
Dodge	331	119	20	5	3	13.9
Douglas	6,038	1,774	340	48	455	14.5
Dundy	11	3	1	0	0	13.3
Fillmore	43	14	3	0	0	16.7
Franklin	25	5	1	1	0	15.6
Frontier	20	11	1	0	0	9.7
Furnas	38	9	5	0	0	17.3
Gage	237	67	7	1	0	10.9
Garden	12	6	0	0	1	5.6
Garfield	12	3	2	0	0	11.8
Gosper	11	2	1	0	0	14.3
Grant	5	2	0	1	0	25.0
Greeley	22	3	1	2	0	10.7
Hall	674	280	46	8	2	17.8
Hamilton	65	15	3	0	0	8.4
Harlan	17	7	0	0	0	4.2
Hayes	7	4	0	0	0	18.2
Hitchcock	22	2	1	0	0	8.0
Holt	92	21	6	0	1	12.8
Hooker	4	2	0	0	0	0.0
Howard	45	15	3	0	0	11.1
Jefferson	59	26	2	0	0	9.2
Johnson	38	10	2	0	1	10.2
Kearney	60	17	3	0	0	11.3

**TABLE 13: Births by Trimester Prenatal Care Began and Percent Receiving Inadequate Care
by County of Residence, 2007 (Cont)**

County	Trimester Prenatal Care Began					Percent Inadequate Care*
	First Trimester	Second Trimester	Third Trimester	None	Unknown	
Keith	63	29	8	0	1	23.0
Keya Paha	1	2	0	0	0	0.0
Kimball	24	16	2	0	0	26.2
Knox	70	23	5	2	0	15.9
Lancaster	3,352	647	120	41	10	13.0
Lincoln	333	146	27	5	4	19.3
Logan	4	2	0	0	0	16.7
Loup	9	3	0	0	0	0.0
McPherson	6	2	0	1	0	12.5
Madison	406	99	27	5	3	15.1
Merrick	60	21	0	1	1	12.2
Morrill	35	17	8	0	0	30.0
Nance	27	2	3	0	0	15.6
Nemaha	60	21	2	1	0	16.7
Nuckolls	33	3	0	1	0	13.5
Otoe	133	65	8	3	0	17.7
Pawnee	14	3	1	1	2	21.1
Perkins	24	8	3	0	0	20.0
Phelps	90	25	4	2	0	14.0
Pierce	64	11	6	0	4	13.8
Platte	348	91	22	1	4	14.7
Polk	47	10	1	0	0	1.7
Red Willow	110	20	1	0	0	9.9
Richardson	49	15	2	0	1	15.2
Rock	9	4	0	0	0	0.0
Saline	134	59	8	1	4	19.8
Sarpy	1,968	450	81	12	59	10.7
Saunders	214	39	7	3	3	11.4
Scotts Bluff	412	106	34	4	1	17.1
Seward	166	26	5	0	0	7.1
Sheridan	42	15	3	1	1	18.0
Sherman	25	8	2	0	0	11.4
Sioux	10	0	0	1	0	9.1
Stanton	60	10	5	0	1	9.5
Thayer	43	14	2	0	0	10.2
Thomas	1	3	1	0	0	60.0
Thurston	118	47	11	3	2	24.2
Valley	35	12	4	0	0	19.6
Washington	181	34	3	1	0	10.0
Wayne	89	15	4	0	1	7.5
Webster	35	3	4	0	0	19.0
Wheeler	4	2	0	0	0	16.7
York	111	54	17	2	0	23.9

* Calculated by using the Kotelchuk Index. The Kotelchuk Index measures adequacy of prenatal care (adequate, inadequate, intermediate) by using a combination of the following factors: number of prenatal visits; gestation; and trimester prenatal care began.

Graph 6: Low and Very Low Birth Weight Rates, 1970-2007




TABLE 14: Births by Weight Groups, 2007

Weight (pounds)	Number	Percent of Total*
1 lb. and under	36	0.1
1 lb. 1 oz. - 2 lbs.	114	0.4
2 lbs. 1 ozs. - 3 lbs. 8 ozs.	262	1.0
3 lbs. 9 ozs. - 4 lbs. 8 ozs.	394	1.5
4 lbs. 9 ozs. - 5 lbs. 8 ozs.	1,101	4.1
5 lbs. 9 ozs. - 5 lbs. 15 ozs.	1,100	4.1
6 lbs. - 6 lbs. 15 ozs.	6,241	23.2
7 lbs. - 7 lbs. 15 ozs.	9,878	36.7
8 lbs. - 8 lbs. 15 ozs.	6,004	22.3
9 lbs. - 9 lbs. 15 ozs.	1,531	5.7
10 lbs. - 10 lbs. 15 ozs.	229	0.9
11 lbs. - 11 lbs. 15 ozs.	28	0.1
12 lbs. and over	7	0.0
Unknown	10	0.0
Total Births	26,935	100.0

Weight (grams)	Number	Percent of Total*
499 and under	42	0.2
500-999	134	0.5
1000-1499	174	0.6
1500-1999	391	1.5
2000-2499	1,153	4.3
2500-2999	4,431	16.5
3000-3499	10,370	38.5
3500-3999	7,930	29.4
4000-4499	1,996	7.4
4500-4999	274	1.0
5000 and over	30	0.1
Unknown	10	0.0

Total Births 26,935 100.0

* Percents may not sum to total due to rounding.

TABLE 15: Births, Very Low and Low Birth Weight by County of Residence, 2007 and 2003-2007

County	2007				2003-2007			
	< 1500 grams		< 2500 grams		< 1500 grams		< 2500 grams	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
STATE	350	13.0	1,894	70.3	1,640	12.4	9,281	70.3
Adams	5	12.0	28	67.5	24	11.1	135	62.3
Antelope	1	12.0	2	24.1	3	7.8	19	49.6
Arthur	0	-	1	200.0	0	-	1	40.0
Banner	0	-	1	200.0	0	-	1	37.0
Blaine	1	333.3	1	333.3	1	40.0	1	40.0
Boone	0	-	6	93.8	2	7.2	19	68.1
Box Butte	1	6.7	11	73.8	6	8.1	56	75.9
Boyd	1	40.0	4	160.0	1	11.8	8	94.1
Brown	0	-	0	-	4	25.0	13	81.3
Buffalo	7	10.6	43	64.9	42	12.7	202	61.2
Burt	4	50.0	9	112.5	9	22.6	30	75.2
Butler	0	-	3	34.9	1	2.2	16	36.0
Cass	6	19.3	19	61.1	26	16.5	107	67.9
Cedar	0	-	2	19.6	2	3.7	21	38.6
Chase	1	16.4	6	98.4	1	4.1	16	65.0
Cherry	1	15.6	6	93.8	2	5.5	22	60.9
Cheyenne	2	14.2	12	85.1	13	19.5	46	69.0
Clay	0	-	7	102.9	1	2.7	17	46.4
Colfax	3	14.9	13	64.7	11	11.2	52	52.8
Cuming	1	9.6	7	67.3	5	8.1	34	55.3
Custer	2	14.9	12	89.6	9	13.8	47	71.9
Dakota	4	9.5	26	62.1	19	9.5	143	71.6
Dawes	0	-	8	69.0	6	11.6	30	57.8
Dawson	4	10.6	26	69.0	21	9.8	140	65.2
Deuel	0	-	1	38.5	2	18.0	7	63.1
Dixon	0	-	7	81.4	4	10.0	28	69.7
Dodge	4	8.4	39	81.6	31	12.4	172	68.9
Douglas	128	14.8	666	76.9	588	14.1	3,293	78.9
Dundy	0	-	0	-	2	23.0	5	57.5
Fillmore	0	-	5	83.3	3	9.5	25	79.4
Franklin	0	-	4	125.0	0	-	10	64.5
Frontier	2	62.5	2	62.5	6	42.6	14	99.3
Furnas	0	-	1	19.2	0	-	7	28.9
Gage	4	12.8	35	112.2	12	8.6	116	82.7
Garden	0	-	0	-	0	-	3	35.7
Garfield	0	-	0	-	0	-	3	36.1
Gosper	0	-	0	-	2	18.7	4	37.4
Grant	0	-	1	125.0	0	-	5	161.3
Greeley	0	-	4	142.9	0	-	10	69.0
Hall	15	14.9	74	73.3	58	12.1	326	67.9
Hamilton	0	-	8	96.4	4	8.1	49	99.6
Harlan	0	-	2	83.3	0	-	7	43.2
Hayes	0	-	0	-	0	-	0	-
Hitchcock	0	-	3	120.0	1	6.7	10	66.7
Holt	1	8.3	5	41.7	6	10.1	39	65.5
Hooker	0	-	1	166.7	0	-	4	148.1
Howard	1	15.9	1	15.9	2	5.1	18	46.3
Jefferson	2	23.0	7	80.5	4	9.8	34	83.3
Johnson	0	-	2	39.2	1	3.5	11	38.7
Kearney	0	-	7	87.5	5	12.7	29	73.4

TABLE 15: Births, Very Low and Low Birth Weight by County of Residence, 2007 and 2003-2007 (Cont)

County	2007				2003-2007			
	< 1500 grams		< 2500 grams		< 1500 grams		< 2500 grams	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
Keith	8	79.2	13	128.7	12	25.6	47	100.2
Keya Paha	0	-	0	-	0	-	4	74.1
Kimball	1	23.8	2	47.6	2	9.8	21	102.9
Knox	2	20.0	7	70.0	10	20.1	35	70.4
Lancaster	35	8.4	238	57.1	247	12.0	1,404	68.5
Lincoln	8	15.5	53	102.9	33	13.2	199	79.6
Logan	0	-	1	166.7	0	-	2	40.0
Loup	0	-	1	83.3	0	-	2	74.1
McPherson	0	-	2	222.2	0	-	2	66.7
Madison	9	16.7	28	51.9	33	11.7	150	53.3
Merrick	1	12.0	5	60.2	4	9.6	31	74.3
Morrill	0	-	5	83.3	10	35.0	25	87.4
Nance	0	-	2	62.5	3	15.2	18	91.4
Nemaha	2	23.8	5	59.5	8	20.1	24	60.2
Nuckolls	0	-	4	108.1	5	19.5	22	85.6
Otoe	5	23.9	14	67.0	11	11.6	72	76.2
Pawnee	1	47.6	3	142.9	3	26.3	13	114.0
Perkins	0	-	2	57.1	0	-	5	27.0
Phelps	1	8.3	4	33.1	3	5.3	22	39.1
Pierce	1	11.8	11	129.4	4	9.3	21	48.6
Platte	10	21.5	31	66.5	22	9.4	131	55.8
Polk	0	-	1	17.2	1	3.2	22	69.6
Red Willow	0	-	5	38.2	6	9.1	36	54.6
Richardson	0	-	6	89.6	1	2.4	31	74.2
Rock	0	-	0	-	0	-	4	51.3
Saline	3	14.6	9	43.7	15	15.0	57	56.8
Sarpy	33	12.8	184	71.6	147	12.0	830	67.9
Saunders	4	15.0	16	60.2	14	11.2	86	69.1
Scotts Bluff	7	12.6	31	55.7	27	10.0	197	72.8
Seward	2	10.2	12	60.9	12	12.1	62	62.6
Sheridan	0	-	5	80.6	0	-	22	64.0
Sherman	3	85.7	4	114.3	5	30.5	10	61.0
Sioux	0	-	0	-	1	17.5	3	52.6
Stanton	0	-	3	39.5	0	-	13	31.5
Thayer	1	16.9	6	101.7	4	14.3	23	82.1
Thomas	0	-	0	-	0	-	4	117.6
Thurston	4	22.1	10	55.2	11	13.3	37	44.7
Valley	1	19.6	6	117.6	4	16.3	15	61.0
Washington	1	4.6	15	68.5	17	15.4	72	65.1
Wayne	2	18.3	10	91.7	6	11.3	27	50.8
Webster	0	-	1	23.8	2	12.8	7	44.9
Wheeler	0	-	0	-	0	-	0	-
York	4	21.7	11	59.8	17	18.7	68	74.9

* Per 1,000 live births

NOTE: Rates based on small numbers may be unreliable.

TABLE 16: Medical Risk Factors of the Mother, 2007

Medical Risk Factors*	Number	Percent of Births
Prepregnancy Diabetes	184	0.7
Gestational Diabetes	1,206	4.5
Prepregnancy Hypertension	199	0.7
Gestational Hypertension	973	3.6
Previous Pre-Term Births	607	2.3
Poor Pregnancy Outcomes	1,035	3.8
Vaginal Bleeding	481	1.8
Infertility Treatment	360	1.3
Previous Cesarean	3,565	13.2

* More than one medical risk factor may be reported.

TABLE 17: Obstetric Procedures, 2007

Obstetric Procedures	Number	Percent of Births
Cervical Cerclage	130	0.5
Tocolysis	372	1.4
Successful External Cephalic Version	38	0.1
Failed External Cephalic Version	22	0.1

TABLE 18: Characteristics of Labor and Delivery, 2007

Characteristics of Labor and Delivery	Number	Percent of Births
Induction of Labor	7,748	28.8
Augmentation of Labor	7,769	28.8
Non-Vertex Presentation	509	1.9
Steroids	107	0.4
Antibiotics	4,692	17.4
Chorioamnionitis	143	0.5
Meconium Staining	1,142	4.2
Fetal Intolerance	2,793	10.4
Anesthesia	20,474	76.0

TABLE 19: Method of Delivery, 2007

Method of Delivery	Number	Percent of Births
Attempted Forceps	52	0.2
Attempted Vacuum	101	0.4
Cephalic Fetal Presentation	23,975	89.0
Breech Fetal Presentation	980	3.6
Other Fetal Presentation	1,968	1.3
Spontaneous Delivery	17,147	0.1
Forceps Delivery	726	2.7
Vacuum Delivery	742	2.8
Cesarean Delivery	8,318	30.9
Trial of Labor Attempted	2,591	9.6


TABLE 20: Onset of Labor, 2007

Onset of Labor	Number	Percent of Births
Premature Rupture of Membranes	554	2.1
Precipitous Labor	529	2.0
Prolonged Labor	299	1.1


TABLE 21: Perinatal Cigarette Smoking, 2007

Number of Cigarettes per Day	3 Months Prior to Pregnancy	First 3 Months of Pregnancy	Second 3 Months of Pregnancy	Last 3 Months of Pregnancy
None	21,330	22,950	23,594	23,781
1-5	1,390	1,336	1,280	1,373
6-10	1,928	1,610	1,435	1,274
11-19	454	284	200	139
20-29	1,583	671	371	316
30-39	116	29	15	12
40 or more	96	22	7	8
Unknown	38	33	33	132

Graph 7: Average Birth Weight by Tobacco Usage of the Mother (2003-2007)



Graph 8: Tobacco Use During Pregnancy by Race/Hispanic Origin of the Mother, 2007



*Hispanic Origin may be of any race.

Graph 9: Birth Rates for Unmarried Women, 1960-2007




TABLE 22: Births to Unmarried Women by Place of Residence, 2007 and 2003-2007

Place	2007		2003-2007	
	Number	Rate*	Number	Rate*
STATE	8,987	333.7	41,306	312.9
Adams	149	359.0	735	339.2
Hastings	136	408.4	668	376.1
Balance of Co.	13	158.5	67	171.4
Antelope	22	265.1	87	227.2
Arthur	0	-	2	80.0
Banner	1	200.0	6	222.2
Blaine	1	333.3	1	40.0
Boone	18	281.3	63	225.8
Box Butte	46	308.7	244	330.6
Boyd	5	200.0	16	188.2
Brown	12	413.8	41	256.3
Buffalo	181	273.0	851	258.0
Kearney	139	306.2	631	277.9
Balance of Co.	42	201.0	220	214.0
Burt	20	250.0	110	275.7
Butler	22	255.8	107	240.4
Cass	76	244.4	380	241.1
Cedar	14	137.3	79	145.2
Chase	16	262.3	62	252.0
Cherry	24	375.0	108	299.2
Cheyenne	49	347.5	194	290.9
Clay	14	205.9	87	237.7
Colfax	90	447.8	425	431.5
Cuming	39	375.0	154	250.4
Custer	36	268.7	149	227.8
Dakota	195	465.4	841	421.1
So. Sioux City	178	497.2	713	451.0
Balance of Co.	17	278.7	128	307.7
Dawes	34	293.1	160	308.3
Dawson	168	445.6	828	385.7
Lexington	104	490.6	514	423.7
Balance of Co.	64	387.9	314	336.2
Deuel	16	615.4	39	351.4
Dixon	28	325.6	113	281.1
Dodge	179	374.5	861	344.7
Fremont	151	397.4	730	378.0
Balance of Co.	28	285.7	131	231.0
Douglas	3,392	391.9	15,110	362.1
Omaha	3,249	444.5	14,470	409.5
Balance of Co.	143	106.2	640	100.1
Dundy	3	200.0	19	218.4
Fillmore	16	266.7	80	254.0
Franklin	10	312.5	35	225.8
Frontier	5	156.3	27	191.5
Furnas	16	307.7	47	194.2
Gage	109	349.4	407	290.3
Beatrice	77	392.9	312	347.1
Balance of Co.	32	275.9	95	188.9
Garden	5	263.2	25	297.6
Garfield	3	176.5	10	120.5

TABLE 22: Births to Unmarried Women by Place of Residence, 2007 and 2003-2007 (Cont)

Place	2007		2003-2007	
	Number	Rate*	Number	Rate*
Gosper	2	142.9	20	186.9
Grant	1	125.0	4	129.0
Greeley	6	214.3	23	158.6
Hall	444	439.6	1,996	415.7
Grand Island	411	462.3	1,843	440.7
Balance of Co.	33	272.7	153	246.8
Hamilton	19	228.9	101	205.3
Harlan	2	83.3	35	216.0
Hayes	1	90.9	4	95.2
Hitchcock	4	160.0	25	166.7
Holt	26	216.7	143	240.3
Hooker	1	166.7	3	111.1
Howard	17	269.8	100	257.1
Jefferson	14	160.9	104	254.9
Johnson	14	274.5	74	260.6
Kearney	21	262.5	86	217.7
Keith	35	346.5	158	336.9
Keya Paha	0	-	3	55.6
Kimball	19	452.4	81	397.1
Knox	28	280.0	162	326.0
Lancaster	1,190	285.4	5,693	277.7
Lincoln	1,152	296.5	5,479	285.9
Balance of Co.	38	133.3	214	160.2
Lincoln	188	365.0	851	340.5
North Platte	162	405.0	733	385.4
Balance of Co.	26	226.1	118	197.7
Logan	0	-	8	160.0
Loup	1	83.3	4	148.1
McPherson	2	222.2	8	266.7
Madison	194	359.3	991	352.3
Norfolk	161	401.5	96	426.7
Balance of Co.	33	237.4	85	188.1
Merrick	12	144.6	91	218.2
Morrill	25	416.7	85	297.2
Nance	12	375.0	52	264.0
Nemaha	27	321.4	112	280.7
Nuckolls	9	243.2	55	214.0
Otoe	73	349.3	312	330.2
Pawnee	4	190.5	22	193.0
Perkins	6	171.4	34	183.8
Phelps	38	314.0	148	262.9
Pierce	17	200.0	86	199.1
Platte	162	347.6	707	301.1
Columbus	135	383.5	598	334.3
Balance of Co.	27	236.8	109	195.0
Polk	14	241.4	67	212.0
Red Willow	39	297.7	187	283.8
Richardson	23	343.3	140	334.9
Rock	1	76.9	10	128.2
Saline	81	393.2	365	363.9

TABLE 22: Births to Unmarried Women by Place of Residence, 2007 and 2003-2007 (Cont)

Place	2007		2003-2007	
	Number	Rate*	Number	Rate*
Sarpy	524	203.9	2,431	198.7
Bellevue	254	262.1	1,187	278.1
LaVista	77	304.3	358	290.6
Papillion	81	224.4	319	202.4
Balance of Co.	112	113.5	567	110.0
Saunders	47	176.7	246	197.6
Scotts Bluff	221	396.8	1,105	408.4
Scottsbluff	114	404.3	614	466.9
Balance of Co.	107	389.1	491	353.0
Seward	34	172.6	173	174.7
Sheridan	21	338.7	127	369.2
Sherman	6	171.4	37	225.6
Sioux	0	-	5	87.7
Stanton	19	250.0	83	201.0
Thayer	18	305.1	56	200.0
Thomas	2	400.0	4	117.6
Thurston	134	740.3	608	734.3
Valley	9	176.5	58	235.8
Washington	52	237.4	244	220.6
Wayne	29	266.1	148	278.7
Webster	11	261.9	37	237.2
Wheeler	2	333.3	5	151.5
York	72	391.3	286	315.0

Indented - Cities over 10,000 population in 2000
 Balance of county

* Per 1,000 live births

NOTE: Rates based on small numbers may be unreliable.

TABLE 23: Births to Unmarried Women by Age of Mother, 2003-2007

Age of Mother	2003		2004		2005		2006		2007	
	Number	%*								
13	5	100.0	5	100.0	3	100.0	4	100.0	5	100.0
14	18	90.0	18	100.0	25	96.2	27	100.0	18	94.7
15	85	97.7	79	98.8	82	97.6	63	98.4	89	98.9
16	187	94.0	178	93.7	175	95.1	192	98.0	210	96.8
17	365	89.0	369	91.8	392	92.0	338	94.9	354	93.2
18	544	84.0	545	84.9	504	87.4	516	85.3	553	86.3
19	735	76.5	755	79.3	672	77.0	717	80.6	767	80.7
20	800	68.6	848	71.6	828	72.4	838	71.8	805	72.6
21	743	58.6	728	60.1	708	60.0	747	62.9	869	65.2
22	682	47.8	745	54.9	745	51.9	742	55.7	777	56.4
23	566	39.8	609	42.9	612	43.3	735	48.1	689	47.7
24	481	33.7	514	33.4	544	35.4	586	36.5	661	39.6
25	407	25.0	394	24.5	465	29.2	503	29.1	537	32.6
26	362	21.8	363	21.6	396	23.5	439	25.3	447	25.0
27	267	17.2	289	17.5	303	17.4	374	21.6	349	19.3
28	232	14.3	261	15.8	264	15.5	290	16.8	314	18.4
29	222	14.7	220	14.0	241	16.2	263	16.0	275	16.3
30-34	646	10.8	673	11.0	707	11.8	802	13.2	834	14.0
35-39	270	11.3	271	10.8	313	12.2	354	13.7	373	14.4
40 and Over	63	12.1	89	16.3	85	17.6	85	15.7	60	12.2
Not Rptd	0	---	0	---	0	---	0	---	1	---
Total	7,680	29.7	7,954	30.2	8,068	30.9	8,617	32.3	8,987	33.4

TABLE 24: Births to Unmarried Women by Age and Race/Hispanic Origin of Mother, 2007

Age of Mother	White		Black		American Indian		All Other		Hispanic Origin**	
	Number	%*	Number	%*	Number	%*	Number***	%*	Number	%*
15 or Under	45	95.7	27	100.0	9	100.0	32	97.0	43	95.6
16	100	98.0	45	100.0	12	100.0	53	91.4	61	92.4
17	192	91.9	67	100.0	17	94.4	78	90.7	105	89.0
18	332	86.0	104	98.1	27	87.1	87	75.7	119	76.3
19	488	78.3	113	93.4	41	91.1	124	77.0	161	75.9
20-24	2,534	49.9	556	83.5	140	76.9	570	56.6	755	58.6
25-29	1,272	17.9	245	58.8	58	56.9	346	34.5	445	39.6
30-34	507	10.3	118	44.7	38	54.3	171	24.4	214	30.9
35 and Over	268	10.6	46	39.0	12	50.0	107	26.3	110	30.3
Total	5,738	27.3	1,321	72.2	354	71.8	1,574	43.9	2,013	49.5

* Percent of live births for each age category

** Persons of Hispanic origin may be any race

*** Race and age was unknown for six births

TABLE 25: Percent of Race/Hispanic Origin Births to Unmarried Women, 1980-2007

Race of Mother	1980	1990	2000	2006	2007
White	8.6	16.9	23.7	26.8	27.3
Black	61.4	71.3	67.4	69.3	72.2
American Indian	49.8	67.6	71.3	75.9	71.8
All Other	17.6	9.7	30.7	41.5	43.9
Hispanic Origin*					
Mexican	22.6	31.3	39.9	46.9	48.6
All Other	19.4	32.3	49.4	54.0	52.3

* Persons of Hispanic origin may be any race.

TABLE 26: Percent of Age Group Births to Unmarried Women, 1980-2007

Age of Mother	1980	1990	2000	2006	2007
Under 20 years	43.6	72.8	82.7	85.1	86.7
20-24 years	12.0	30.5	43.0	51.2	53.5
25-29 years	4.2	10.6	15.9	20.3	21.8
30 years and over	3.7	7.2	9.5	12.2	13.5

TABLE 27: Birth Order of Births to Unmarried Women by Age of Mother, 2007

Age of Mother	Total	Birth Order													
		1	2	3	4	5	6	7	8	9	10	11	12	13+	Unk
TOTAL	8,987	4,304	2,441	1,241	590	215	94	34	13	2	3	1	1	1	47
13	5	5													
14	18	17	1												
15	89	89													
16	210	190	18	1											1
17	354	313	37	2											2
18	553	452	89	8											4
19	767	581	157	22	3										4
20	805	530	219	42	10	1									3
21	869	483	264	91	21	5									5
22	777	377	253	112	28	3	1	1							2
23	689	271	251	113	34	13	2	1							4
24	661	224	208	148	59	14	5								3
25	537	164	202	103	49	11	6	1							1
26	447	131	153	90	46	13	10								4
27	349	89	119	78	36	17	4	2							4
28	314	63	98	85	38	20	7	1							2
29	275	55	83	60	49	15	7	3	2		1				
30	227	58	62	46	36	12	9	1	1		1				1
31	207	46	48	49	39	11	7	6							1
32	174	36	43	40	26	19	7	1							2
33	103	24	16	29	15	11	7		1						
34	123	21	29	26	29	9	4	2	1		1				1
35	116	23	23	26	23	9	5	3	2	1					1
36	82	17	13	23	10	8	3	6		1					1
37	74	14	13	16	13	8	5	3	1			1			
38	66	11	13	18	12	6	2	1	2						1
39	35	8	6	9	6	2		2	2						
40	21	5	9	1	1	2	1		1		1				
41	19	4	6		2	5	2								
42	14	2	7	1	2	1									1
43	4	1		2	1										
44	1				1										
45	1				1										
Not Rpd	1			1											

TABLE 28: Birth Defects - Number and Rate, 2007 and 2003-2007

Type of Defect*	2007		2003-2007	
	Number	Rate	Number	Rate
Central Nervous System:				
Anencephalus	10	0.4	47	0.4
Spina bifida	22	0.8	86	0.7
Hydrocephalus	12	0.4	87	0.7
Other central nervous system defects	31	1.1	236	1.8
Defects of Eye	16	0.6	132	1.0
Defects of Ear, Face, Neck	18	0.7	148	1.1
Circulatory System:				
Transposition of great vessels	12	0.4	72	0.5
Ventricular septal defect	57	2.1	295	2.2
Atrial septal defect	52	1.9	225	1.7
Other heart defects	124	4.6	678	5.1
Patent ductus arteriosus	40	1.5	244	1.8
Coarctation of aorta	13	0.5	78	0.6
Other circulatory system defects	63	2.3	346	2.6
Defects of Respiratory System	24	0.9	148	1.1
Craniofacial:				
Cleft palate	11	0.4	61	0.5
Cleft lip	14	0.5	55	0.4
Cleft palate with cleft lip	13	0.5	66	0.5
Digestive System:				
Pyloric stenosis	30	1.1	209	1.6
Tracheo-esophageal fistula	6	0.2	28	0.2
Other upper alimentary defects	9	0.3	68	0.5
Other abdominal cavity defects	16	0.6	87	0.7
Other digestive defects	27	1.0	247	1.9
Genitourinary System:				
Hypospadias	53	2.0	299	2.3
Renal agenesis	7	0.3	45	0.3
Cystic kidney disease	4	0.2	31	0.2
Other genitourinary defects	75	2.8	475	3.6
Musculoskeletal System:				
Club foot	24	0.9	213	1.6
Polydactyly	24	0.9	168	1.3
Syndactyly	13	0.5	73	0.6
Reduction deformity	16	0.6	78	0.6
Dislocated hips	9	0.3	76	0.6
Omphalocele	4	0.2	24	0.2
Gastroschisis	16	0.6	62	0.5
Other musculoskeletal defects	78	2.9	715	5.4
Defects of Skin, Hair, Nails	21	0.8	194	1.5
Defects of Metabolic & Blood Systems	1	0.0	13	0.1

(list continued on next page)

TABLE 28: Birth Defects - Number and Rate, 2007 and 2003-2007 (Cont)

Type of Defect*	2007		2003-2007	
	Number	Rate	Number	Rate
Multiple Systems:				
Down's syndrome	47	1.7	214	1.6
Other chromosomal syndromes	44	1.6	210	1.6
Other multiple system defects	13	0.5	78	0.6
Other and Unspecified Defects	38		243	
TOTAL DEFECTS	1,107	---	6,854	---
TOTAL CASES**	659	24.3	3,980	30.0

* Classified according to the British Pediatric Association (BPA) Classification of Disease and World Health Organization's 1979 International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), with modifications developed by the National Centers for Disease Control and Prevention.

** Includes all cases reported through April 20, 2009.

Rate per 1,000 live births and fetal deaths

NOTE: Some variance between years may be caused by a change in the coding classification.

TABLE 29: Birth Defects by County of Residence, 2007 and 2003-2007

County	2007		2003-2007	
	Number of Cases	Percent of Total Births*	Number of Cases	Percent of Total Births*
STATE	659	2.4	3,980	3.0
Adams	11	2.6	71	3.4
Antelope	1	1.2	11	2.9
Arthur	0	-	0	-
Banner	0	-	1	3.8
Blaine	0	-	0	-
Boone	2	3.1	9	3.3
Box Butte	3	2.0	31	4.1
Boyd	1	4.0	2	2.4
Brown	0	-	3	2.0
Buffalo	15	2.3	113	3.4
Burt	3	3.8	23	5.7
Butler	3	3.4	12	2.7
Cass	7	2.2	53	3.4
Cedar	1	1.0	4	0.7
Chase	4	6.6	8	3.3
Cherry	2	3.1	8	2.3
Cheyenne	3	2.1	14	2.2
Clay	0	-	9	2.4
Colfax	4	2.0	25	2.5
Cuming	2	1.9	20	3.3
Custer	2	1.5	30	4.5
Dakota	3	0.7	35	1.7
Dawes	2	1.7	3	0.6
Dawson	9	2.4	73	3.5
Deuel	1	3.8	4	3.7
Dixon	1	1.1	8	1.9
Dodge	16	3.3	92	3.7
Douglas	197	2.3	1,292	3.1
Dundy	1	6.3	2	2.0
Fillmore	1	1.7	13	3.9
Franklin	3	9.4	5	3.1
Frontier	3	9.4	3	2.0
Furnas	0	-	5	2.1
Gage	9	2.9	44	3.1
Garden	0	-	1	1.2
Garfield	1	5.9	4	4.8
Gosper	0	-	5	4.8
Grant	0	-	0	-
Greeley	1	3.6	5	3.4
Hall	22	2.2	91	1.9
Hamilton	0	-	14	2.7
Harlan	0	-	2	1.3
Hayes	0	-	1	2.1
Hitchcock	2	8.0	8	5.4
Holt	2	1.6	23	3.8
Hooker	1	16.7	1	3.6
Howard	1	1.6	7	1.8
Jefferson	1	1.1	9	2.2
Johnson	1	2.0	8	2.9
Kearney	3	3.8	20	5.2

TABLE 29: Birth Defects by County of Residence, 2007 and 2003-2007 (Cont)

County	2007		2003-2007	
	Number of Cases	Percent of Total Births*	Number of Cases	Percent of Total Births*
Keith	3	2.9	23	4.8
Keya Paha	0	-	0	-
Kimball	0	-	5	2.4
Knox	3	3.0	13	2.6
Lancaster	115	2.7	567	2.8
Lincoln	23	4.5	116	4.7
Logan	0	-	2	3.8
Loup	0	-	1	2.6
McPherson	0	-	1	3.4
Madison	11	2.0	60	2.1
Merrick	2	2.4	7	1.6
Morrill	2	3.3	15	4.9
Nance	1	3.1	5	2.7
Nemaha	4	4.7	13	3.4
Nuckolls	0	-	7	2.6
Otoe	3	1.4	33	3.4
Pawnee	1	4.8	3	2.9
Perkins	3	8.6	8	4.7
Phelps	4	3.2	23	4.0
Pierce	1	1.2	10	2.3
Platte	11	2.4	80	3.5
Polk	0	-	11	3.4
Red Willow	8	6.0	30	4.5
Richardson	4	6.0	18	4.4
Rock	0	-	3	4.2
Saline	4	1.9	23	2.3
Sarpy	60	2.3	367	3.0
Saunders	1	0.4	32	2.5
Scotts Bluff	28	5.0	113	4.2
Seward	5	2.5	33	3.5
Sheridan	0	-	6	1.7
Sherman	2	5.6	3	1.8
Sioux	0	-	2	3.8
Stanton	1	1.3	12	2.9
Thayer	1	1.7	8	2.9
Thomas	0	-	1	3.1
Thurston	2	1.1	18	2.2
Valley	2	3.9	5	2.0
Washington	4	1.8	36	3.3
Wayne	1	0.9	11	2.0
Webster	1	2.4	2	1.2
Wheeler	1	16.7	2	5.4
York	2	1.1	27	3.0

* Total number of live births and fetal deaths

TABLE 30: Birth Defects by Month of Birth, 2007

Month of Birth	Total Births*	No. of Cases with Defects	Percent of Total Births*
TOTAL	27,109	659	2.4
January	2,133	73	3.4
February	2,085	55	2.6
March	2,301	58	2.5
April	2,170	63	2.9
May	2,384	62	2.6
June	2,313	52	2.2
July	2,365	64	2.7
August	2,516	63	2.5
September	2,252	48	2.1
October	2,223	40	1.8
November	2,145	41	1.9
December	2,222	40	1.8

TABLE 31: Birth Defects by Age of Mother, 2007

Age of Mother	Total Births*	No. of Cases with Defects	Percent of Total Births*
19 and Under	2,325	65	2.8
20-24	6,979	168	2.4
25-29	8,679	169	1.9
30-34	6,011	164	2.7
35-39	2,615	64	2.4
40+	498	29	5.8
Unknown	2	0	-

TABLE 32: Birth Defects by Age of Father, 2007

Age of Father	Total Births*	No. of Cases with Defects	Percent of Total Births*
19 and Under	652	15	2.3
20-24	3,838	99	2.6
25-29	7,302	163	2.2
30-34	6,375	138	2.2
35-39	3,519	80	2.3
40+	1,761	64	3.6
Unknown	3,662	100	2.7

* Total number of live births and fetal deaths

TABLE 33: Birth Defects by Weight and Sex of Child, 2007

	Total Births*	No. of Cases with Defects	Percent of Total Births*
Total	27,109	659	2.4
Weight (grams)			
1500 and under	459	62	13.5
1500-2499	1,573	111	7.1
2500-4499	24,752	478	1.9
4500+	306	7	2.3
Unknown	19	1	5.6
Sex			
Male	13,965	387	2.8
Female	13,143	271	2.1
	1	0	-

TABLE 34: Birth Defects by Race of Mother, 2007

	Total Births*	No. of Cases with Defects	Percent of Total Births*
White	21,150	508	2.4
Black	1,850	51	2.8
American Indian	501	8	1.6
All Other	3,579	92	2.6
Unknown	29	0	-
Hispanic Origin**	4,086	67	1.6

* Total number of live births and fetal deaths

** Persons of Hispanic origin may be any race.

DEATH HIGHLIGHTS

A total of 15,256 deaths occurred among Nebraska residents in 2007, an increase from the 14,894 deaths that occurred in 2006. The 2007 figure translates into a crude mortality rate of 8.6 deaths per 1,000 residents and an age-adjusted mortality rate of 743.4 deaths per 100,000 residents.

The average age at death among Nebraska residents in 2007 was 75.2 years, a slight increase from last year's figure of 75.1 years. The state's all-time record is 75.5 years, which was set in 2003. By gender, the average age at death in 2007 was 78.7 years for Nebraska women, a slight drop from the 2006 figure of 78.8 years, and 71.3 years for Nebraska men, which represents an increase from the 2006 figure of 71.1 years.

Nebraska's leading cause of death in 2007 was heart disease, which accounted for 3,517 resident deaths. This figure represents just under one-fourth (23.1%) of all deaths that occurred among Nebraska residents in 2007. Heart disease has been the most frequent cause of death both statewide and nationally for several decades, although its toll has steadily declined during the past 30 years. In Nebraska, 2007 marked the fifth consecutive year in which fewer than 4,000 heart disease deaths were recorded, and since the beginning of this decade, the state's heart disease mortality rate has dropped by over 20%.

With just 40 fewer deaths than heart disease, cancer was the second leading cause of death among Nebraska residents in 2007, and was responsible for 3,477 deaths. As a result of declining heart disease mortality, the gap between the number of cancer and heart disease deaths in Nebraska has narrowed markedly in recent years, and could put cancer ahead of heart disease as the state's leading cause of death within the next few years. In fact, among Nebraska men, this historic shift occurred for the first time in 2006 and again in 2007, with 1,800 deaths attributed to cancer compared to 1,702 for heart disease.

Cancer of the lung was the year's leading cause of cancer deaths among both Nebraska men and women, accounting for 939 deaths (545 men, 394 women). Colorectal (colon and rectum) cancer was Nebraska's second leading cause of cancer deaths overall in 2007, with 369 deaths (172 men, 197 women). However, breast cancer was the second leading cause of cancer deaths among Nebraska women in 2007, claiming 232 lives, and prostate cancer was the #2 cause of cancer deaths among Nebraska men, claiming 197 lives in 2007. Taken together, these four sites were responsible for 50% of the state's cancer deaths in 2007.

Although still #2 overall, cancer ranks well ahead of heart disease as the leading cause of death at younger ages. Among Nebraska residents between 45 and 74 years of age, 1,637 deaths were attributed to cancer in 2007, compared to 863 for heart disease, which was the next most frequent cause of death. At age 75 and beyond, however, heart disease easily outpaced cancer as the state's leading cause of death in 2007, by a count of 2,569 to 1,743.

DEATH HIGHLIGHTS (continued)


After heart disease and cancer, no other single cause of death accounted for more than 10% of Nebraska resident deaths in 2007. Cerebrovascular disease (usually referred to as stroke), long the state's third leading cause of death, held that position again in 2007, and was responsible for 920 deaths. Chronic lung disease was Nebraska's fourth leading cause of death in 2007, accounting for 810 deaths.

Accidents (also referred to as unintentional injuries) were Nebraska's fifth leading cause of death in 2007, claiming 674 lives. Motor vehicle accidents were once again Nebraska's leading cause of accidental deaths, accounting for 284 fatalities. Falls were the #2 cause of accidental deaths, with 161 resident fatalities in 2007. Fifteen of the state's accidental deaths in 2007 were farm-related. Accidents were the leading cause of death in 2007 among Nebraska residents under the age of 45 years (excluding infants under one year of age), accounting for 257 (31.2%) of 825 deaths.

Alzheimer's Disease has now ranked among the top ten causes of death in Nebraska for over a decade, and in 2007 it was again the state's sixth leading cause of death. The number of Nebraska deaths attributed to Alzheimer's Disease in 2007 (512) was an all-time record, surpassing the previous record of 499, set in 2006. After Alzheimer's Disease, Nebraska's top ten causes of death in 2007 included diabetes (with 472 deaths), pneumonia (329 deaths), nephritis and nephrosis (269 deaths), and essential hypertension and hypertensive renal disease (186 deaths).


A total of 183 infant deaths occurred among Nebraska residents in 2007, which translates into an infant mortality rate of 6.8 per 1,000 live births. This figure represents an increase from the 2006 rate of 5.5, and is the highest infant mortality rate recorded in Nebraska since 2001. The leading cause of infant deaths in Nebraska in 2007 was birth defects, which accounted for 39 deaths. Low birth weight babies accounted for 127 (69.4%) of Nebraska's infant deaths, with 102 of these children falling into the very low birth weight (<1500 grams) category. Neonates (infants less than 28 days old) accounted for the majority of Nebraska's 2007 infant deaths, with a count of 132, while post-neonates (infants between 28 days and one year of age) accounted for the remaining 51.

**Map 3: Deaths by County of Residence
Nebraska, 2007**



Statewide Deaths = 15,256

**Map 4: Death Rates by County of Residence
Nebraska, 2007**



Statewide Rate = 8.6 (per 1,000 population)

TABLE 35: Deaths by Place of Occurrence and Usual Residence of Deceased, 2005-2007

Place	2005		2006		2007		2007
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Death Rate**
STATE	15,138	14,950	15,060	14,894	15,427	15,256	8.6
Adams	318	314	287	287	326	300	9.1
*Hastings	285	254	254	226	300	254	10.0
Balance of Co.	33	60	33	61	26	46	6.0
Antelope	72	76	72	74	80	85	12.6
Arthur	1	3	3	7	1	2	5.6
Banner	1	4	1	5	2	8	10.9
Blaine	3	6	2	7	1	2	4.5
Boone	82	87	73	79	75	69	12.5
Box Butte	114	119	105	114	98	113	10.3
Alliance	105	97	94	83	86	90	11.2
Balance of Co.	9	22	11	31	12	23	7.8
Boyd	19	34	28	43	16	26	12.3
Brown	30	36	34	41	41	49	15.3
Buffalo	464	306	482	342	496	364	8.1
*Kearney	423	208	433	242	449	236	7.8
Balance of Co.	41	98	49	100	47	128	8.6
Burt	71	102	65	95	69	104	14.7
Butler	100	106	89	101	96	104	12.4
David City	89	59	83	53	89	58	23.3
Balance of Co.	11	47	6	48	7	46	7.8
Cass	129	207	121	206	116	230	9.0
Plattsmouth	65	86	62	81	52	85	12.3
Balance of Co.	64	121	59	125	64	145	7.8
Cedar	73	104	52	92	70	105	12.3
Chase	54	52	44	40	51	56	15.1
Cherry	54	65	48	51	57	67	11.7
Valentine	51	44	47	39	55	55	20.8
Balance of Co.	3	21	1	12	2	12	3.9
Cheyenne	115	121	90	98	91	105	10.5
Sidney	108	74	82	74	85	65	10.0
Balance of Co.	7	47	8	24	6	40	11.4
Clay	44	74	52	77	39	71	11.2
Colfax	79	104	66	93	48	81	8.1
Schuyler	59	56	47	48	40	46	8.9
Balance of Co.	20	48	19	45	8	35	7.2
Cuming	111	127	111	141	92	100	10.7
West Point	68	50	62	57	69	53	15.7
Balance of Co.	43	77	49	84	23	47	7.8
Custer	150	173	122	134	127	145	13.4
Broken Bow	99	80	79	56	87	81	25.7
Balance of Co.	51	93	43	78	40	64	8.3
Dakota	104	186	103	171	114	181	8.9
*So. Sioux City	79	132	80	119	92	130	10.8
Balance of Co.	25	54	23	52	22	51	6.1
Dawes	88	89	73	75	85	86	9.8
Chadron	69	50	48	40	71	54	9.8
Balance of Co.	19	39	25	35	14	32	9.6
Dawson	183	212	217	232	189	202	8.2
Cozad	51	47	66	67	55	48	11.3
Gothenburg	54	58	56	43	57	49	13.2
*Lexington	74	70	88	85	71	59	5.8
Balance of Co.	4	37	7	37	6	46	6.9

TABLE 35: Deaths by Place of Occurrence and Usual Residence of Deceased, 2005-2007 (Cont)

Place	2005		2006		2007		2007
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Death Rate**
Deuel	17	32	9	23	12	22	11.6
Dixon	33	68	35	57	32	57	9.1
Dodge	351	371	375	414	397	434	12.1
*Fremont	299	275	308	282	333	323	12.7
Balance of Co.	52	96	67	132	64	111	10.4
Douglas	4,388	3,536	4,446	3,561	4,542	3,587	7.2
Elkhorn	69	60	78	67	25	25	3.0
*Omaha	4,279	3,286	4,311	3,306	4,469	3,363	7.9
Ralston	7	33	13	33	11	48	7.9
Balance of Co.	33	157	44	155	37	151	2.6
Dundy	28	31	30	32	30	32	15.8
Fillmore	90	96	79	84	80	93	15.4
Franklin	44	45	36	45	40	58	18.4
Frontier	17	24	11	29	18	32	12.0
Furnas	53	63	61	85	63	71	15.0
Gage	227	254	251	297	233	271	11.7
*Beatrice	180	164	196	192	180	164	12.7
Balance of Co.	47	90	55	105	53	107	10.3
Garden	33	37	30	31	23	37	20.2
Garfield	23	31	16	30	21	34	19.7
Gosper	10	22	8	13	20	28	14.2
Grant	0	2	2	7	0	3	4.9
Greeley	24	34	22	29	14	29	12.5
Hall	536	506	596	542	531	493	8.9
*Grand Island	500	440	564	477	499	421	9.4
Balance of Co.	36	66	32	65	32	72	6.6
Hamilton	87	96	70	76	86	99	10.6
Aurora	83	68	62	47	81	80	19.1
Balance of Co.	4	28	8	29	5	19	3.7
Harlan	33	38	43	45	37	45	13.3
Hayes	3	9	3	8	3	8	8.2
Hitchcock	17	38	19	39	22	37	13.0
Holt	130	143	119	130	128	135	13.1
O'Neill	81	53	68	49	64	45	13.5
Balance of Co.	49	90	51	81	64	90	12.9
Hooker	14	14	11	11	9	12	16.3
Howard	54	63	62	81	73	72	10.9
Jefferson	90	105	86	109	109	128	17.0
Fairbury	0	72	0	80	0	96	25.1
Balance of Co.	90	33	86	29	109	32	8.7
Johnson	42	49	59	66	42	49	10.9
Kearney	58	74	48	74	49	65	9.8
Minden	54	58	42	41	42	48	16.8
Balance of Co.	4	16	6	33	7	17	4.5
Keith	81	102	76	93	85	95	11.8
Ogallala	73	64	70	58	79	77	17.0
Balance of Co.	8	38	6	35	6	18	5.2
Keya Paha	2	9	1	8	3	12	14.1
Kimball	39	50	48	61	39	42	11.7
Kimball	36	38	45	46	36	34	15.2
Balance of Co.	3	12	3	15	3	8	5.8
Knox	95	132	93	128	118	153	17.7

TABLE 35: Deaths by Place of Occurrence and Usual Residence of Deceased, 2005-2007 (Cont)

Place	2005		2006		2007		2007
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Death Rate**
Lancaster	2,074	1,700	2,012	1,645	2,125	1,767	6.4
*Lincoln	2,010	1,588	1,935	1,552	2,053	1,652	6.6
Balance of Co.	64	112	77	93	72	115	4.3
Lincoln	350	341	364	356	329	335	9.4
*North Platte	310	276	318	276	295	272	11.3
Balance of Co.	40	65	46	80	34	63	5.5
Logan	3	10	1	3	1	6	8.1
Loup	3	6	1	3	2	8	12.4
McPherson	2	7	2	4	1	2	4.0
Madison	409	360	393	344	392	338	9.9
*Norfolk	340	250	336	244	337	241	10.4
Balance of Co.	69	110	57	100	55	97	8.8
Merrick	61	76	51	81	54	78	10.1
Central City	44	33	41	46	50	49	17.8
Balance of Co.	17	43	10	35	4	29	5.9
Morrill	47	61	37	47	53	63	12.5
Nance	46	58	48	48	40	56	15.7
Nemaha	59	70	70	97	69	80	11.4
Auburn	52	39	68	71	56	55	16.8
Balance of Co.	7	31	2	26	13	25	6.6
Nuckolls	52	57	75	72	53	61	13.5
Otoe	155	178	152	167	160	190	12.1
Nebraska City	103	109	90	91	100	106	15.0
Balance of Co.	52	69	62	76	60	84	9.8
Pawnee	35	43	34	38	44	50	18.6
Perkins	33	32	35	38	38	47	16.1
Phelps	107	106	138	121	110	112	12.2
Holdrege	95	57	120	68	98	67	13.0
Balance of Co.	12	49	18	53	12	45	11.2
Pierce	73	75	72	78	75	75	10.3
Platte	198	245	170	223	191	242	7.6
*Columbus	190	183	162	168	181	185	8.6
Balance of Co.	8	62	8	55	10	57	5.5
Polk	56	73	52	65	40	47	9.0
Red Willow	110	134	110	121	130	152	14.1
McCook	110	119	104	97	126	126	16.9
Balance of Co.	0	15	6	24	4	26	7.9
Richardson	109	132	105	120	118	135	16.2
Falls City	86	87	78	76	89	82	20.3
Balance of Co.	23	45	27	44	29	53	12.3
Rock	18	21	17	18	11	17	11.2
Saline	118	143	114	145	131	146	10.5
Crete	69	60	55	59	67	52	8.3
Balance of Co.	49	83	59	86	64	94	12.4
Sarpy	474	614	499	648	559	712	4.9
*Bellevue	124	288	138	264	156	342	7.1
*LaVista	24	66	18	58	15	64	3.9
*Papillion	260	128	273	158	312	145	6.5
Balance of Co.	66	132	70	168	76	161	2.7
Saunders	112	178	130	192	154	210	10.4
Wahoo	62	57	79	67	89	71	17.8
Balance of Co.	50	121	51	125	65	139	8.6

TABLE 35: Deaths by Place of Occurrence and Usual Residence of Deceased, 2005-2007 (Cont)

Place	2005		2006		2007		2007
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Death Rate**
Scotts Bluff	500	430	481	432	474	412	11.3
Gering	91	98	81	109	84	109	14.3
*Scottsbluff	356	196	348	207	331	187	12.7
Balance of Co.	53	136	52	116	59	116	8.3
Seward	172	183	159	173	146	168	10.1
Seward	111	87	88	75	89	78	11.6
Balance of Co.	61	96	71	98	57	90	9.2
Sheridan	82	93	70	75	78	87	16.0
Sherman	28	47	21	39	20	51	16.9
Sioux	5	10	5	8	0	5	3.7
Stanton	52	60	32	49	30	47	7.3
Thayer	62	77	60	63	72	83	16.1
Thomas	3	9	2	5	2	4	6.7
Thurston	66	74	74	82	51	73	10.1
Valley	43	48	46	56	58	61	14.3
Washington	124	147	123	161	150	162	8.1
Blair	109	90	107	107	133	106	13.5
Balance of Co.	15	57	16	54	17	56	4.6
Wayne	64	61	64	71	51	57	6.1
Wayne	62	47	60	53	48	38	7.2
Balance of Co.	2	14	4	18	3	19	4.7
Webster	43	66	43	62	45	68	18.8
Wheeler	2	11	2	3	1	7	8.7
York	110	133	111	128	130	154	10.7
York	91	93	88	92	105	110	13.9
Balance of Co.	19	40	23	36	25	44	6.8

Indented - Cities 2,500 - 10,000 population in 2000

*cities over 10,000 population in 2000; balance of county

** The number of resident deaths per 1,000 population

TABLE 36: Deaths by Sex, Race and Hispanic Origin, By Place of Residence, 2007

Place	Total Deaths	Sex		Race					Hispanic Origin**
		Male	Female	White	Black	Amer Indian	Asian	Other	
STATE	15,256	7,267	7,989	14,494	550	106	53	53	273
Adams	300	141	159	296	2	1	1	0	5
*Hastings	254	120	134	251	2	1	0	0	4
Balance of Co.	46	21	25	45	0	0	1	0	1
Antelope	85	45	40	84	0	0	1	0	0
Arthur	2	1	1	2	0	0	0	0	0
Banner	8	4	4	8	0	0	0	0	0
Blaine	2	1	1	2	0	0	0	0	0
Boone	69	30	39	69	0	0	0	0	0
Box Butte	113	50	63	112	0	1	0	0	2
Alliance	90	37	53	89	0	1	0	0	2
Balance of Co.	23	13	10	23	0	0	0	0	0
Boyd	26	11	15	26	0	0	0	0	0
Brown	49	20	29	49	0	0	0	0	0
Buffalo	364	165	199	361	1	0	0	2	5
*Kearney	236	97	139	233	1	0	0	2	4
Balance of Co.	128	68	60	128	0	0	0	0	1
Burt	104	47	57	104	0	0	0	0	0
Butler	104	52	52	104	0	0	0	0	0
David City	58	29	29	58	0	0	0	0	0
Balance of Co.	46	23	23	46	0	0	0	0	0
Cass	230	105	125	226	1	0	1	2	0
Plattsmouth	85	35	50	84	0	0	1	0	0
Balance of Co.	145	70	75	142	1	0	0	2	0
Cedar	105	52	53	105	0	0	0	0	0
Chase	56	28	28	56	0	0	0	0	1
Cherry	67	37	30	66	0	1	0	0	0
Valentine	55	27	28	54	0	1	0	0	0
Balance of Co.	12	10	2	12	0	0	0	0	0
Cheyenne	105	48	57	103	1	0	1	0	0
Sidney	65	28	37	65	0	0	0	0	0
Balance of Co.	40	20	20	38	1	0	1	0	0
Clay	71	28	43	71	0	0	0	0	0
Colfax	81	44	37	75	0	3	0	3	4
Schuyler	46	23	23	40	0	3	0	3	4
Balance of Co.	35	21	14	35	0	0	0	0	0
Cuming	100	53	47	99	0	0	1	0	0
West Point	53	22	31	53	0	0	0	0	0
Balance of Co.	47	31	16	46	0	0	1	0	0
Custer	145	75	70	145	0	0	0	0	0
Broken Bow	81	31	50	81	0	0	0	0	0
Balance of Co.	64	44	20	64	0	0	0	0	0
Dakota	181	82	99	166	1	5	4	5	8
*So. Sioux City	130	51	79	118	1	4	3	4	7
Balance of Co.	51	31	20	48	0	1	1	1	1
Dawes	86	50	36	86	0	0	0	0	0
Chadron	54	29	25	54	0	0	0	0	0
Balance of Co.	32	21	11	32	0	0	0	0	0
Dawson	202	89	113	200	0	0	2	0	10
Cozad	48	17	31	48	0	0	0	0	2
Gothenburg	49	14	35	49	0	0	0	0	0
*Lexington	59	26	33	57	0	0	2	0	8
Balance of Co.	46	32	14	46	0	0	0	0	0

TABLE 36: Deaths by Sex, Race and Hispanic Origin, By Place of Residence, 2007 (Cont)

Place	Total Deaths	Sex		Race					Hispanic Origin**
		Male	Female	White	Black	Amer Indian	Asian	Other	
Deuel	22	9	13	22	0	0	0	0	0
Dixon	57	23	34	57	0	0	0	0	0
Dodge	434	202	232	433	0	0	0	1	5
*Fremont	323	142	181	322	0	0	0	1	5
Balance of Co.	111	60	51	111	0	0	0	0	0
Douglas	3,587	1,694	1,893	3,093	460	16	12	6	97
Elkhorn	25	7	18	25	0	0	0	0	0
*Omaha	3,363	1,583	1,780	2,871	458	16	12	6	97
Ralston	48	23	25	48	0	0	0	0	0
Balance of Co.	151	81	70	149	2	0	0	0	0
Dundy	32	18	14	32	0	0	0	0	0
Fillmore	93	41	52	93	0	0	0	0	0
Franklin	58	30	28	56	0	0	0	2	0
Frontier	32	11	21	32	0	0	0	0	0
Furnas	71	27	44	71	0	0	0	0	0
Gage	271	132	139	269	0	0	0	2	3
*Beatrice	164	77	87	162	0	0	0	2	2
Balance of Co.	107	55	52	107	0	0	0	0	1
Garden	37	16	21	37	0	0	0	0	0
Garfield	34	13	21	34	0	0	0	0	0
Gosper	28	18	10	28	0	0	0	0	0
Grant	3	0	3	3	0	0	0	0	0
Greeley	29	11	18	29	0	0	0	0	0
Hall	493	264	229	486	2	1	1	3	10
*Grand Island	421	233	188	414	2	1	1	3	9
Balance of Co.	72	31	41	72	0	0	0	0	1
Hamilton	99	48	51	97	0	2	0	0	0
Aurora	80	35	45	79	0	1	0	0	0
Balance of Co.	19	13	6	18	0	1	0	0	0
Harlan	45	22	23	45	0	0	0	0	0
Hayes	8	5	3	8	0	0	0	0	0
Hitchcock	37	15	22	37	0	0	0	0	0
Holt	135	60	75	134	0	0	0	1	2
O'Neill	45	15	30	45	0	0	0	0	2
Balance of Co.	90	45	45	89	0	0	0	1	0
Hooker	12	8	4	12	0	0	0	0	1
Howard	72	29	43	71	0	1	0	0	0
Jefferson	128	61	67	128	0	0	0	0	0
Fairbury	96	37	59	96	0	0	0	0	0
Balance of Co.	32	24	8	32	0	0	0	0	0
Johnson	49	26	23	46	1	0	2	0	0
Kearney	65	36	29	63	0	0	0	2	0
Minden	48	25	23	48	0	0	0	0	0
Balance of Co.	17	11	6	15	0	0	0	2	0
Keith	95	42	53	95	0	0	0	0	1
Ogallala	77	33	44	77	0	0	0	0	1
Balance of Co.	18	9	9	18	0	0	0	0	0
Keya Paha	12	7	5	12	0	0	0	0	0
Kimball	42	21	21	42	0	0	0	0	0
Kimball	34	15	19	34	0	0	0	0	0
Balance of Co.	8	6	2	8	0	0	0	0	0
Knox	153	73	80	147	0	6	0	0	0

TABLE 36: Deaths by Sex, Race and Hispanic Origin, By Place of Residence, 2007 (Cont)

Place	Total Deaths	Sex		Race					Hispanic Origin**
		Male	Female	White	Black	Amer Indian	Asian	Other	
Lancaster	1,767	837	930	1,682	42		16	16	11
*Lincoln	1,652	772	880	1,571	42		15	15	9
Balance of Co.	115	65	50	111	0		1	1	0
Lincoln	335	171	164	331	1		1	0	2
*North Platte	272	134	138	268	1		1	0	2
Balance of Co.	63	37	26	63	0		0	0	1
Logan	6	3	3	6	0		0	0	0
Loup	8	4	4	8	0		0	0	0
McPherson	2	0	2	2	0		0	0	0
Madison	338	155	183	331	5		1	0	1
*Norfolk	241	112	129	235	5		1	0	0
Balance of Co.	97	43	54	96	0		0	0	1
Merrick	78	43	35	77	0		0	0	1
Central City	49	25	24	48	0		0	0	1
Balance of Co.	29	18	11	29	0		0	0	0
Morrill	63	32	31	62	0		1	0	0
Nance	56	24	32	56	0		0	0	0
Nemaha	80	39	41	80	0		0	0	1
Auburn	55	23	32	55	0		0	0	0
Balance of Co.	25	16	9	25	0		0	0	1
Nuckolls	61	26	35	59	1		0	0	1
Otoe	190	79	111	188	0		0	0	2
Nebraska City	106	39	67	104	0		0	0	2
Balance of Co.	84	40	44	84	0		0	0	1
Pawnee	50	16	34	49	0		0	0	1
Perkins	47	23	24	47	0		0	0	0
Phelps	112	54	58	111	0		0	0	1
Holdrege	67	32	35	67	0		0	0	2
Balance of Co.	45	22	23	44	0		0	0	1
Pierce	75	37	38	74	0		1	0	0
Platte	242	130	112	241	0		0	0	1
*Columbus	185	94	91	184	0		0	0	1
Balance of Co.	57	36	21	57	0		0	0	0
Polk	47	22	25	47	0		0	0	1
Red Willow	152	74	78	152	0		0	0	1
McCook	126	60	66	126	0		0	0	1
Balance of Co.	26	14	12	26	0		0	0	0
Richardson	135	64	71	134	0		1	0	0
Falls City	82	36	46	81	0		1	0	0
Balance of Co.	53	28	25	53	0		0	0	0
Rock	17	10	7	17	0		0	0	0
Saline	146	79	67	146	0		0	0	2
Crete	52	31	21	52	0		0	0	2
Balance of Co.	94	48	46	94	0		0	0	0
Sarpy	712	327	385	676	26		2	6	2
*Bellevue	342	163	179	319	19		1	3	0
*LaVista	64	28	36	58	3		1	1	1
*Papillion	145	61	84	141	3		0	1	0
Balance of Co.	161	75	86	158	1		0	1	1
Saunders	210	99	111	208	1		1	0	0
Wahoo	71	30	41	70	1		0	0	0
Balance of Co.	139	69	70	138	0		1	0	1

TABLE 36: Deaths by Sex, Race and Hispanic Origin, By Place of Residence, 2007 (Cont)

Place	Total Deaths	Sex		Race					Hispanic Origin**
		Male	Female	White	Black	Amer Indian	Asian	Other	
Scotts Bluff	412	211	201	403	2	4	3	0	38
Gering	109	48	61	109	0	0	0	0	7
*Scottsbluff	187	103	84	181	2	3	1	0	24
Balance of Co.	116	60	56	113	0	1	2	0	7
Seward	168	83	85	168	0	0	0	0	0
Seward	78	35	43	78	0	0	0	0	0
Balance of Co.	90	48	42	90	0	0	0	0	0
Sheridan	87	43	44	82	0	5	0	0	0
Sherman	51	24	27	51	0	0	0	0	0
Sioux	5	2	3	5	0	0	0	0	0
Stanton	47	16	31	46	0	0	1	0	0
Thayer	83	45	38	83	0	0	0	0	0
Thomas	4	2	2	4	0	0	0	0	0
Thurston	73	40	33	37	0	36	0	0	1
Valley	61	30	31	61	0	0	0	0	0
Washington	162	78	84	160	1	0	0	1	1
Blair	106	45	61	105	0	0	0	1	1
Balance of Co.	56	33	23	55	1	0	0	0	0
Wayne	57	26	31	56	1	0	0	0	1
Wayne	38	16	22	37	1	0	0	0	1
Balance of Co.	19	10	9	19	0	0	0	0	0
Webster	68	41	27	68	0	0	0	0	0
Wheeler	7	3	4	7	0	0	0	0	0
York	154	55	99	152	1	0	1	0	1
York	110	40	70	108	1	0	1	0	1
Balance of Co.	44	15	29	44	0	0	0	0	0

Indented - Cities 2,500 - 10,000 population in 2000

*cities over 10,000 population in 2000; balance of county

** Persons of Hispanic Origin may be any race

TABLE 37: Deaths by Principal and Other Causes, 2003-2007

Cause	2003	2004	2005	2006	2007
Alzheimer's Disease (G30)	461	459	473	499	512
Anemias (D50-D64)	30	27	37	30	42
Aortic Aneurysm (I71)	93	87	81	83	101
Appendicitis (K35-K38)	2	2	3	6	4
Asthma (J45-J46)	30	31	42	24	27
Atherosclerosis (I70)	135	103	106	74	64
Birth Defects (Q00-Q99)	87	64	57	66	64
Cancer (C00-C97)	3,331	3,269	3,353	3,426	3,477
Cerebrovascular Diseases (I60-I69)	1,090	977	986	921	920
Cholelithiasis and other Disorders of the Gallbladder (K80-K82)	24	23	20	22	26
Chronic Liver Disease and Cirrhosis (K70, K73-K74)	102	116	133	123	116
Chronic Lung Disease (J44,J47)	785	703	813	784	810
Diabetes Mellitus (E10-E14)	406	395	449	437	472
Emphysema (J43)	68	77	83	65	77
Essential Hypertension and Hypertensive Renal Disease (I10,I12)	187	175	199	165	186
Heart Disease (all forms) (I00-I09, I11, I13, I20-I51)	3,948	3,736	3,633	3,444	3,517
Hernia (K40-K46)	9	18	11	12	11
Human Immunodeficiency Virus (HIV) Disease (B20-B24)	18	11	26	24	26
Influenza (J10-J11)	31	5	29	14	2
Nephritis and Nephrosis (N00-N07, N17-N19, N25-N27)	302	282	245	244	269
Nutritional Deficiencies (E40-E64)	23	19	19	14	20
Parkinson's Disease (G20-G21)	146	136	160	157	163
Peptic Ulcer (K25-K28)	32	31	23	28	24
Pneumonia (J12-J18)	404	342	341	331	329
Pneumonitis due to Solids and Liquids (J69)	126	132	116	111	126
Pregnancy, Childbirth and the Puerperium (O00-O99)	2	1	3	3	5
Septicemia (A40-A41)	151	133	123	132	138
Viral Hepatitis (B15-B19)	21	13	21	19	22
West Nile Virus (A92.3)	16	1	6	1	2
Accidental Deaths (V01-X59,Y85-Y86)	695	741	706	685	674
Drowning and Submersion (W65-W74)	21	25	8	11	12
Falls (W00-W19)	136	172	150	170	161
Firearms (W32-W34)	5	6	2	3	4
Motor Vehicle	306	282	288	270	284
Poisonings (X40-X49)	35	45	53	67	68
Smoke, Fire and Flames (X00-X09)	16	15	26	23	16
Assault (Homicide) (X85-Y09,Y87.1)	63	39	44	55	71
Intentional Self Harm (Suicide) (X60-X84, Y87.0)	175	166	182	201	181
All Other Causes	2,446	2,333	2,427	2,694	2,778
TOTAL DEATHS	15,439	14,647	14,950	14,894	15,256

Cause codes listed are from the Tenth Revision of the International Classification of Diseases (ICD-10).

TABLE 38: Deaths by Principal and Other Causes, Crude Rates per 100,000 Population, 2003-2007

Cause	2003	2004	2005	2006	2007
Alzheimer's Disease (G30)	26.5	26.3	26.9	28.2	28.9
Anemias (D50-D64)	1.7	1.5	2.1	1.7	2.4
Aortic Aneurysm (I71)	5.3	5.0	4.6	4.7	5.7
Appendicitis (K35-K38)	0.1	0.1	0.2	0.3	0.2
Asthma (J45-J46)	1.7	1.8	2.4	1.4	1.5
Atherosclerosis (I70)	7.8	5.9	6.0	4.2	3.6
Birth Defects (Q00-Q99)	5.0	3.7	3.2	3.7	3.6
Cancer (C00-C97)	191.5	187.1	190.6	193.7	195.9
Cerebrovascular Diseases (I60-I69)	62.7	55.9	56.1	52.1	51.8
Cholelithiasis and other Disorders of the Gallbladder (K80-K82)	1.4	1.3	1.1	1.2	1.5
Chronic Liver Disease and Cirrhosis (K70, K73-K74)	5.9	6.6	7.6	7.0	6.5
Chronic Lung Disease (J44,J47)	45.1	40.2	46.2	44.3	45.6
Diabetes Mellitus (E10-E14)	23.3	22.6	25.5	24.7	26.6
Emphysema (J43)	3.9	4.4	4.7	3.7	4.3
Essential Hypertension and Hypertensive Renal Disease (I10,I12)	10.8	10.0	11.3	9.3	10.5
Heart Disease (all forms) (I00-I09, I11, I13, I20-I51)	227.0	213.8	206.6	194.8	198.2
Hernia (K40-K46)	0.5	1.0	0.6	0.7	0.6
Human Immunodeficiency Virus (HIV) Disease (B20-B24)	1.0	0.6	1.5	1.4	1.5
Influenza (J10-J11)	1.8	0.3	1.6	0.8	0.1
Nephritis and Nephrosis (N00-N07, N17-N19, N25-N27)	17.4	16.1	13.9	13.8	15.2
Nutritional Deficiencies (E40-E64)	1.3	1.1	1.1	0.8	1.1
Parkinson's Disease (G20-G21)	8.4	7.8	9.1	8.9	9.2
Peptic Ulcer (K25-K28)	1.8	1.8	1.3	1.6	1.4
Pneumonia (J12-J18)	23.2	19.6	19.4	18.7	18.5
Pneumonitis due to Solids and Liquids (J69)	7.2	7.6	6.6	6.3	7.1
Pregnancy, Childbirth and the Puerperium (O00-O99)	0.1	0.1	0.2	0.2	0.3
Septicemia (A40-A41)	8.7	7.6	7.0	7.5	7.8
Viral Hepatitis (B15-B19)	1.2	0.7	1.2	1.1	1.2
West Nile Virus (A92.3)	0.9	0.1	0.3	0.1	0.1
Accidental Deaths (V01-X59,Y85-Y86)	40.0	42.4	40.1	38.7	38.0
Drowning and Submersion (W65-W74)	1.2	1.4	0.5	0.6	0.7
Falls (W00-W19)	7.8	9.8	8.5	9.6	9.1
Firearms (W32-W34)	0.3	0.3	0.1	0.2	0.2
Motor Vehicle	17.6	16.1	16.4	15.3	16.0
Poisonings (X40-X49)	2.0	2.6	3.0	3.8	3.8
Smoke, Fire and Flames (X00-X09)	0.9	0.9	1.5	1.3	0.9
Assault (Homicide) (X85-Y09,Y87.1)	3.6	2.2	2.5	3.1	4.0
Intentional Self Harm (Suicide) (X60-X84, Y87.0)	10.1	9.5	10.3	11.4	10.2
All Other Causes	140.6	133.5	138.0	152.3	156.5
TOTAL DEATHS	887.7	838.3	850.0	842.3	859.7

Cause codes listed are from the Tenth Revision of the International Classification of Diseases (ICD-10).

TABLE 39: Deaths by Principal and Other Causes, Age-Adjusted Rates per 100,000 Population, 2003-2007

Cause	2003	2004	2005	2006	2007
Alzheimer's Disease (G30)	20.6	20.5	21.0	22.2	22.9
Anemias (D50-D64)	1.4	1.3	1.6	1.4	2.0
Aortic Aneurysm (I71)	4.6	4.2	4.0	4.2	5.1
Appendicitis (K35-K38)	0.1	0.1	0.2	0.3	0.2
Asthma (J45-J46)	1.5	1.5	1.9	1.2	1.3
Atherosclerosis (I70)	5.8	4.6	4.8	3.2	2.8
Birth Defects (Q00-Q99)	4.6	3.3	3.0	3.5	3.3
Cancer (C00-C97)	171.3	168.0	171.5	174.7	177.2
Cerebrovascular Diseases (I60-I69)	51.2	45.8	46.4	43.3	43.1
Cholelithiasis and other Disorders of the Gallbladder (K80-K82)	1.1	1.2	1.0	1.1	1.2
Chronic Liver Disease and Cirrhosis (K70, K73-K74)	5.5	6.2	7.2	6.6	6.3
Chronic Lung Disease (J44,J47)	40.0	35.1	40.8	39.1	40.4
Diabetes Mellitus (E10-E14)	19.9	19.6	22.8	21.8	23.4
Emphysema (J43)	3.4	3.8	4.2	3.3	4.0
Essential Hypertension and Hypertensive Renal Disease (I10,I12)	8.5	8.0	9.0	7.4	8.4
Heart Disease (all forms) (I00-I09, I11, I13, I20-I51)	187.1	176.6	171.1	163.0	165.1
Hernia (K40-K46)	0.4	0.9	0.5	0.6	0.5
Human Immunodeficiency Virus (HIV) Disease (B20-B24)	1.0	0.7	1.6	1.4	1.6
Influenza (J10-J11)	1.4	0.2	1.3	0.6	0.1
Nephritis and Nephrosis (N00-N07, N17-N19, N25-N27)	14.5	13.9	11.8	11.8	12.6
Nutritional Deficiencies (E40-E64)	1.1	0.9	0.8	0.6	0.9
Parkinson's Disease (G20-G21)	7.1	6.5	7.7	7.3	7.8
Peptic Ulcer (K25-K28)	1.5	1.5	1.0	1.3	1.1
Pneumonia (J12-J18)	17.9	16.1	15.4	15.0	15.0
Pneumonitis due to Solids and Liquids (J69)	5.8	6.1	5.4	5.0	5.7
Pregnancy, Childbirth and the Puerperium (O00-O99)	0.1	0.1	0.2	0.2	0.3
Septicemia (A40-A41)	7.4	6.7	6.2	6.5	6.8
Viral Hepatitis (B15-B19)	1.1	0.7	1.1	1.0	1.1
West Nile Virus (A92.3)	0.8	-	0.3	0.1	0.1
Accidental Deaths (V01-X59,Y85-Y86)	36.9	38.4	36.8	35.8	35.7
Drowning and Submersion (W65-W74)	1.2	1.4	0.4	0.6	0.7
Falls (W00-W19)	6.4	8.1	7.1	7.9	7.6
Firearms (W32-W34)	0.3	0.3	0.1	0.2	0.2
Motor Vehicle	17.1	15.5	15.9	14.8	15.7
Poisonings (X40-X49)	2.0	2.7	3.1	4.0	4.0
Smoke, Fire and Flames (X00-X09)	0.9	0.9	1.4	1.3	0.9
Assault (Homicide) (X85-Y09,Y87.1)	3.6	2.2	2.6	3.1	4.1
Intentional Self Harm (Suicide) (X60-X84, Y87.0)	10.0	9.5	10.6	11.1	10.2
All Other Causes	118.1	112.9	117.4	129.6	133.2
TOTAL DEATHS	755.4	717.4	731.2	727.2	743.4

Cause codes listed are from the Tenth Revision of the International Classification of Diseases (ICD-10).

TABLE 40: Cancer Deaths by Selected Sites and Sex, 2003-2007


Site	2003		2004		2005		2006		2007	
	M	F	M	F	M	F	M	F	M	F
Oral Cavity & Pharynx	28	16	24	6	25	12	23	19	20	16
Esophagus	66	18	68	12	67	13	66	20	65	13
Stomach	27	28	29	18	31	20	26	23	30	22
Colon & Rectum	188	175	169	188	184	180	202	179	172	197
Liver & Intrahepatic Bile Duct	43	22	52	23	42	22	51	32	51	23
Pancreas	85	87	95	78	89	83	123	98	98	110
Lung & Bronchus	511	364	531	347	516	388	538	365	545	394
Melanoma of the Skin	34	14	29	23	38	20	35	23	26	12
Breast	2	244	3	248	7	258	1	213	2	232
Cervix	-	14	-	23	-	15	-	16	-	15
Uterine Corpus & Unspecified	-	57	-	59	-	48	-	56	-	59
Ovary	-	97	-	80	-	94	-	92	-	80
Prostate	176	-	183	-	201	-	183	-	197	-
Kidney & Renal Pelvis	46	34	53	48	54	34	55	31	42	35
Urinary Bladder	45	23	53	19	51	24	57	29	53	30
Brain and Other CNS	42	40	50	46	46	44	48	32	58	46
Non-Hodgkin Lymphoma	73	66	62	67	74	76	71	73	80	74
Leukemia	79	71	76	59	79	55	87	56	73	60
Multiple Myeloma	36	37	36	32	30	26	28	35	37	43
All Other Sites	233	210	178	201	201	206	245	195	251	216
All Sites	1,714	1,617	1,691	1,578	1,735	1,618	1,839	1,587	1,800	1,677

TABLE 41: Age-Adjusted Cancer Death Rates by Selected Sites and Sex, 2003-2007

Site	2003		2004		2005		2006		2007	
	M	F	M	F	M	F	M	F	M	F
Oral Cavity & Pharynx	3.2	1.4	2.9	0.5	2.9	1.2	2.6	1.7	2.4	1.4
Esophagus	8.0	1.6	8.1	1.1	7.9	1.2	7.7	1.7	7.6	1.2
Stomach	3.3	2.5	3.5	1.6	3.7	1.9	3.2	2.0	3.6	1.9
Colon & Rectum	23.0	15.0	20.2	15.5	22.2	14.9	24.2	14.8	20.5	16.1
Liver & Intrahepatic Bile Duct	5.1	2.0	6.0	2.3	4.9	2.0	6.2	2.9	6.0	2.0
Pancreas	10.4	8.0	11.3	7.2	10.6	7.2	14.5	8.6	11.7	10.0
Lung & Bronchus	61.3	34.4	64.1	32.7	62.2	36.5	64.9	34.0	65.5	36.2
Melanoma of the Skin	4.0	1.3	3.5	2.2	4.4	1.9	4.2	2.3	3.0	1.2
Breast	0.3	22.3	0.4	23.1	0.8	23.5	0.1	19.4	0.3	21.6
Cervix	-	1.5	-	2.3	-	1.6	-	1.6	-	1.5
Uterine Corpus & Unspecified	-	5.2	-	5.2	-	4.5	-	5.0	-	5.3
Ovary	-	9.5	-	7.4	-	8.7	-	8.5	-	7.2
Prostate	22.3	-	22.9	-	25.4	-	23.1	-	24.8	-
Kidney & Renal Pelvis	5.6	3.1	6.1	4.1	6.3	2.9	6.6	2.9	5.1	3.2
Urinary Bladder	5.6	1.9	6.6	1.6	6.3	1.9	7.0	2.3	6.6	2.5
Brain and Other CNS	4.7	3.8	5.8	4.3	5.4	4.4	5.5	3.1	6.9	4.4
Non-Hodgkin Lymphoma	9.0	5.8	7.7	5.8	9.1	6.6	8.6	5.9	9.7	6.3
Leukemia	9.7	6.1	9.4	5.1	9.5	4.9	10.6	4.7	8.8	5.2
Multiple Myeloma	4.4	3.2	4.4	2.8	3.6	2.2	3.4	3.1	4.4	4.0
All Other Sites	28.1	18.6	21.3	18.2	23.8	17.5	29.4	16.6	30.1	18.7
All Sites	207.8	147.1	204.3	143.1	209.0	145.2	221.8	141.2	217.1	149.9

Rate per 100,000 estimated population.

Graph 10: Average Age at Time of Death, 1925-2007



Graph 11: Average Age at Time of Death by Sex, 1960-2007




TABLE 42: Deaths by Age Group and Sex, 2007

Age Group	Total	Male	Female	% of Total*	% of Males*	% of Females*
Total	15,256	7,267	7,989	100.0	100.0	100.0
< 1 year	183	95	88	1.2	1.3	1.1
1-4 years	27	16	11	0.2	0.2	0.1
5-9 years	19	7	12	0.1	0.1	0.2
10-14 years	24	10	14	0.2	0.1	0.2
15-19 years	86	54	32	0.6	0.7	0.4
20-24 years	104	82	22	0.7	1.1	0.3
25-29 years	83	60	23	0.5	0.8	0.3
30-34 years	91	57	34	0.6	0.8	0.4
35-39 years	142	86	56	0.9	1.2	0.7
40-44 years	249	157	92	1.6	2.2	1.2
45-49 years	358	216	142	2.3	3.0	1.8
50-54 years	525	348	177	3.4	4.8	2.2
55-59 years	645	392	253	4.2	5.4	3.2
60-64 years	769	465	304	5.0	6.4	3.8
65-69 years	1,011	577	434	6.6	7.9	5.4
70-74 years	1,237	677	560	8.1	9.3	7.0
75-79 years	1,804	951	853	11.8	13.1	10.7
80-84 years	2,361	1,180	1,181	15.5	16.2	14.8
85-89 years	2,477	1,017	1,460	16.2	14.0	18.3
90-94 years	1,984	621	1,363	13.0	8.5	17.1
95-99 years	864	169	695	5.7	2.3	8.7
100-104 years	194	26	168	1.3	0.4	2.1
105+ years	18	3	15	0.1	0.0	0.2
Unknown	1	1	0	0.0	0.0	0.0
Average Age	75.2	71.3	78.7			

* Percents may not sum to total due to rounding.

TABLE 43: Deaths by Age Group and Average Age by County of Residence, 2007


	Average Age	Age Group*				
		< 45 Years	45-64 Years	65-74 Years	75-84 Years	85+ Years
TOTAL	75.2	1,008	2,297	2,248	4,165	5,537
Adams	77.3	16	30	52	87	115
Antelope	76.8	5	9	11	26	34
Arthur	44.5	1	0	1	0	0
Banner	75.4	0	1	1	4	2
Blaine	46.0	1	0	0	0	1
Boone	79.6	1	6	14	21	27
Box Butte	75.5	6	19	18	22	48
Boyd	83.3	1	3	1	3	18
Brown	82.8	0	6	4	12	27
Buffalo	76.7	24	51	46	79	164
Burt	79.3	3	12	13	34	42
Butler	80.9	4	10	7	31	52
Cass	74.6	12	44	32	73	69
Cedar	81.8	2	12	10	27	54
Chase	82.6	0	6	4	11	35
Cherry	78.2	3	6	13	18	27
Cheyenne	71.7	14	12	15	28	36
Clay	76.3	4	7	18	19	23
Colfax	74.0	7	11	9	26	28
Cuming	80.1	3	10	12	28	47
Custer	77.8	7	16	16	47	59
Dakota	72.6	16	31	27	48	59
Dawes	77.5	4	13	9	29	31
Dawson	76.2	13	31	27	46	85
Deuel	78.9	0	6	1	3	12
Dixon	81.3	0	8	8	13	28
Dodge	76.5	28	51	55	135	165
Douglas	71.7	326	690	587	926	1,058
Dundy	78.0	2	3	2	13	12
Fillmore	79.6	3	7	14	33	36
Franklin	80.2	2	6	6	16	28
Frontier	74.5	1	7	4	12	8
Furnas	80.1	1	7	11	23	29
Gage	76.5	12	41	39	75	104
Garden	78.2	1	5	5	15	11
Garfield	70.9	4	4	5	11	10
Gosper	79.8	1	2	5	7	13
Grant	83.0	0	0	0	2	1
Greeley	79.9	2	0	6	8	13
Hall	76.3	26	60	74	157	176
Hamilton	77.9	5	13	13	28	40
Harlan	82.9	0	3	6	11	25
Hayes	58.9	2	2	2	0	2
Hitchcock	77.1	0	7	7	10	13
Holt	78.7	3	12	27	39	54
Hooker	81.0	0	1	4	2	5
Howard	77.0	2	11	14	17	28
Jefferson	79.6	1	15	21	39	52
Johnson	77.7	4	3	5	18	19
Kearney	73.1	5	14	7	19	20


TABLE 43: Deaths by Age Group and Average Age by County of Residence, 2007 (Cont)

	Average Age	Age Group				
		< 45 Years	45-64 Years	65-74 Years	75-84 Years	85+ Years
Keith	75.6	3	14	20	28	30
Keya Paha	78.2	0	2	3	4	3
Kimball	72.5	3	10	5	11	13
Knox	78.3	8	17	21	33	74
Lancaster	74.0	136	308	232	454	636
Lincoln	73.9	35	44	39	100	117
Logan	69.7	0	2	1	2	1
Loup	65.9	1	3	2	0	2
McPherson	72.5	0	0	1	1	0
Madison	76.4	28	37	44	97	132
Merrick	77.8	3	9	13	22	31
Morrill	76.3	3	11	11	15	23
Nance	75.1	3	13	6	14	20
Nemaha	79.3	0	12	16	14	38
Nuckolls	79.9	3	4	10	16	28
Otoe	76.4	12	25	26	48	79
Pawnee	79.5	1	4	8	17	20
Perkins	80.1	0	7	7	10	23
Phelps	77.3	8	8	14	32	50
Pierce	76.7	3	14	8	19	31
Platte	75.2	18	29	36	76	83
Polk	79.1	4	1	9	9	24
Red Willow	74.4	11	28	14	39	60
Richardson	80.4	3	10	18	46	58
Rock	78.2	0	0	5	9	3
Saline	78.9	4	24	22	28	68
Sarpy	71.3	64	125	128	211	184
Saunders	78.6	4	27	28	73	78
Scotts Bluff	75.6	27	57	59	112	157
Seward	76.2	12	23	17	48	68
Sheridan	79.6	5	3	14	25	40
Sherman	76.6	3	4	7	17	20
Sioux	80.6	0	1	0	1	3
Stanton	80.3	1	6	5	13	22
Thayer	80.0	1	7	15	22	38
Thomas	79.5	0	1	0	1	2
Thurston	67.6	10	17	9	22	15
Valley	80.3	1	9	6	17	28
Washington	78.7	6	16	32	40	68
Wayne	81.2	1	4	8	17	27
Webster	78.9	1	9	16	11	31
Wheeler	71.3	0	2	2	1	2
York	77.4	4	26	23	39	62


* Age was missing for one death

Graph 12: Ten Leading Causes of Death, 2007




Graph 13: Leading Causes of Death by Sex, 2007


**Graph 14: Leading Causes of Death
by Selected Age Groups and Sex, 2007**





Graph 15: Leading Causes of Death by Selected Age Groups and Sex, 2007




Graph 16: Leading Causes of Death by Selected Age Groups and Sex, 2007



Graph 17: Leading Causes of Death by Selected Age Groups and Sex, 2007

Graph 18: Leading Causes of Death by Selected Age Groups and Sex, 2007

**Map 5: Heart Disease Death Rates by County of Residence
Nebraska, 2003 - 2007**



Statewide Rate = 172.6 (per 100,000 population per year, age-adjusted)

TABLE 44: Heart Disease Deaths by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
STATE	3,517	198.2	165.1	18,278	208.0	172.6
Adams	98	297.1	215.8	447	277.6	193.5
Antelope	24	355.2	180.0	124	354.1	186.6
Arthur	0	-	-	5	262.3	241.8
Banner	1	136.2	84.6	5	132.1	81.0
Blaine	1	223.2	103.4	9	363.6	218.1
Boone	17	307.6	158.6	88	306.4	157.3
Box Butte	23	209.1	134.7	130	229.8	165.2
Boyd	8	377.5	182.6	70	627.1	275.7
Brown	13	405.4	178.5	55	327.2	149.4
Buffalo	86	191.2	162.5	443	202.3	181.5
Burt	26	368.3	189.4	140	379.3	212.8
Butler	38	453.6	318.4	163	375.5	273.3
Cass	54	211.1	210.5	269	209.8	209.0
Cedar	33	386.9	187.6	178	398.1	204.4
Chase	14	378.6	144.2	60	309.6	146.7
Cherry	13	227.4	136.9	47	157.3	101.5
Cheyenne	22	220.6	154.0	107	215.4	157.6
Clay	17	268.6	179.5	99	297.3	185.8
Colfax	17	170.4	125.2	149	289.2	206.2
Cuming	38	405.8	204.3	213	440.4	227.7
Custer	36	331.8	179.3	201	355.4	195.4
Dakota	41	201.9	238.6	208	203.2	237.6
Dawes	19	215.5	159.1	100	229.1	171.9
Dawson	58	234.4	190.3	248	200.8	170.9
Deuel	4	211.3	95.6	36	362.6	179.8
Dixon	14	224.3	113.2	86	279.2	147.8
Dodge	84	233.3	143.2	416	230.8	140.6
Douglas	788	158.4	170.0	4,019	165.0	174.2
Dundy	7	344.7	216.4	35	327.1	171.8
Fillmore	30	495.8	247.2	126	399.0	210.5
Franklin	22	696.6	307.0	78	464.5	241.7
Frontier	8	300.4	182.4	34	243.4	148.8
Furnas	18	380.4	173.5	102	406.7	191.2
Gage	44	189.5	106.5	329	281.9	160.4
Garden	14	763.4	300.1	42	412.2	191.4
Garfield	6	348.4	172.8	54	599.5	251.2
Gosper	3	152.2	79.3	23	227.9	112.7
Grant	0	-	-	5	151.1	111.7
Greeley	9	386.9	242.2	52	418.3	211.9
Hall	91	163.5	130.3	530	192.4	158.2
Hamilton	35	376.4	284.9	125	264.2	200.3
Harlan	14	412.7	178.7	65	369.2	191.8
Hayes	3	306.1	181.0	13	247.4	158.0
Hitchcock	14	492.3	255.8	58	392.1	216.6
Holt	39	378.2	182.0	181	337.4	172.2
Hooker	2	271.7	149.2	15	403.0	162.7
Howard	18	272.2	163.3	94	281.4	174.1
Jefferson	42	558.8	257.4	175	443.2	201.2
Johnson	5	111.7	16.8	59	258.3	102.2
Kearney	10	151.5	97.1	66	195.2	128.0


TABLE 44: Heart Disease Deaths by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	22	274.2	170.6	120	289.3	190.1
Keya Paha	3	352.9	214.6	12	264.6	145.0
Kimball	12	333.1	209.7	66	352.4	199.0
Knox	61	704.0	283.6	262	589.5	264.7
Lancaster	315	114.3	124.9	1,732	130.2	139.3
Lincoln	91	256.3	200.2	453	256.2	194.9
Logan	2	268.5	192.3	10	273.7	172.2
Loup	1	155.3	89.0	9	262.2	221.1
McPherson	0	-	-	5	194.4	121.3
Madison	97	284.2	205.2	524	297.0	215.9
Merrick	20	260.1	142.8	100	250.3	153.7
Morrill	14	277.4	178.4	67	258.5	171.5
Nance	12	335.9	204.8	53	287.5	173.6
Nemaha	21	298.3	178.7	84	236.9	142.7
Nuckolls	23	507.4	219.4	116	491.6	230.6
Otoe	38	242.9	140.6	187	240.1	141.5
Pawnee	12	446.8	170.8	66	467.2	213.6
Perkins	14	478.1	203.4	58	383.7	190.7
Phelps	22	239.8	134.2	143	302.1	168.0
Pierce	23	315.8	211.6	153	404.2	267.9
Platte	38	119.3	85.7	252	160.0	117.6
Polk	23	441.6	214.0	132	491.4	223.8
Red Willow	36	334.9	191.6	140	254.3	158.9
Richardson	28	335.3	145.9	139	318.6	152.9
Rock	4	264.0	147.1	39	498.8	241.8
Saline	29	209.0	119.5	197	278.7	181.8
Sarpy	151	102.9	172.1	734	105.3	166.4
Saunders	29	143.7	112.0	172	169.7	132.0
Scotts Bluff	106	291.4	192.3	539	294.1	198.2
Seward	52	314.1	219.1	239	286.4	206.0
Sheridan	23	422.0	195.2	94	332.0	169.3
Sherman	8	265.5	121.5	59	380.4	183.7
Sioux	1	74.0	44.5	10	139.9	126.6
Stanton	15	234.6	202.5	82	251.5	209.2
Thayer	21	406.7	178.6	111	410.0	173.2
Thomas	1	166.7	89.7	6	189.7	106.2
Thurston	10	138.7	144.1	77	213.2	220.4
Valley	12	281.5	150.4	68	307.3	146.5
Washington	28	140.3	123.8	166	167.6	142.8
Wayne	15	161.0	127.1	99	213.3	159.2
Webster	20	554.2	244.5	108	574.0	237.9
Wheeler	5	618.0	591.6	15	367.3	410.7
York	38	264.4	155.6	204	283.9	166.4

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

NOTE: Rates based on small numbers may be unreliable.

**Map 6: Cancer Death Rates by County of Residence
Nebraska, 2003 -- 2007**



Statewide Rate = 172.5 (per 100,000 population per year, age-adjusted)

TABLE 45: Cancer Deaths by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
STATE	3,477	195.9	177.2	16,856	191.8	172.5
Adams	65	197.0	155.7	343	213.0	173.3
Antelope	13	192.4	113.5	75	214.2	140.6
Arthur	1	280.9	206.4	5	262.3	345.4
Banner	3	408.7	271.7	8	211.3	131.5
Blaine	0	-	-	8	323.2	205.9
Boone	21	380.0	211.6	90	313.4	203.4
Box Butte	29	263.6	219.3	131	231.6	193.3
Boyd	3	141.6	52.3	26	232.9	124.5
Brown	14	436.5	236.1	49	291.5	163.2
Buffalo	82	182.3	182.7	377	172.2	174.6
Burt	24	340.0	194.5	104	281.8	172.8
Butler	11	131.3	95.5	77	177.4	134.3
Cass	52	203.3	198.0	252	196.6	194.1
Cedar	23	269.6	169.7	95	212.5	142.0
Chase	11	297.5	165.7	41	211.6	125.7
Cherry	17	297.3	199.6	67	224.3	156.0
Cheyenne	17	170.5	133.1	101	203.3	155.4
Clay	20	316.0	206.5	79	237.2	165.3
Colfax	19	190.5	161.9	104	201.9	178.8
Cuming	15	160.2	100.0	115	237.8	152.4
Custer	33	304.2	175.1	143	252.8	165.4
Dakota	42	206.8	236.5	172	168.0	197.9
Dawes	25	283.5	236.5	105	240.5	198.5
Dawson	42	169.7	159.3	213	172.5	164.0
Deuel	4	211.3	141.7	38	382.8	240.6
Dixon	16	256.3	159.2	76	246.8	148.4
Dodge	108	300.0	218.8	452	250.7	180.0
Douglas	851	171.1	186.4	4,202	172.6	185.2
Dundy	7	344.7	176.2	34	317.8	165.1
Fillmore	26	429.7	234.3	100	316.6	185.2
Franklin	9	285.0	164.6	52	309.6	196.1
Frontier	8	300.4	194.6	28	200.5	138.0
Furnas	15	317.0	180.1	72	287.1	159.1
Gage	70	301.5	214.0	290	248.5	168.5
Garden	7	381.7	232.4	36	353.3	221.5
Garfield	3	174.2	95.2	28	310.9	148.4
Gosper	3	152.2	126.9	19	188.3	124.3
Grant	0	-	-	6	181.4	176.7
Greeley	3	129.0	85.4	32	257.4	138.4
Hall	89	160.0	142.8	534	193.9	170.2
Hamilton	18	193.6	149.3	88	186.0	151.3
Harlan	9	265.3	115.7	54	306.7	163.5
Hayes	3	306.1	295.0	10	190.3	142.7
Hitchcock	9	316.5	174.3	44	297.5	194.6
Holt	27	261.8	159.0	126	234.9	145.9
Hooker	5	679.3	367.4	16	429.9	210.1
Howard	21	317.6	222.9	80	239.4	168.0
Jefferson	31	412.5	226.4	119	301.4	168.2
Johnson	13	290.4	154.2	68	297.6	165.2
Kearney	15	227.2	173.5	86	254.3	196.1

TABLE 45: Cancer Deaths by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	31	386.3	258.1	115	277.3	189.8
Keya Paha	4	470.6	281.1	10	220.5	135.1
Kimball	10	277.6	167.2	67	357.7	217.0
Knox	30	346.2	200.8	133	299.3	179.6
Lancaster	438	158.9	178.6	2,079	156.3	170.2
Lincoln	66	185.9	152.7	386	218.3	180.3
Logan	1	134.2	100.6	9	246.3	164.7
Loup	3	465.8	341.9	11	320.4	267.9
McPherson	1	199.2	160.2	5	194.4	157.8
Madison	74	216.8	187.2	329	186.5	159.4
Merrick	19	247.1	174.4	92	230.3	162.1
Morrill	16	317.0	229.0	65	250.8	183.1
Nance	9	252.0	190.9	58	314.6	204.8
Nemaha	14	198.9	148.7	77	217.2	147.1
Nuckolls	8	176.5	81.8	67	283.9	152.8
Otoe	43	274.8	199.7	193	247.8	173.8
Pawnee	11	409.5	205.0	41	290.2	166.6
Perkins	12	409.8	223.4	49	324.2	188.7
Phelps	22	239.8	163.9	123	259.9	173.2
Pierce	21	288.3	208.2	92	243.0	206.9
Platte	66	207.2	167.6	304	193.0	156.5
Polk	5	96.0	61.6	62	230.8	150.4
Red Willow	29	269.8	167.1	153	277.9	193.8
Richardson	28	335.3	190.7	132	302.5	185.4
Rock	6	396.0	209.9	24	307.0	172.2
Saline	26	187.4	157.5	148	209.4	173.0
Sarpy	186	126.7	187.5	812	116.5	158.0
Saunders	52	257.6	209.7	227	224.0	183.6
Scotts Bluff	68	187.0	140.1	393	214.5	162.8
Seward	37	223.5	180.0	203	243.2	198.2
Sheridan	12	220.2	116.1	74	261.4	159.1
Sherman	11	365.1	235.8	48	309.5	187.7
Sioux	1	74.0	59.0	13	181.8	157.9
Stanton	9	140.7	114.3	59	181.0	165.4
Thayer	20	387.4	178.3	86	317.6	162.5
Thomas	0	-	-	1	31.6	17.9
Thurston	17	235.8	249.0	87	240.9	258.3
Valley	15	351.9	185.1	62	280.2	157.0
Washington	38	190.4	168.6	192	193.8	170.4
Wayne	10	107.3	97.0	62	133.6	119.6
Webster	17	471.0	241.5	67	356.1	185.7
Wheeler	0	-	-	10	244.9	205.6
York	39	271.4	195.3	166	231.0	167.2

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

**Map 7: Cerebrovascular Disease Death Rates by County of Residence
Nebraska, 2003 -- 2007**




TABLE 46: Cerebrovascular Disease Deaths by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
STATE	920	51.8	43.1	4,894	55.7	46.0
Adams	18	54.6	39.0	95	59.0	40.6
Antelope	7	103.6	54.3	35	100.0	50.7
Arthur	0	-	-	0	-	-
Banner	1	136.2	84.6	2	52.8	33.8
Blaine	0	-	-	0	-	-
Boone	9	162.8	93.6	44	153.2	78.8
Box Butte	7	63.6	37.6	45	79.6	53.9
Boyd	5	236.0	97.5	22	197.1	97.7
Brown	2	62.4	18.8	14	83.3	38.0
Buffalo	21	46.7	40.7	109	49.8	43.5
Burt	9	127.5	55.0	53	143.6	72.4
Butler	5	59.7	41.7	29	66.8	48.3
Cass	15	58.6	60.8	69	53.8	53.9
Cedar	13	152.4	71.4	65	145.4	67.8
Chase	5	135.2	61.4	27	139.3	68.3
Cherry	4	70.0	46.1	28	93.7	60.8
Cheyenne	7	70.2	46.2	28	56.4	38.2
Clay	5	79.0	50.1	20	60.1	37.3
Colfax	1	10.0	9.0	21	40.8	30.7
Cuming	8	85.4	51.1	42	86.8	44.3
Custer	13	119.8	52.4	60	106.1	53.6
Dakota	8	39.4	45.3	57	55.7	66.3
Dawes	4	45.4	44.3	32	73.3	52.2
Dawson	9	36.4	33.5	63	51.0	44.5
Deuel	0	-	-	5	50.4	22.7
Dixon	5	80.1	29.7	25	81.2	38.7
Dodge	30	83.3	47.6	156	86.5	51.3
Douglas	193	38.8	41.1	1,036	42.5	45.2
Dundy	2	98.5	47.7	15	140.2	66.0
Fillmore	4	66.1	45.2	44	139.3	70.3
Franklin	3	95.0	28.0	15	89.3	30.2
Frontier	1	37.6	25.9	7	50.1	32.3
Furnas	7	147.9	67.9	32	127.6	60.3
Gage	18	77.5	42.8	91	78.0	42.3
Garden	1	54.5	24.8	9	88.3	36.6
Garfield	1	58.1	33.0	8	88.8	43.1
Gosper	1	50.7	31.0	12	118.9	55.8
Grant	0	-	-	3	90.7	78.1
Greeley	2	86.0	34.8	11	88.5	40.5
Hall	42	75.5	64.6	172	62.4	51.0
Hamilton	3	32.3	23.2	23	48.6	37.9
Harlan	3	88.4	35.8	17	96.6	43.8
Hayes	0	-	-	1	19.0	11.1
Hitchcock	0	-	-	11	74.4	46.1
Holt	7	67.9	36.1	44	82.0	44.6
Hooker	0	-	-	4	107.5	41.3
Howard	1	15.1	10.4	23	68.8	39.7
Jefferson	11	146.4	53.4	42	106.4	49.4
Johnson	9	201.1	57.0	41	179.5	62.8
Kearney	3	45.4	37.4	25	73.9	49.2

TABLE 46: Cerebrovascular Disease Deaths by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	3	37.4	22.6	22	53.0	36.0
Keya Paha	1	117.6	50.0	4	88.2	68.7
Kimball	1	27.8	17.1	16	85.4	47.3
Knox	9	103.9	53.3	43	96.8	46.0
Lancaster	94	34.1	38.0	512	38.5	41.8
Lincoln	18	50.7	37.3	97	54.9	40.3
Logan	0	-	-	1	27.4	14.8
Loup	0	-	-	1	29.1	28.2
McPherson	0	-	-	1	38.9	32.0
Madison	24	70.3	43.9	138	78.2	53.3
Merrick	6	78.0	41.9	39	97.6	61.2
Morrill	1	19.8	14.8	9	34.7	24.0
Nance	5	140.0	79.9	21	113.9	71.8
Nemaha	6	85.2	48.5	30	84.6	45.8
Nuckolls	2	44.1	27.5	22	93.2	45.9
Otoe	11	70.3	38.9	57	73.2	39.9
Pawnee	2	74.5	42.4	12	84.9	34.4
Perkins	5	170.8	79.6	17	112.5	51.3
Phelps	5	54.5	31.9	33	69.7	36.2
Pierce	3	41.2	28.9	29	76.6	49.3
Platte	19	59.7	43.8	84	53.3	39.1
Polk	1	19.2	6.1	18	67.0	27.9
Red Willow	12	111.6	77.6	54	98.1	59.1
Richardson	11	131.7	67.3	52	119.2	62.2
Rock	1	66.0	35.6	5	64.0	30.8
Saline	12	86.5	52.5	51	72.1	45.9
Sarpy	33	22.5	40.2	196	28.1	47.6
Saunders	9	44.6	34.2	52	51.3	39.6
Scotts Bluff	23	63.2	43.7	127	69.3	47.7
Seward	12	72.5	52.9	56	67.1	48.9
Sheridan	10	183.5	79.2	29	102.4	54.5
Sherman	7	232.3	116.6	15	96.7	50.7
Sioux	0	-	-	1	14.0	12.9
Stanton	3	46.9	42.2	10	30.7	29.3
Thayer	7	135.6	47.4	30	110.8	42.7
Thomas	1	166.7	86.2	1	31.6	17.2
Thurston	5	69.4	63.9	21	58.1	55.8
Valley	3	70.4	23.0	20	90.4	36.1
Washington	12	60.1	52.9	55	55.5	49.1
Wayne	6	64.4	41.7	16	34.5	26.0
Webster	4	110.8	61.0	17	90.4	46.2
Wheeler	0	-	-	3	73.5	85.5
York	10	69.6	38.6	45	62.6	37.2

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

NOTE: Rates based on small numbers may be unreliable.

**Map 8: Chronic Lung Disease Death Rates by County of Residence
Nebraska, 2003 -- 2007**




TABLE 47: Chronic Lung Disease Deaths by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
STATE	810	45.6	40.4	3,895	44.3	39.1
Adams	15	45.5	34.8	54	33.5	24.5
Antelope	4	59.2	30.3	16	45.7	25.6
Arthur	0	-	-	2	104.9	112.1
Banner	0	-	-	0	-	-
Blaine	0	-	-	1	40.4	23.6
Boone	4	72.4	47.8	12	41.8	26.8
Box Butte	6	54.5	41.7	32	56.6	45.2
Boyd	0	-	-	4	35.8	15.2
Brown	4	124.7	61.9	15	89.2	47.2
Buffalo	18	40.0	42.2	80	36.5	37.7
Burt	4	56.7	32.3	23	62.3	34.9
Butler	6	71.6	49.9	24	55.3	40.7
Cass	14	54.7	51.8	63	49.1	50.7
Cedar	2	23.4	13.6	20	44.7	25.5
Chase	4	108.2	59.5	11	56.8	34.5
Cherry	1	17.5	12.4	18	60.3	41.1
Cheyenne	5	50.1	36.1	37	74.5	53.8
Clay	0	-	-	17	51.0	33.2
Colfax	6	60.2	39.2	21	40.8	33.0
Cuming	3	32.0	24.5	27	55.8	34.8
Custer	12	110.6	55.4	45	79.6	44.6
Dakota	10	49.2	60.9	39	38.1	46.7
Dawes	5	56.7	42.9	26	59.6	47.2
Dawson	7	28.3	25.0	51	41.3	35.9
Deuel	0	-	-	7	70.5	32.6
Dixon	1	16.0	10.1	11	35.7	18.7
Dodge	20	55.5	36.0	95	52.7	36.3
Douglas	206	41.4	46.7	981	40.3	44.6
Dundy	2	98.5	39.8	9	84.1	46.3
Fillmore	3	49.6	28.9	19	60.2	32.5
Franklin	3	95.0	28.0	14	83.4	43.5
Frontier	3	112.7	73.9	11	78.8	54.6
Furnas	6	126.8	49.6	24	95.7	49.5
Gage	10	43.1	29.1	61	52.3	34.9
Garden	2	109.1	30.1	10	98.1	46.3
Garfield	4	232.3	105.8	17	188.7	89.5
Gosper	2	101.5	48.2	5	49.5	23.0
Grant	0	-	-	2	60.5	38.8
Greeley	1	43.0	14.1	6	48.3	24.0
Hall	37	66.5	59.0	159	57.7	49.6
Hamilton	3	32.3	26.4	11	23.2	20.1
Harlan	3	88.4	51.8	11	62.5	34.5
Hayes	0	-	-	0	-	-
Hitchcock	1	35.2	29.1	14	94.6	53.4
Holt	11	106.7	58.6	34	63.4	34.7
Hooker	0	-	-	2	53.7	34.8
Howard	3	45.4	28.6	12	35.9	24.6
Jefferson	7	93.1	50.0	23	58.2	29.8
Johnson	2	44.7	29.2	10	43.8	23.0
Kearney	3	45.4	33.4	16	47.3	34.9


TABLE 47: Chronic Lung Disease Deaths by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	4	49.9	31.2	35	84.4	54.1
Keya Paha	0	-	-	2	44.1	23.4
Kimball	3	83.3	55.3	14	74.7	43.3
Knox	5	57.7	28.0	18	40.5	20.5
Lancaster	92	33.4	38.2	445	33.5	37.1
Lincoln	19	53.5	43.0	93	52.6	41.0
Logan	0	-	-	2	54.7	33.1
Loup	0	-	-	1	29.1	28.2
McPherson	0	-	-	2	77.8	63.5
Madison	16	46.9	36.0	79	44.8	35.8
Merrick	1	13.0	5.9	21	52.6	33.2
Morrill	3	59.4	46.0	10	38.6	28.1
Nance	3	84.0	45.0	26	141.0	87.6
Nemaha	2	28.4	10.3	30	84.6	53.8
Nuckolls	3	66.2	31.7	13	55.1	27.1
Otoe	7	44.7	31.3	41	52.6	32.7
Pawnee	3	111.7	39.5	13	92.0	45.7
Perkins	3	102.5	73.5	6	39.7	25.8
Phelps	9	98.1	63.2	34	71.8	46.5
Pierce	7	96.1	63.0	24	63.4	41.6
Platte	12	37.7	30.2	43	27.3	20.8
Polk	2	38.4	17.4	12	44.7	24.3
Red Willow	4	37.2	25.2	32	58.1	39.3
Richardson	12	143.7	63.0	48	110.0	57.3
Rock	2	132.0	71.2	3	38.4	18.9
Saline	9	64.9	51.3	38	53.8	37.4
Sarpy	42	28.6	47.8	177	25.4	39.5
Saunders	7	34.7	28.5	48	47.4	39.0
Scotts Bluff	30	82.5	55.9	144	78.6	55.0
Seward	4	24.2	22.0	31	37.1	30.6
Sheridan	7	128.4	71.6	22	77.7	43.1
Sherman	2	66.4	28.1	15	96.7	48.6
Sioux	0	-	-	4	55.9	46.5
Stanton	1	15.6	10.1	10	30.7	28.5
Thayer	1	19.4	5.6	15	55.4	22.0
Thomas	0	-	-	2	63.2	35.2
Thurston	2	27.7	28.7	9	24.9	24.9
Valley	9	211.1	91.6	26	117.5	55.7
Washington	7	35.1	31.1	36	36.3	33.3
Wayne	4	42.9	31.7	15	32.3	26.4
Webster	3	83.1	38.1	19	101.0	45.9
Wheeler	0	-	-	0	-	-
York	7	48.7	35.2	35	48.7	34.7

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

NOTE: Rates based on small numbers may be unreliable.

**Map 9: Accidental Death Rates by County of Residence
Nebraska, 2003 -- 2007**



Statewide Rate = 36.8 (per 100,000 population per year, age-adjusted)

TABLE 48: Accidental Deaths by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
STATE	674	38.0	35.7	3,501	39.8	36.8
Adams	8	24.2	27.2	57	35.4	30.1
Antelope	6	88.8	68.1	22	62.8	44.5
Arthur	1	280.9	277.3	2	104.9	111.5
Banner	1	136.2	81.6	1	26.4	16.3
Blaine	0	-	-	2	80.8	59.5
Boone	2	36.2	30.2	11	38.3	39.0
Box Butte	4	36.4	36.5	29	51.3	51.3
Boyd	2	94.4	65.9	10	89.6	73.8
Brown	0	-	-	6	35.7	39.5
Buffalo	22	48.9	49.0	94	42.9	41.6
Burt	5	70.8	56.2	30	81.3	67.7
Butler	4	47.7	41.0	22	50.7	45.6
Cass	7	27.4	30.2	45	35.1	35.2
Cedar	4	46.9	27.2	25	55.9	52.2
Chase	2	54.1	17.8	13	67.1	49.1
Cherry	2	35.0	34.9	28	93.7	80.1
Cheyenne	8	80.2	87.8	30	60.4	58.9
Clay	3	47.4	35.8	27	81.1	74.6
Colfax	8	80.2	74.3	24	46.6	46.8
Cuming	4	42.7	25.4	31	64.1	57.7
Custer	6	55.3	42.0	38	67.2	58.0
Dakota	10	49.2	49.4	34	33.2	36.4
Dawes	4	45.4	44.3	22	50.4	48.6
Dawson	10	40.4	37.1	74	59.9	58.5
Deuel	1	52.8	33.3	5	50.4	60.8
Dixon	2	32.0	23.5	21	68.2	60.6
Dodge	18	50.0	43.5	79	43.8	38.7
Douglas	130	26.1	27.5	700	28.7	29.3
Dundy	1	49.2	23.9	9	84.1	38.8
Fillmore	3	49.6	49.0	18	57.0	57.1
Franklin	3	95.0	88.0	15	89.3	78.2
Frontier	2	75.1	52.1	4	28.6	21.9
Furnas	2	42.3	45.1	20	79.8	88.8
Gage	10	43.1	33.9	70	60.0	49.4
Garden	3	163.6	97.7	6	58.9	64.5
Garfield	1	58.1	18.5	4	44.4	34.4
Gosper	2	101.5	48.2	4	39.6	31.0
Grant	0	-	-	0	-	-
Greeley	1	43.0	20.7	9	72.4	63.4
Hall	23	41.3	40.8	110	39.9	38.4
Hamilton	7	75.3	71.9	24	50.7	47.8
Harlan	1	29.5	17.8	11	62.5	59.0
Hayes	1	102.0	113.6	7	133.2	149.7
Hitchcock	1	35.2	10.9	9	60.8	50.5
Holt	11	106.7	65.9	44	82.0	63.0
Hooker	0	-	-	2	53.7	62.7
Howard	2	30.2	23.0	24	71.8	61.6
Jefferson	2	26.6	11.2	20	50.6	39.6
Johnson	4	89.4	90.9	17	74.4	74.2
Kearney	1	15.1	12.5	19	56.2	42.6

TABLE 48: Accidental Deaths by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	2	24.9	16.7	20	48.2	41.0
Keya Paha	0	-	-	4	88.2	58.6
Kimball	2	55.5	65.3	10	53.4	42.2
Knox	10	115.4	101.0	40	90.0	73.9
Lancaster	77	27.9	28.9	406	30.5	30.8
Lincoln	17	47.9	43.3	79	44.7	40.4
Logan	1	134.2	89.7	5	136.8	110.8
Loup	1	155.3	111.9	4	116.5	99.8
McPherson	0	-	-	1	38.9	32.0
Madison	13	38.1	37.9	77	43.6	40.3
Merrick	3	39.0	40.7	22	55.1	55.9
Morrill	5	99.1	90.7	27	104.2	98.1
Nance	4	112.0	86.3	17	92.2	89.6
Nemaha	1	14.2	12.4	19	53.6	44.5
Nuckolls	4	88.2	118.5	11	46.6	48.6
Otoe	11	70.3	57.1	41	52.6	47.2
Pawnee	2	74.5	80.4	12	84.9	68.1
Perkins	1	34.2	22.1	9	59.5	65.2
Phelps	5	54.5	50.1	18	38.0	34.8
Pierce	2	27.5	35.7	14	37.0	34.6
Platte	10	31.4	32.1	57	36.2	34.0
Polk	3	57.6	74.1	14	52.1	41.6
Red Willow	11	102.3	93.6	30	54.5	50.3
Richardson	7	83.8	67.4	39	89.4	85.0
Rock	1	66.0	44.0	3	38.4	22.3
Saline	6	43.2	33.9	33	46.7	34.6
Sarpy	36	24.5	30.7	154	22.1	28.0
Saunders	11	54.5	44.3	65	64.1	56.4
Scotts Bluff	25	68.7	59.9	104	56.8	52.7
Seward	10	60.4	57.7	28	33.6	27.3
Sheridan	6	110.1	108.1	22	77.7	69.3
Sherman	2	66.4	33.8	13	83.8	66.4
Sioux	1	74.0	64.6	3	42.0	38.8
Stanton	2	31.3	32.0	12	36.8	38.0
Thayer	4	77.5	38.5	20	73.9	61.1
Thomas	0	-	-	3	94.8	82.4
Thurston	4	55.5	58.4	28	77.5	81.1
Valley	3	70.4	34.8	13	58.7	51.0
Washington	6	30.1	31.0	46	46.4	43.9
Wayne	3	32.2	21.9	17	36.6	31.0
Webster	4	110.8	87.9	13	69.1	59.5
Wheeler	2	247.2	174.7	3	73.5	52.2
York	1	7.0	5.6	17	23.7	16.5

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

NOTE: Rates based on small numbers may be unreliable.

**Map 10: Alzheimer's Disease Death Rates by County of Residence
Nebraska, 2003 -- 2007**




TABLE 49: Alzheimer's Disease Deaths by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
STATE	512	28.9	22.9	2,404	27.4	21.4
Adams	9	27.3	19.6	38	23.6	14.5
Antelope	5	74.0	38.6	10	28.6	14.8
Arthur	0	-	-	0	-	-
Banner	0	-	-	0	-	-
Blaine	0	-	-	0	-	-
Boone	1	18.1	6.3	21	73.1	33.8
Box Butte	1	9.1	5.4	23	40.7	27.9
Boyd	1	47.2	14.4	7	62.7	22.0
Brown	5	155.9	54.1	15	89.2	34.5
Buffalo	12	26.7	21.3	59	26.9	21.0
Burt	4	56.7	26.4	16	43.4	19.8
Butler	4	47.7	33.0	35	80.6	57.6
Cass	6	23.5	24.8	31	24.2	25.3
Cedar	1	11.7	4.3	13	29.1	14.7
Chase	0	-	-	0	-	-
Cherry	3	52.5	29.9	15	50.2	28.5
Cheyenne	2	20.1	16.7	15	30.2	20.0
Clay	0	-	-	5	15.0	8.5
Colfax	3	30.1	19.4	11	21.4	16.8
Cuming	3	32.0	12.1	14	28.9	13.0
Custer	5	46.1	22.8	22	38.9	17.5
Dakota	7	34.5	44.1	37	36.1	45.2
Dawes	2	22.7	16.2	19	43.5	30.3
Dawson	11	44.5	32.5	47	38.1	27.6
Deuel	0	-	-	4	40.3	21.2
Dixon	2	32.0	16.0	7	22.7	10.0
Dodge	18	50.0	26.0	70	38.8	21.1
Douglas	92	18.5	20.1	462	19.0	19.9
Dundy	1	49.2	16.0	7	65.4	24.0
Fillmore	2	33.1	10.7	12	38.0	15.4
Franklin	0	-	-	0	-	-
Frontier	1	37.6	16.5	4	28.6	14.9
Furnas	1	21.1	6.1	10	39.9	14.8
Gage	12	51.7	26.3	54	46.3	24.5
Garden	0	-	-	2	19.6	6.0
Garfield	0	-	-	3	33.3	13.2
Gosper	2	101.5	48.2	11	109.0	51.9
Grant	1	163.1	172.3	3	90.7	93.2
Greeley	2	86.0	28.2	5	40.2	15.4
Hall	23	41.3	32.0	98	35.6	27.7
Hamilton	3	32.3	21.4	20	42.3	31.7
Harlan	4	117.9	45.8	8	45.4	18.3
Hayes	0	-	-	1	19.0	14.1
Hitchcock	2	70.3	32.1	14	94.6	36.7
Holt	8	77.6	34.9	22	41.0	20.5
Hooker	1	135.9	86.9	2	53.7	29.8
Howard	3	45.4	30.3	11	32.9	21.3
Jefferson	4	53.2	19.1	10	25.3	12.6
Johnson	3	67.0	19.2	11	48.1	14.7
Kearney	2	30.3	19.4	8	23.7	14.7

TABLE 49: Alzheimer's Disease Deaths by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	4	49.9	27.9	12	28.9	18.1
Keya Paha	1	117.6	66.9	1	22.1	13.4
Kimball	1	27.8	11.4	8	42.7	22.3
Knox	2	23.1	12.4	7	15.8	8.1
Lancaster	44	16.0	17.8	247	18.6	19.9
Lincoln	10	28.2	18.1	55	31.1	22.0
Logan	0	-	-	0	-	-
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	12	35.2	21.1	59	33.4	21.0
Merrick	4	52.0	33.3	16	40.1	24.1
Morrill	1	19.8	10.7	8	30.9	17.9
Nance	5	140.0	75.4	10	54.2	29.9
Nemaha	7	99.4	42.5	31	87.4	43.9
Nuckolls	2	44.1	15.8	12	50.9	21.4
Otoe	6	38.3	21.7	26	33.4	17.8
Pawnee	1	37.2	11.1	9	63.7	25.0
Perkins	0	-	-	1	6.6	2.3
Phelps	5	54.5	24.2	28	59.2	31.0
Pierce	2	27.5	12.8	4	10.6	5.9
Platte	10	31.4	23.4	37	23.5	16.4
Polk	1	19.2	6.1	7	26.1	10.6
Red Willow	7	65.1	35.5	41	74.5	40.9
Richardson	4	47.9	21.4	10	22.9	10.7
Rock	0	-	-	2	25.6	9.4
Saline	14	100.9	58.6	61	86.3	52.1
Sarpy	21	14.3	27.8	72	10.3	19.1
Saunders	12	59.5	44.1	26	25.7	18.7
Scotts Bluff	17	46.7	28.1	88	48.0	29.4
Seward	13	78.5	55.5	65	77.9	54.7
Sheridan	3	55.0	20.1	15	53.0	24.4
Sherman	0	-	-	6	38.7	16.4
Sioux	0	-	-	0	-	-
Stanton	4	62.5	52.3	13	39.9	32.7
Thayer	3	58.1	16.8	10	36.9	13.4
Thomas	0	-	-	0	-	-
Thurston	2	27.7	26.5	8	22.1	21.8
Valley	1	23.5	7.7	6	27.1	10.7
Washington	9	45.1	36.0	42	42.4	34.0
Wayne	0	-	-	4	8.6	7.5
Webster	3	83.1	28.8	9	47.8	17.3
Wheeler	0	-	-	1	24.5	34.5
York	9	62.6	36.1	35	48.7	27.4

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

NOTE: Rates based on small numbers may be unreliable.

**Map 11: Diabetes Death Rates by County of Residence
Nebraska, 2003 – 2007**




TABLE 50: Diabetes Deaths by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
STATE	472	26.6	23.4	2,159	24.6	21.5
Adams	6	18.2	10.5	26	16.1	11.9
Antelope	1	14.8	10.0	8	22.8	15.3
Arthur	0	-	-	0	-	-
Banner	0	-	-	1	26.4	15.9
Blaine	0	-	-	0	-	-
Boone	1	18.1	10.7	7	24.4	14.7
Box Butte	2	18.2	19.1	16	28.3	24.1
Boyd	0	-	-	2	17.9	5.7
Brown	0	-	-	5	29.7	21.9
Buffalo	12	26.7	26.6	42	19.2	17.9
Burt	1	14.2	5.7	10	27.1	14.5
Butler	3	35.8	24.3	15	34.6	26.9
Cass	8	31.3	31.1	29	22.6	22.2
Cedar	1	11.7	6.7	10	22.4	13.0
Chase	3	81.1	53.3	7	36.1	22.2
Cherry	0	-	-	10	33.5	23.7
Cheyenne	3	30.1	24.2	23	46.3	34.2
Clay	1	15.8	7.4	8	24.0	14.6
Colfax	3	30.1	29.4	19	36.9	29.5
Cuming	5	53.4	28.4	18	37.2	20.5
Custer	4	36.9	19.3	17	30.1	17.3
Dakota	9	44.3	50.8	36	35.2	41.4
Dawes	1	11.3	6.7	15	34.4	34.0
Dawson	12	48.5	40.7	36	29.1	25.5
Deuel	1	52.8	17.2	7	70.5	40.8
Dixon	0	-	-	2	6.5	3.6
Dodge	10	27.8	17.7	45	25.0	17.6
Douglas	118	23.7	26.2	551	22.6	24.3
Dundy	4	196.9	112.6	13	121.5	62.6
Fillmore	1	16.5	9.6	9	28.5	17.5
Franklin	0	-	-	2	11.9	5.0
Frontier	2	75.1	56.3	7	50.1	34.1
Furnas	1	21.1	6.1	7	27.9	18.6
Gage	10	43.1	28.8	50	42.8	24.5
Garden	0	-	-	3	29.4	14.2
Garfield	1	58.1	48.5	8	88.8	63.0
Gosper	2	101.5	48.2	6	59.5	31.6
Grant	1	163.1	121.2	1	30.2	24.2
Greeley	0	-	-	1	8.0	5.4
Hall	11	19.8	16.0	68	24.7	21.2
Hamilton	1	10.8	7.1	15	31.7	25.2
Harlan	1	29.5	18.3	4	22.7	12.0
Hayes	0	-	-	2	38.1	46.6
Hitchcock	0	-	-	10	67.6	36.7
Holt	1	9.7	5.6	15	28.0	17.7
Hooker	0	-	-	0	-	-
Howard	2	30.2	19.0	8	23.9	14.9
Jefferson	2	26.6	14.6	12	30.4	17.1
Johnson	1	22.3	12.5	5	21.9	13.7
Kearney	3	45.4	35.6	14	41.4	28.7

TABLE 50: Diabetes Deaths by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	2	24.9	16.1	15	36.2	25.8
Keya Paha	0	-	-	0	-	-
Kimball	2	55.5	33.8	3	16.0	9.9
Knox	6	69.2	38.0	21	47.3	25.2
Lancaster	60	21.8	24.2	235	17.7	19.1
Lincoln	16	45.1	36.7	84	47.5	37.1
Logan	0	-	-	1	27.4	17.9
Loup	0	-	-	0	-	-
McPherson	1	199.2	157.2	1	38.9	31.4
Madison	12	35.2	27.3	57	32.3	26.5
Merrick	0	-	-	9	22.5	15.6
Morrill	4	79.3	53.5	11	42.4	29.3
Nance	3	84.0	58.0	7	38.0	23.3
Nemaha	0	-	-	9	25.4	16.3
Nuckolls	5	110.3	61.3	12	50.9	24.9
Otoe	6	38.3	23.1	25	32.1	19.6
Pawnee	2	74.5	28.5	4	28.3	12.7
Perkins	0	-	-	5	33.1	17.9
Phelps	6	65.4	31.8	30	63.4	39.1
Pierce	2	27.5	12.8	18	47.6	33.9
Platte	10	31.4	24.1	30	19.0	15.2
Polk	0	-	-	4	14.9	9.4
Red Willow	13	121.0	73.6	32	58.1	35.6
Richardson	1	12.0	4.0	19	43.5	24.8
Rock	0	-	-	1	12.8	4.7
Saline	5	36.0	32.5	21	29.7	22.2
Sarpy	14	9.5	17.1	69	9.9	14.8
Saunders	5	24.8	20.7	15	14.8	12.3
Scotts Bluff	9	24.7	17.5	54	29.5	21.6
Seward	12	72.5	51.7	32	38.3	29.1
Sheridan	2	36.7	19.6	8	28.3	15.0
Sherman	0	-	-	3	19.3	9.0
Sioux	0	-	-	0	-	-
Stanton	3	46.9	32.7	7	21.5	18.3
Thayer	1	19.4	5.6	11	40.6	18.3
Thomas	1	166.7	82.3	2	63.2	32.9
Thurston	7	97.1	106.7	20	55.4	64.1
Valley	0	-	-	7	31.6	14.6
Washington	6	30.1	24.5	25	25.2	22.3
Wayne	1	10.7	9.9	8	17.2	13.2
Webster	2	55.4	15.1	8	42.5	19.2
Wheeler	0	-	-	0	-	-
York	4	27.8	20.7	11	15.3	11.4

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

NOTE: Rates based on small numbers may be unreliable.

**Map 12: Pneumonia Death Rates by County of Residence
Nebraska, 2003 -- 2007**




TABLE 51: Pneumonia Deaths by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
STATE	329	18.5	15.0	1,747	19.9	15.9
Adams	10	30.3	24.2	60	37.3	24.9
Antelope	2	29.6	10.4	11	31.4	15.0
Arthur	0	-	-	0	-	-
Banner	0	-	-	0	-	-
Blaine	0	-	-	0	-	-
Boone	5	90.5	39.0	20	69.6	28.4
Box Butte	3	27.3	22.0	10	17.7	12.3
Boyd	2	94.4	42.3	5	44.8	18.9
Brown	3	93.5	28.2	11	65.4	28.5
Buffalo	5	11.1	10.1	49	22.4	18.1
Burt	2	28.3	23.5	10	27.1	15.3
Butler	10	119.4	81.1	14	32.3	22.6
Cass	4	15.6	15.7	34	26.5	27.0
Cedar	1	11.7	4.3	5	11.2	4.8
Chase	2	54.1	17.8	9	46.4	21.1
Cherry	2	35.0	17.5	8	26.8	17.1
Cheyenne	2	20.1	13.4	14	28.2	19.8
Clay	1	15.8	7.4	14	42.0	23.5
Colfax	3	30.1	19.4	14	27.2	17.0
Cuming	1	10.7	4.0	10	20.7	8.9
Custer	1	9.2	10.5	23	40.7	22.5
Dakota	2	9.8	10.7	13	12.7	14.8
Dawes	2	22.7	20.0	7	16.0	12.7
Dawson	0	-	-	17	13.8	11.0
Deuel	4	211.3	102.6	6	60.4	31.7
Dixon	2	32.0	11.9	7	22.7	11.1
Dodge	9	25.0	16.8	37	20.5	12.9
Douglas	56	11.3	11.9	378	15.5	16.2
Dundy	0	-	-	2	18.7	6.4
Fillmore	0	-	-	4	12.7	5.7
Franklin	1	31.7	15.7	4	23.8	13.4
Frontier	1	37.6	16.5	4	28.6	15.1
Furnas	1	21.1	10.5	10	39.9	16.3
Gage	2	8.6	5.2	16	13.7	9.3
Garden	0	-	-	2	19.6	6.0
Garfield	2	116.1	67.0	4	44.4	20.8
Gosper	0	-	-	2	19.8	7.4
Grant	0	-	-	0	-	-
Greeley	1	43.0	20.7	2	16.1	7.0
Hall	12	21.6	17.1	69	25.0	20.3
Hamilton	1	10.8	9.6	12	25.4	19.5
Harlan	1	29.5	17.8	4	22.7	11.2
Hayes	0	-	-	0	-	-
Hitchcock	1	35.2	10.9	3	20.3	10.6
Holt	5	48.5	24.8	19	35.4	16.2
Hooker	2	271.7	57.4	3	80.6	17.2
Howard	1	15.1	7.8	4	12.0	6.9
Jefferson	0	-	-	8	20.3	10.6
Johnson	0	-	-	5	21.9	6.0
Kearney	2	30.3	25.6	8	23.7	17.1

TABLE 51: Pneumonia Deaths by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	1	12.5	7.8	9	21.7	12.8
Keya Paha	0	-	-	0	-	-
Kimball	0	-	-	8	42.7	23.1
Knox	1	11.5	3.8	16	36.0	16.3
Lancaster	28	10.2	10.6	168	12.6	13.1
Lincoln	9	25.4	17.3	32	18.1	12.9
Logan	0	-	-	0	-	-
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	8	23.4	16.1	38	21.5	14.4
Merrick	6	78.0	45.0	16	40.1	23.4
Morrill	1	19.8	14.8	8	30.9	20.4
Nance	1	28.0	14.6	13	70.5	41.5
Nemaha	3	42.6	15.5	14	39.5	16.7
Nuckolls	0	-	-	7	29.7	11.1
Otoe	12	76.7	45.0	38	48.8	26.8
Pawnee	2	74.5	34.8	3	21.2	9.2
Perkins	0	-	-	7	46.3	16.2
Phelps	1	10.9	4.1	15	31.7	17.7
Pierce	4	54.9	42.2	9	23.8	17.2
Platte	4	12.6	9.1	28	17.8	12.4
Polk	0	-	-	2	7.4	3.5
Red Willow	4	37.2	18.3	22	40.0	21.3
Richardson	1	12.0	6.7	13	29.8	14.5
Rock	0	-	-	1	12.8	4.7
Saline	4	28.8	18.1	16	22.6	13.7
Sarpy	18	12.3	22.9	97	13.9	24.9
Saunders	13	64.4	47.9	28	27.6	21.5
Scotts Bluff	16	44.0	26.2	60	32.7	20.2
Seward	3	18.1	13.7	22	26.4	18.4
Sheridan	2	36.7	27.0	7	24.7	12.7
Sherman	3	99.6	42.6	7	45.1	18.6
Sioux	0	-	-	2	28.0	25.8
Stanton	0	-	-	2	6.1	5.4
Thayer	0	-	-	6	22.2	10.6
Thomas	0	-	-	1	31.6	17.2
Thurston	2	27.7	29.4	5	13.8	14.0
Valley	6	140.7	57.2	16	72.3	30.5
Washington	6	30.1	26.4	18	18.2	15.2
Wayne	1	10.7	9.9	1	2.2	2.0
Webster	1	27.7	7.6	11	58.5	22.4
Wheeler	0	-	-	0	-	-
York	1	7.0	3.0	10	13.9	8.6

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

NOTE: Rates based on small numbers may be unreliable.

Map 13: Nephritis & Nephrosis Death Rates by County of Residence Nebraska, 2003--2007




TABLE 52: Nephritis and Nephrosis Deaths by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total	Crude	Age-Adjusted Rate*	Total	Crude	Age-Adjusted
	Deaths	Rate*	Rate*	Deaths	Rate*	Rate*
STATE	269	15.2	12.6	1,342	15.3	12.9
Adams	5	15.2	11.0	30	18.6	14.1
Antelope	4	59.2	35.1	11	31.4	18.8
Arthur	0	-	-	1	52.5	56.1
Banner	0	-	-	0	-	-
Blaine	0	-	-	0	-	-
Boone	1	18.1	6.3	7	24.4	12.9
Box Butte	2	18.2	10.7	6	10.6	9.3
Boyd	0	-	-	2	17.9	7.6
Brown	1	31.2	16.5	2	11.9	6.6
Buffalo	2	4.4	3.1	30	13.7	12.8
Burt	3	42.5	21.1	8	21.7	11.0
Butler	1	11.9	7.8	8	18.4	12.6
Cass	2	7.8	7.5	12	9.4	10.0
Cedar	0	-	-	7	15.7	7.5
Chase	0	-	-	4	20.6	14.4
Cherry	3	52.5	33.6	8	26.8	17.5
Cheyenne	3	30.1	26.5	11	22.1	18.0
Clay	3	47.4	27.8	8	24.0	17.0
Colfax	1	10.0	9.0	8	15.5	13.3
Cuming	4	42.7	31.9	11	22.7	13.7
Custer	1	9.2	3.5	13	23.0	12.3
Dakota	3	14.8	19.4	14	13.7	16.9
Dawes	1	11.3	9.5	7	16.0	13.5
Dawson	1	4.0	2.7	18	14.6	12.6
Deuel	1	52.8	17.2	4	40.3	13.8
Dixon	1	16.0	5.9	9	29.2	15.5
Dodge	9	25.0	16.7	52	28.8	18.3
Douglas	67	13.5	14.5	317	13.0	13.9
Dundy	1	49.2	16.0	3	28.0	11.2
Fillmore	3	49.6	20.4	10	31.7	16.5
Franklin	1	31.7	9.3	7	41.7	20.0
Frontier	1	37.6	25.9	2	14.3	8.5
Furnas	2	42.3	12.1	9	35.9	16.7
Gage	3	12.9	6.4	20	17.1	9.2
Garden	0	-	-	3	29.4	27.2
Garfield	0	-	-	3	33.3	16.1
Gosper	0	-	-	2	19.8	12.0
Grant	0	-	-	0	-	-
Greeley	1	43.0	20.7	3	24.1	12.4
Hall	8	14.4	12.3	38	13.8	12.0
Hamilton	4	43.0	32.8	9	19.0	14.1
Harlan	1	29.5	10.0	3	17.0	6.0
Hayes	0	-	-	0	-	-
Hitchcock	0	-	-	5	33.8	17.1
Holt	1	9.7	5.6	15	28.0	13.9
Hooker	0	-	-	0	-	-
Howard	1	15.1	7.8	9	26.9	16.8
Jefferson	6	79.8	34.7	13	32.9	15.1
Johnson	2	44.7	25.0	2	8.8	5.0
Kearney	0	-	-	5	14.8	10.3

TABLE 52: Nephritis and Nephrosis Deaths by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	3	37.4	21.4	11	26.5	15.9
Keya Paha	0	-	-	0	-	-
Kimball	0	-	-	3	16.0	9.3
Knox	0	-	-	6	13.5	6.4
Lancaster	17	6.2	6.6	121	9.1	9.6
Lincoln	9	25.4	19.1	27	15.3	11.6
Logan	0	-	-	2	54.7	35.9
Loup	0	-	-	1	29.1	28.2
McPherson	0	-	-	0	-	-
Madison	7	20.5	13.3	36	20.4	15.1
Merrick	3	39.0	24.5	8	20.0	12.8
Morrill	0	-	-	8	30.9	20.3
Nance	3	84.0	49.2	14	75.9	42.5
Nemaha	7	99.4	40.8	14	39.5	17.8
Nuckolls	2	44.1	15.8	6	25.4	10.7
Otoe	5	32.0	18.3	19	24.4	14.1
Pawnee	1	37.2	22.4	6	42.5	18.1
Perkins	3	102.5	55.8	7	46.3	22.5
Phelps	1	10.9	4.1	10	21.1	13.8
Pierce	1	13.7	11.2	3	7.9	6.2
Platte	6	18.8	13.0	20	12.7	9.2
Polk	1	19.2	6.1	5	18.6	10.3
Red Willow	3	27.9	15.2	14	25.4	13.7
Richardson	1	12.0	8.2	15	34.4	16.9
Rock	1	66.0	35.6	4	51.2	26.1
Saline	2	14.4	9.1	10	14.1	9.7
Sarpy	15	10.2	17.9	65	9.3	14.4
Saunders	1	5.0	3.3	11	10.9	8.2
Scotts Bluff	4	11.0	7.0	32	17.5	11.9
Seward	1	6.0	5.1	9	10.8	9.5
Sheridan	1	18.3	12.9	6	21.2	10.5
Sherman	2	66.4	28.1	8	51.6	24.3
Sioux	0	-	-	1	14.0	12.9
Stanton	2	31.3	25.3	2	6.1	5.1
Thayer	3	58.1	22.3	12	44.3	18.7
Thomas	0	-	-	0	-	-
Thurston	2	27.7	32.8	11	30.5	32.0
Valley	1	23.5	11.4	4	18.1	7.6
Washington	0	-	-	4	4.0	3.8
Wayne	2	21.5	15.9	13	28.0	20.8
Webster	2	55.4	22.9	9	47.8	15.2
Wheeler	0	-	-	1	24.5	34.5
York	3	20.9	9.0	15	20.9	10.8

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

NOTE: Rates based on small numbers may be unreliable.

Map 14: Essential Hypertension & Hypertensive Renal Disease Death Rates by County of Residence Nebraska, 2003 - 2007




TABLE 53: Essential Hypertension and Hypertensive Renal Disease by County of Residence, 2007 and 2003-2007

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
STATE	186	10.5	8.4	912	10.4	8.3
Adams	0	-	-	3	1.9	1.1
Antelope	0	-	-	3	8.6	4.2
Arthur	0	-	-	0	-	-
Banner	0	-	-	0	-	-
Blaine	0	-	-	0	-	-
Boone	1	18.1	13.8	1	3.5	2.8
Box Butte	1	9.1	5.4	7	12.4	8.3
Boyd	0	-	-	1	9.0	2.9
Brown	0	-	-	2	11.9	3.8
Buffalo	5	11.1	9.6	25	11.4	10.1
Burt	1	14.2	5.7	5	13.5	6.1
Butler	2	23.9	16.5	9	20.7	16.4
Cass	3	11.7	11.8	14	10.9	11.0
Cedar	1	11.7	4.3	6	13.4	6.6
Chase	0	-	-	0	-	-
Cherry	1	17.5	23.8	5	16.7	12.7
Cheyenne	3	30.1	22.6	13	26.2	17.9
Clay	0	-	-	1	3.0	1.5
Colfax	2	20.1	15.7	6	11.6	8.1
Cuming	1	10.7	4.0	11	22.7	9.3
Custer	1	9.2	13.3	12	21.2	10.7
Dakota	0	-	-	4	3.9	4.6
Dawes	1	11.3	6.7	4	9.2	5.9
Dawson	3	12.1	8.0	15	12.1	8.9
Deuel	1	52.8	17.2	2	20.1	6.9
Dixon	0	-	-	5	16.2	7.1
Dodge	6	16.7	8.2	24	13.3	7.6
Douglas	44	8.8	9.6	225	9.2	9.7
Dundy	2	98.5	32.0	5	46.7	17.6
Fillmore	0	-	-	2	6.3	3.5
Franklin	1	31.7	15.7	5	29.8	13.1
Frontier	0	-	-	1	7.2	3.3
Furnas	0	-	-	3	12.0	3.6
Gage	6	25.8	11.8	30	25.7	13.9
Garden	0	-	-	1	9.8	3.0
Garfield	1	58.1	18.5	2	22.2	7.4
Gosper	0	-	-	0	-	-
Grant	0	-	-	0	-	-
Greeley	0	-	-	1	8.0	4.1
Hall	7	12.6	10.6	33	12.0	9.4
Hamilton	2	21.5	14.3	10	21.1	16.1
Harlan	0	-	-	1	5.7	2.0
Hayes	0	-	-	0	-	-
Hitchcock	0	-	-	0	-	-
Holt	0	-	-	1	1.9	0.7
Hooker	0	-	-	0	-	-
Howard	0	-	-	1	3.0	2.1
Jefferson	0	-	-	2	5.1	2.2
Johnson	0	-	-	1	4.4	2.5
Kearney	1	15.1	7.0	4	11.8	7.8

TABLE 53: Essential Hypertension and Hypertensive Renal Disease by County of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Total Deaths	Crude Rate*	Age-Adjusted Rate*	Total Deaths	Crude Rate*	Age-Adjusted Rate*
Keith	1	12.5	7.8	5	12.1	7.8
Keya Paha	0	-	-	0	-	-
Kimball	2	55.5	22.8	6	32.0	15.7
Knox	2	23.1	7.6	3	6.8	2.8
Lancaster	32	11.6	12.8	136	10.2	10.8
Lincoln	4	11.3	9.1	16	9.1	7.5
Logan	1	134.2	89.7	1	27.4	17.9
Loup	0	-	-	0	-	-
McPherson	0	-	-	0	-	-
Madison	3	8.8	6.3	24	13.6	9.1
Merrick	0	-	-	2	5.0	2.3
Morrill	3	59.4	35.5	7	27.0	15.7
Nance	1	28.0	14.6	8	43.4	26.1
Nemaha	0	-	-	4	11.3	7.9
Nuckolls	0	-	-	4	17.0	6.3
Otoe	1	6.4	2.8	7	9.0	4.2
Pawnee	1	37.2	17.4	4	28.3	11.4
Perkins	0	-	-	0	-	-
Phelps	1	10.9	4.1	8	16.9	7.3
Pierce	1	13.7	6.4	2	5.3	3.6
Platte	7	22.0	15.7	23	14.6	10.6
Polk	0	-	-	1	3.7	1.2
Red Willow	1	9.3	4.1	3	5.4	3.2
Richardson	5	59.9	28.2	20	45.8	18.6
Rock	0	-	-	1	12.8	7.1
Saline	2	14.4	9.1	4	5.7	3.0
Sarpy	5	3.4	5.4	22	3.2	5.2
Saunders	2	9.9	6.8	12	11.8	8.5
Scotts Bluff	5	13.7	7.6	35	19.1	11.8
Seward	1	6.0	3.5	10	12.0	7.2
Sheridan	0	-	-	3	10.6	4.0
Sherman	0	-	-	1	6.4	2.2
Sioux	0	-	-	1	14.0	12.9
Stanton	0	-	-	3	9.2	7.4
Thayer	3	58.1	19.5	8	29.5	10.1
Thomas	0	-	-	0	-	-
Thurston	0	-	-	1	2.8	2.4
Valley	0	-	-	2	9.0	3.8
Washington	3	15.0	12.4	10	10.1	8.2
Wayne	2	21.5	15.9	4	8.6	7.5
Webster	0	-	-	0	-	-
Wheeler	0	-	-	0	-	-
York	0	-	-	5	7.0	3.9

* Per 100,000 estimated population. Population estimates are calculated by the U.S. Department of Commerce, Bureau of the Census.

NOTE: Rates based on small numbers may be unreliable.

TABLE 54: Accidental Deaths by Cause, 2003-2007

Cause of Death	2003	2004	2005	2006	2007
Railway accidents (all forms)	2	2	4	1	2
Motor vehicle traffic accidents*	292	266	274	260	263
Motor vehicle nontraffic accidents*	14	16	14	10	21
Other road vehicle accidents	4	4	6	7	3
Water transport accidents	3	2	1	4	3
Air transport accidents	2	7	0	3	5
Poisoning by drugs	30	33	44	56	50
Poisoning by other solids and liquids	1	1	4	3	11
Poisoning by gases and vapors	4	11	5	8	7
Accidental falls	136	172	150	170	161
Injury by fires	16	15	26	23	16
Excessive heat	3	1	0	2	0
Excessive cold	2	4	9	2	4
Hunger and thirst	0	0	1	0	0
Injury by animals	1	0	0	0	2
Lightning	0	0	0	1	0
Drowning (excluding water transport)	21	25	8	11	12
Obstruction, suffocation, or puncture by ingested objects	61	92	68	29	33
Mechanical suffocation	7	7	9	7	12
Struck against or by machinery or other object	7	5	5	7	7
Caught between or in machinery or other object	5	4	6	8	5
Injury by cutting or piercing instruments	3	0	1	0	1
Injury by firearms	5	6	2	3	4
Injury by electric current	4	6	2	4	2
Other and unspecified accidents**	72	62	67	66	50
TOTAL ACCIDENTAL DEATHS	695	741	706	685	674
MALE	404	441	402	404	408
FEMALE	291	300	304	281	266
Rate per 100,000 population	40.0	42.4	40.1	38.7	38.0

* Motor vehicle accidents include collision between auto and train

** Includes late effects of all types of accidents

**Graph 19: Leading Causes of Accidental Deaths,
2007**




TABLE 55: Accidental Deaths by Principal Cause by Place of Residence, 2007

Place	All Accidents	Motor Vehicle+	Farm	Fall+	Drowning+	Fire+	All Others+
STATE	674	280	15	160	12	16	191
Adams	8	5	0	2	0	0	1
*Hastings	5	2	0	2	0	0	1
Balance of Co.	3	3	0	0	0	0	0
Antelope	6	2	1	1	0	0	2
Arthur	1	1	0	0	0	0	0
Banner	1	1	0	0	0	0	0
Blaine	0	0	0	0	0	0	0
Boone	2	2	0	0	0	0	0
Box Butte	4	2	0	0	0	0	2
Alliance	3	1	0	0	0	0	2
Balance of Co.	1	1	0	0	0	0	0
Boyd	2	0	1	0	0	1	0
Brown	0	0	0	0	0	0	0
Buffalo	22	11	0	3	0	0	8
*Kearney	10	3	0	1	0	0	6
Balance of Co.	12	8	0	2	0	0	2
Burt	5	3	0	1	0	0	1
Butler	4	2	0	0	0	0	2
David City	4	2	0	0	0	0	2
Balance of Co.	0	0	0	0	0	0	0
Cass	7	3	0	3	0	0	1
Plattsmouth	3	1	0	1	0	0	1
Balance of Co.	4	2	0	2	0	0	0
Cedar	4	1	0	1	0	0	2
Chase	2	0	0	1	0	0	1
Cherry	2	0	0	1	0	0	1
Valentine	2	0	0	1	0	0	1
Balance of Co.	0	0	0	0	0	0	0
Cheyenne	8	5	0	0	1	0	2
Sidney	2	0	0	0	1	0	1
Balance of Co.	6	5	0	0	0	0	1
Clay	3	2	0	0	0	0	1
Colfax	8	5	0	0	1	0	2
Schuyler	4	2	0	0	1	0	1
Balance of Co.	4	3	0	0	0	0	1
Cuming	4	1	1	2	0	0	0
West Point	1	0	0	1	0	0	0
Balance of Co.	3	1	1	1	0	0	0
Custer	6	3	0	2	0	1	0
Broken Bow	3	3	0	0	0	0	0
Balance of Co.	3	0	0	2	0	1	0
Dakota	10	4	1	0	0	0	5
*So. Sioux City	3	1	0	0	0	0	2
Balance of Co.	7	3	1	0	0	0	3
Dawes	4	0	0	1	0	0	3
Chadron	3	0	0	1	0	0	2
Balance of Co.	1	0	0	0	0	0	1
Dawson	10	5	0	4	0	0	1
Cozad	0	0	0	0	0	0	0
Gothenburg	4	1	0	3	0	0	0
*Lexington	1	1	0	0	0	0	0
Balance of Co.	5	3	0	1	0	0	1

TABLE 55: Accidental Deaths by Principal Cause by Place of Residence, 2007 (Cont)

Place	All Accidents	Motor Vehicle+	Farm	Fall+	Drowning+	Fire+	All Others+
Deuel	1	0	0	0	0	0	1
Dixon	2	1	0	0	0	0	1
Dodge	18	7	1	4	0	1	5
*Fremont	12	3	0	4	0	1	4
Balance of Co.	6	4	1	0	0	0	1
Douglas	130	42	0	36	1	3	48
Elkhorn	1	0	0	1	0	0	0
*Omaha	119	38	0	33	1	3	44
Ralston	0	0	0	0	0	0	0
Balance of Co.	10	4	0	2	0	0	4
Dundy	1	0	0	1	0	0	0
Fillmore	3	1	1	1	0	0	0
Franklin	3	1	0	0	0	0	2
Frontier	2	1	0	1	0	0	0
Furnas	2	1	0	1	0	0	0
Gage	10	4	0	3	1	1	1
*Beatrice	5	2	0	2	0	0	1
Balance of Co.	5	2	0	1	1	1	0
Garden	3	2	0	1	0	0	0
Garfield	1	0	0	1	0	0	0
Gosper	2	0	0	1	0	0	1
Grant	0	0	0	0	0	0	0
Greeley	1	0	0	1	0	0	0
Hall	23	10	1	4	2	0	6
*Grand Island	18	7	1	2	2	0	6
Balance of Co.	5	3	0	2	0	0	0
Hamilton	7	4	0	2	0	0	1
Aurora	5	3	0	2	0	0	0
Balance of Co.	2	1	0	0	0	0	1
Harlan	1	1	0	0	0	0	0
Hayes	1	1	0	0	0	0	0
Hitchcock	1	1	0	0	0	0	0
Holt	11	6	0	5	0	0	0
O'Neill	5	4	0	1	0	0	0
Balance of Co.	6	2	0	4	0	0	0
Hooker	0	0	0	0	0	0	0
Howard	2	1	0	1	0	0	0
Jefferson	2	2	0	0	0	0	0
Fairbury	0	0	0	0	0	0	0
Balance of Co.	2	2	0	0	0	0	0
Johnson	4	3	1	0	0	0	0
Kearney	1	0	0	0	0	0	1
Minden	1	0	0	0	0	0	1
Balance of Co.	0	0	0	0	0	0	0
Keith	2	1	0	0	0	0	1
Ogallala	1	0	0	0	0	0	1
Balance of Co.	1	1	0	0	0	0	0
Keya Paha	0	0	0	0	0	0	0
Kimball	2	0	0	0	1	0	1
Kimball	1	0	0	0	1	0	0
Balance of Co.	1	0	0	0	0	0	1
Knox	10	4	2	2	1	0	1

TABLE 55: Accidental Deaths by Principal Cause by Place of Residence, 2007 (Cont)

Place	All Accidents	Motor Vehicle+	Farm	Fall+	Drowning+	Fire+	All Others+
Lancaster	77	26	0	23	1	0	27
*Lincoln	70	23	0	21	1	0	25
Balance of Co.	7	3	0	2	0	0	2
Lincoln	17	9	0	2	0	2	4
*North Platte	15	7	0	2	0	2	4
Balance of Co.	2	2	0	0	0	0	0
Logan	1	0	0	1	0	0	0
Loup	1	1	0	0	0	0	0
McPherson	0	0	0	0	0	0	0
Madison	13	6	0	2	1	1	3
*Norfolk	9	4	0	1	1	1	2
Balance of Co.	4	2	0	1	0	0	1
Merrick	3	2	0	0	0	0	1
Central City	0	0	0	0	0	0	0
Balance of Co.	3	2	0	0	0	0	1
Morrill	5	2	0	2	0	0	1
Nance	4	1	0	2	0	1	0
Nemaha	1	0	0	0	0	0	1
Auburn	0	0	0	0	0	0	0
Balance of Co.	1	0	0	0	0	0	1
Nuckolls	4	3	0	0	0	0	1
Otoe	11	7	0	3	0	0	1
Nebraska City	5	2	0	2	0	0	1
Balance of Co.	6	5	0	1	0	0	0
Pawnee	2	0	0	1	0	0	1
Perkins	1	0	0	1	0	0	0
Phelps	5	1	1	2	0	0	1
Holdrege	4	1	1	2	0	0	0
Balance of Co.	1	0	0	0	0	0	1
Pierce	2	2	0	0	0	0	0
Platte	10	7	0	1	0	0	2
*Columbus	6	4	0	1	0	0	1
Balance of Co.	4	3	0	0	0	0	1
Polk	3	3	0	0	0	0	0
Red Willow	11	7	0	2	0	0	2
McCook	8	4	0	2	0	0	2
Balance of Co.	3	3	0	0	0	0	0
Richardson	7	1	0	1	1	1	3
Falls City	3	0	0	1	0	1	1
Balance of Co.	4	1	0	0	1	0	2
Rock	1	1	0	0	0	0	0
Saline	6	2	0	3	1	0	0
Crete	2	0	0	1	1	0	0
Balance of Co.	4	2	0	2	0	0	0
Sarpy	36	17	0	7	0	3	9
*Bellevue	17	9	0	2	0	3	3
*LaVista	5	3	0	0	0	0	2
*Papillion	6	0	0	4	0	0	2
Balance of Co.	8	5	0	1	0	0	2
Saunders	11	3	1	3	0	0	4
Wahoo	2	0	0	1	0	0	1
Balance of Co.	9	3	1	2	0	0	3

TABLE 55: Accidental Deaths by Principal Cause by Place of Residence, 2007 (Cont)

Place	All Accidents	Motor Vehicle+	Farm	Fall+	Drowning+	Fire+	All Others+
Scotts Bluff	25	11	1	5	0	0	8
Gering	5	2	0	2	0	0	1
*Scottsbluff	8	1	1	1	0	0	5
Balance of Co.	12	8	0	2	0	0	2
Seward	10	3	0	3	0	0	4
Seward	8	3	0	2	0	0	3
Balance of Co.	2	0	0	1	0	0	1
Sheridan	6	4	1	0	0	0	1
Sherman	2	0	0	1	0	0	1
Sioux	1	0	0	1	0	0	0
Stanton	2	1	0	0	0	0	1
Thayer	4	2	0	2	0	0	0
Thomas	0	0	0	0	0	0	0
Thurston	4	0	0	1	0	0	3
Valley	3	1	1	1	0	0	0
Washington	6	3	0	0	0	0	3
Blair	3	1	0	0	0	0	2
Balance of Co.	3	2	0	0	0	0	1
Wayne	3	0	0	1	0	0	2
Wayne	3	0	0	1	0	0	2
Balance of Co.	0	0	0	0	0	0	0
Webster	4	1	0	2	0	0	1
Wheeler	2	1	0	0	0	1	0
York	1	0	0	0	0	0	1
York	1	0	0	0	0	0	1
Balance of Co.	0	0	0	0	0	0	0

Indented - Cities 2,500 - 10,000 population in 2000; *cities over 10,000 population in 2000; balance of county

+ Excludes cases which occur on a farm

TABLE 56: Drownings by Site, Sex and Age Group, 2007

Site	Male	Female	Total	Age Group				
				< 15	15-29	30-44	45-59	60+
Natural Water/Mining	1	0	1	0	1	0	0	0
Natural Water/Other Place	8	0	8	0	4	2	1	1
Falling into Natural Water/Other Place	1	0	1	0	0	0	0	1
Unspecified Drowning/Other Place	2	0	2	1	1	0	0	0
Total	12	0	12	1	6	2	1	2

TABLE 57: Farm Fatalities by Type, Sex and Age Group, 2007

Type of Accident	Male	Female	Total	Age Group				
				< 15	15-29	30-44	45-59	60+
Agricultural Vehicle Accident	4	0	4	0	1	0	1	2
Same-Level Fall	1	0	1	0	0	0	0	1
Struck by Object	2	0	2	0	0	0	0	2
Contact with Lifting Device	1	0	1	0	1	0	0	0
Agricultural Machinery Contact	1	0	1	0	0	0	0	1
Contact with Other Machinery	1	0	1	0	0	0	1	0
Struct or Bitten by Other Mammal	2	0	2	0	0	0	1	1
Cave-In	1	1	2	0	1	0	0	1
Accidental Poisoning	1	0	1	0	0	0	1	0
Total	14	1	15	0	3	0	4	8

Graph 20: Intentional Self-Harm (Suicide), 1918-2007




TABLE 58: Intentional Self-Harm (Suicide) by Type, Sex and Age Group, 2007

Type	Sex	Total	Age in Years																
			<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Gunshot	M	78	0	0	0	8	9	1	6	8	6	5	8	8	7	2	2	5	3
	F	11	0	0	0	0	0	0	1	1	1	2	3	2	0	0	0	0	1
Hanging/Suffocation	M	36	0	0	0	3	4	8	2	2	5	1	3	3	0	0	3	2	0
	F	15	0	0	3	2	1	0	1	1	0	4	0	0	0	1	0	1	1
Carbon Monoxide	M	12	0	0	0	0	0	0	1	2	4	3	0	0	0	0	0	1	1
	F	3	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0
Drugs	M	4	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	1
	F	9	0	0	0	1	0	0	0	1	1	1	1	1	1	1	0	1	0
Laceration	M	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	F	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
Jumping	M	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Drowning	M	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	F	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Other	M	6	0	0	0	1	1	0	0	0	0	3	1	0	0	0	0	0	0
	F	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Total		181	0	0	3	15	16	9	12	18	18	19	17	15	9	5	6	11	8

Male 139
 Female 42

Graph 21: Infant and Neonatal Deaths, 1925-2007




TABLE 59: Infant and Neonatal Deaths by Place of Residence, 2007 and 2003-2007

Place	2007		2003-2007		2007		2003-2007	
	Infant Deaths	Rate	Infant Deaths	Rate	Neonatal Deaths	Rate	Neonatal Deaths	Rate
STATE	183	6.8	792	6.0	132	4.9	517	3.9
Adams	2	4.8	10	4.6	2	4.8	8	3.7
Hastings	2	6.0	9	5.1	2	6.0	8	4.5
Balance of Co.	0	-	1	2.6	0	-	8	20.5
Antelope	2	24.1	4	10.4	1	12.0	2	5.2
Arthur	0	-	0	-	0	-	0	-
Banner	0	-	0	-	0	-	0	-
Blaine	1	333.3	1	40.0	1	333.3	1	40.0
Boone	0	-	0	-	0	-	0	-
Box Butte	0	-	1	1.4	0	-	1	1.4
Boyd	0	-	0	-	0	-	0	-
Brown	0	-	0	-	0	-	0	-
Buffalo	3	4.5	19	5.8	1	1.5	14	4.2
Kearney	3	6.6	18	7.9	1	2.2	14	6.2
Balance of Co.	0	-	1	1.0	0	-	14	13.6
Burt	1	12.5	2	5.0	1	12.5	2	5.0
Butler	0	-	0	-	0	-	0	-
Cass	2	6.4	12	7.6	1	3.2	6	3.8
Cedar	0	-	1	1.8	0	-	1	1.8
Chase	0	-	1	4.1	0	-	0	-
Cherry	1	15.6	1	2.8	1	15.6	1	2.8
Cheyenne	2	14.2	5	7.5	2	14.2	4	6.0
Clay	0	-	0	-	0	-	0	-
Colfax	4	19.9	8	8.1	3	14.9	5	5.1
Cuming	0	-	2	3.3	0	-	2	3.3
Custer	2	14.9	7	10.7	1	7.5	4	6.1
Dakota	2	4.8	8	4.0	2	4.8	7	3.5
So. Sioux City	2	5.6	6	3.8	2	5.6	5	3.2
Balance of Co.	0	-	2	4.8	0	-	2	4.8
Dawes	0	-	3	5.8	0	-	2	3.9
Dawson	1	2.7	13	6.1	1	2.7	10	4.7
Lexington	1	4.7	8	6.6	1	4.7	6	4.9
Balance of Co.	0	-	5	5.4	0	-	4	4.3
Deuel	0	-	0	-	0	-	0	-
Dixon	0	-	2	5.0	0	-	2	5.0
Dodge	2	4.2	19	7.6	2	4.2	13	5.2
Fremont	2	5.3	15	7.8	2	5.3	10	5.2
Balance of Co.	0	-	4	7.1	0	-	3	5.3
Douglas	66	7.6	281	6.7	51	5.9	186	4.5
Omaha	61	8.3	258	7.3	47	6.4	171	4.8
Balance of Co.	5	3.7	23	3.6	4	3.0	15	2.3
Dundy	0	-	0	-	0	-	0	-
Fillmore	0	-	2	6.3	0	-	2	6.3
Franklin	0	-	0	-	0	-	0	-
Frontier	0	-	0	-	0	-	0	-
Furnas	0	-	0	-	0	-	0	-
Gage	1	3.2	5	3.6	0	-	0	-
Beatrice	1	5.1	5	5.6	0	-	0	-
Balance of Co.	0	-	0	-	0	-	0	-
Garden	0	-	0	-	0	-	0	-
Garfield	2	117.6	2	24.1	0	-	0	-

TABLE 59: Infant and Neonatal Deaths by Place of Residence, 2007 and 2003-2007 (Cont)

Place	2007		2003-2007		2007		2003-2007	
	Infant Deaths	Rate	Infant Deaths	Rate	Neonatal Deaths	Rate	Neonatal Deaths	Rate
Gosper	0	-	1	9.3	0	-	1	9.3
Grant	0	-	0	-	0	-	0	-
Greeley	1	35.7	2	13.8	1	35.7	2	13.8
Hall	6	5.9	34	7.1	1	1.0	23	4.8
Grand Island	6	6.7	29	6.9	1	1.1	18	4.3
Balance of Co.	0	-	5	8.1	0	-	5	8.1
Hamilton	0	-	1	2.0	0	-	1	2.0
Harlan	0	-	1	6.2	0	-	1	6.2
Hayes	0	-	0	-	0	-	0	-
Hitchcock	0	-	2	13.3	0	-	0	-
Holt	0	-	4	6.7	0	-	2	3.4
Hooker	0	-	0	-	0	-	0	-
Howard	0	-	0	-	0	-	0	-
Jefferson	0	-	2	4.9	0	-	1	2.5
Johnson	0	-	1	3.5	0	-	1	3.5
Kearney	1	12.5	1	2.5	1	12.5	1	2.5
Keith	2	19.8	4	8.5	2	19.8	4	8.5
Keya Paha	0	-	0	-	0	-	0	-
Kimball	0	-	1	4.9	0	-	1	4.9
Knox	1	10.0	5	10.1	1	10.0	4	8.0
Lancaster	28	6.7	123	6.0	20	4.8	75	3.7
Lincoln	28	7.2	117	6.1	20	5.1	72	3.8
Balance of Co.	0	-	6	4.5	0	-	3	2.2
Lincoln	5	9.7	15	6.0	3	5.8	10	4.0
North Platte	4	10.0	11	5.8	2	5.0	6	3.2
Balance of Co.	1	8.7	4	6.7	1	8.7	4	6.7
Logan	0	-	0	-	0	-	0	-
Loup	0	-	0	-	0	-	0	-
McPherson	0	-	0	-	0	-	0	-
Madison	3	5.6	20	7.1	3	5.6	13	4.6
Norfolk	3	6.7	18	7.6	3	6.7	12	5.1
Balance of Co.	0	-	2	4.4	0	-	1	2.2
Merrick	0	-	1	2.4	0	-	1	2.4
Morrill	0	-	3	10.5	0	-	3	10.5
Nance	0	-	2	10.2	0	-	2	10.2
Nemaha	0	-	0	-	0	-	0	-
Nuckolls	0	-	3	11.7	0	-	1	3.9
Otoe	2	9.6	7	7.4	2	9.6	3	3.2
Pawnee	0	-	0	-	0	-	0	-
Perkins	0	-	0	-	0	-	0	-
Phelps	3	24.8	3	5.3	2	16.5	2	3.6
Pierce	0	-	2	4.6	0	-	2	4.6
Platte	5	10.7	15	6.4	4	8.6	7	3.0
Columbus	3	8.5	9	5.0	2	5.7	3	1.7
Balance of Co.	2	17.5	6	10.7	2	17.5	4	7.2
Polk	0	-	1	3.2	0	-	0	-
Red Willow	2	15.3	3	4.6	1	7.6	2	3.0
Richardson	1	14.9	2	4.8	1	14.9	2	4.8
Rock	0	-	0	-	0	-	0	-
Saline	0	-	5	5.0	0	-	5	5.0

TABLE 59: Infant and Neonatal Deaths by Place of Residence, 2007 and 2003-2007 (Cont)

Place	2007		2003-2007		2007		2003-2007	
	Infant Deaths	Rate	Infant Deaths	Rate	Neonatal Deaths	Rate	Neonatal Deaths	Rate
Sarpy	14	5.4	57	4.7	10	3.9	37	3.0
Bellevue	6	6.2	26	6.1	4	4.1	16	3.7
LaVista	2	7.9	6	4.9	1	4.0	3	2.4
Papillion	1	2.8	7	4.4	0	-	2	1.3
Balance of Co.	5	5.1	18	3.5	5	5.1	16	3.1
Saunders	1	3.8	6	4.8	1	3.8	5	4.0
Scotts Bluff	4	7.2	22	8.1	3	5.4	13	4.8
Scottsbluff	3	10.6	13	9.9	2	7.1	8	6.1
Balance of Co.	1	3.6	9	6.5	1	3.6	5	3.6
Seward	2	10.2	5	5.1	1	5.1	2	2.0
Sheridan	1	16.1	2	5.8	0	-	0	-
Sherman	2	57.1	3	18.3	1	28.6	2	12.2
Sioux	0	-	0	-	0	-	0	-
Stanton	0	-	0	-	0	-	0	-
Thayer	0	-	2	7.1	0	-	1	3.6
Thomas	0	-	0	-	0	-	0	-
Thurston	2	11.0	9	10.9	1	5.5	4	4.8
Valley	0	-	0	-	0	-	0	-
Washington	1	4.6	4	3.6	1	4.6	4	3.6
Wayne	1	9.2	6	11.3	1	9.2	4	7.5
Webster	0	-	0	-	0	-	0	-
Wheeler	0	-	0	-	0	-	0	-
York	1	5.4	3	3.3	1	5.4	2	2.2

Indented - Cities over 10,000 population in 2000

Balance of County

Rates based on small numbers may be unreliable.

Infant and Neonatal death rates are per 1,000 live births.

TABLE 60: Deaths Under One Year of Age by Cause, 2007

Cause	Male	Female	Total
Heart Disease (I00-I09, I11, I13, I20-I51)	0	2	2
Pneumonia (J12-J18)	3	1	4
Birth Defects (Q00-Q99)	18	21	39
Maternal Complications of Pregnancy (P01)	8	6	14
Complications of Placenta, Cord, and Membranes (P02)	5	6	11
Prematurity (P07)	9	7	16
Intrauterine Hypoxia and Birth Asphyxia (P20-P21)	2	0	2
Respiratory Distress Syndrome (P22)	3	4	7
Other Respiratory Conditions (P23-P29)	10	12	22
Perinatal Infections (P35-P39)	4	5	9
Other Perinatal Conditions (P50-P96)	4	4	8
Sudden Infant Death Syndrome (R95)	11	7	18
Violent or Accidental Causes (V00-Y98)	5	5	10
All Other Causes	13	8	21
Total Infant Deaths	95	88	183

TABLE 61: Deaths Under One Year of Age by Race/Hispanic Origin* and Sex, 2007

Race	Male	Female	Total	Rate
White	74	69	143	6.8
Black	15	13	28	15.3
American Indian	3	4	7	14.2
Other	3	2	5	1.4
Total	95	88	183	6.8
Hispanic Origin*				
Mexican	9	7	16	5.2
Other	2	3	5	5.0
Total	11	10	21	5.2

TABLE 62: Deaths Under One Year of Age by Birth Weight Groups, 2007

Weight (pounds)	Number	Percent**
1 lb. and under	36	19.7
1 lb. 1 oz. - 2 lbs.	49	26.8
2 lbs. 1 oz. - 3 lbs. 8 ozs.	19	10.4
3 lbs. 9 ozs. - 4 lbs. 8 ozs.	13	7.1
4 lbs. 9 ozs. - 5 lbs. 8 ozs.	10	5.5
5 lbs. 9 ozs. - 5 lbs. 15 ozs.	7	3.8
6 lbs. - 6 lbs. 15 ozs.	21	11.5
7 lbs. - 7 lbs. 15 ozs.	18	9.8
8 lbs. - 8 lbs. 15 ozs.	5	2.7
9 lbs. or more	4	2.2
Unknown	1	0.5
Total	183	100.0
Weight (grams)	Number	Percent**
499 grams or less	42	23.0
500-999 grams	45	24.6
1000-1499 grams	15	8.2
1500-1999 grams	13	7.1
2000-2499 grams	12	6.6
2500-2999 grams	17	9.3
3000-3499 grams	24	13.1
3500-3999 grams	9	4.9
4000 grams or over	5	2.7
Unknown	1	0.5
Total	183	100.0

* Persons of Hispanic origin may be any race.

** Numbers may not add to 100.0 due to rounding.

Rate per 1,000 live births

TABLE 63: Perinatal and Fetal Deaths by Place of Residence, 2007 and 2003-2007

Place	2007		2003-2007		2007		2003-2007	
	Perinatal Deaths	Rate	Perinatal Deaths	Rate	Fetal Deaths	Rate	Fetal Deaths	Rate
STATE	306	11.3	1,291	9.7	174	6.5	774	5.9
Adams	3	7.2	18	8.3	1	2.4	10	4.6
Hastings	3	9.0	18	10.1	1	3.0	10	5.6
Balance of Co.	0	-	0	-	0	-	0	-
Antelope	2	23.8	4	10.4	1	12.0	2	5.2
Arthur	0	-	0	-	0	-	0	-
Banner	0	-	1	35.7	0	-	1	37.0
Blaine	1	333.3	1	40.0	0	-	0	-
Boone	0	-	0	-	0	-	0	-
Box Butte	0	-	2	2.7	0	-	1	1.4
Boyd	0	-	0	-	0	-	0	-
Brown	0	-	0	-	0	-	0	-
Buffalo	4	6.0	33	9.9	3	4.5	19	5.8
Kearney	2	4.4	30	13.1	1	2.2	16	7.0
Balance of Co.	2	9.5	3	2.9	2	9.6	3	2.9
Burt	1	12.5	4	10.0	0	-	2	5.0
Butler	3	33.7	5	11.1	3	34.9	5	11.2
Cass	3	9.6	21	13.2	2	6.4	15	9.5
Cedar	1	9.7	3	5.5	1	9.8	2	3.7
Chase	0	-	0	-	0	-	0	-
Cherry	2	30.8	5	13.7	1	15.6	4	11.1
Cheyenne	3	21.1	6	9.0	1	7.1	2	3.0
Clay	0	-	3	8.1	0	-	3	8.2
Colfax	5	24.6	11	11.1	2	10.0	6	6.1
Cuming	2	18.9	8	12.9	2	19.2	6	9.8
Custer	1	7.5	9	13.7	0	-	5	7.6
Dakota	4	9.5	15	7.5	2	4.8	8	4.0
So. Sioux City	4	11.1	12	7.6	2	5.6	7	4.4
Balance of Co.	0	-	3	7.2	0	-	1	2.4
Dawes	0	-	2	3.9	0	-	0	-
Dawson	4	10.5	28	12.9	3	8.0	18	8.4
Lexington	1	4.7	16	13.1	0	-	10	8.2
Balance of Co.	3	17.9	12	12.7	3	18.2	8	8.6
Deuel	0	-	0	-	0	-	0	-
Dixon	2	22.7	10	24.4	2	23.3	8	19.9
Dodge	4	8.3	30	11.9	2	4.2	17	6.8
Fremont	4	10.5	26	13.4	2	5.3	16	8.3
Balance of Co.	0	-	4	7.0	0	-	1	1.8
Douglas	103	11.8	447	10.6	52	6.0	261	6.3
Omaha	99	13.4	412	11.6	52	7.1	241	6.8
Balance of Co.	4	3.0	35	5.5	0	-	20	3.1
Dundy	1	62.5	3	33.3	1	66.7	3	34.5
Fillmore	0	-	2	6.3	0	-	0	-
Franklin	0	-	1	6.4	0	-	1	6.5
Frontier	0	-	0	-	0	-	0	-
Furnas	1	18.9	1	4.1	1	19.2	1	4.1
Gage	2	6.4	11	7.8	2	6.4	11	7.8
Beatrice	2	10.1	7	7.7	2	10.2	7	7.8
Balance of Co.	0	-	4	7.9	0	-	4	8.0
Garden	1	50.0	1	11.8	1	52.6	1	11.9
Garfield	0	-	0	-	0	-	0	-

TABLE 63: Perinatal and Fetal Deaths by Place of Residence, 2007 and 2003-2007 (Cont)

Place	2007		2003-2007		2007		2003-2007	
	Perinatal Deaths	Rate	Perinatal Deaths	Rate	Fetal Deaths	Rate	Fetal Deaths	Rate
Gosper	0	-	2	18.5	0	-	1	9.3
Grant	0	-	0	-	0	-	0	-
Greeley	1	35.7	3	20.5	0	-	1	6.9
Hall	9	8.8	52	10.8	8	7.9	29	6.0
Grand Island	9	10.0	46	10.9	8	9.0	28	6.7
Balance of Co.	0	-	6	9.7	0	-	1	1.6
Hamilton	0	-	4	8.1	0	-	3	6.1
Harlan	0	-	2	12.3	0	-	1	6.2
Hayes	0	-	0	-	0	-	0	-
Hitchcock	0	-	0	-	0	-	0	-
Holt	2	16.4	5	8.4	2	16.7	3	5.0
Hooker	0	-	0	-	0	-	0	-
Howard	0	-	1	2.6	0	-	1	2.6
Jefferson	0	-	4	9.7	0	-	3	7.4
Johnson	0	-	5	17.4	0	-	4	14.1
Kearney	1	12.5	2	5.1	0	-	1	2.5
Keith	3	29.4	9	19.0	1	9.9	5	10.7
Keya Paha	2	400.0	2	35.7	2	666.7	2	37.0
Kimball	0	-	4	19.3	0	-	3	14.7
Knox	1	10.0	6	12.0	0	-	2	4.0
Lancaster	57	13.5	191	9.3	37	8.9	116	5.7
Lincoln	56	14.3	181	9.4	36	9.3	109	5.7
Balance of Co.	1	3.5	10	7.4	1	3.5	7	5.2
Lincoln	3	5.8	19	7.6	0	-	9	3.6
North Platte	2	5.0	14	7.3	0	-	8	4.2
Balance of Co.	1	8.7	5	8.4	0	-	1	1.7
Logan	0	-	0	-	0	-	0	-
Loup	0	-	0	-	0	-	0	-
McPherson	0	-	0	-	0	-	0	-
Madison	10	18.3	28	9.9	7	13.0	15	5.3
Norfolk	10	22.0	26	10.9	7	15.6	14	5.9
Balance of Co.	0	-	2	4.4	0	-	1	2.2
Merrick	0	-	2	4.8	0	-	1	2.4
Morrill	0	-	6	20.8	0	-	3	10.5
Nance	0	-	3	15.2	0	-	1	5.1
Nemaha	1	11.8	2	5.0	1	11.9	2	5.0
Nuckolls	0	-	5	19.2	0	-	4	15.6
Otoe	4	19.0	7	7.4	2	9.6	4	4.2
Pawnee	0	-	0	-	0	-	0	-
Perkins	0	-	1	5.4	0	-	1	5.4
Phelps	6	48.0	12	20.9	4	33.1	10	17.8
Pierce	1	11.6	5	11.5	1	11.8	3	6.9
Platte	6	12.8	22	9.3	2	4.3	15	6.4
Columbus	4	11.3	15	8.3	2	5.7	12	6.7
Balance of Co.	2	17.5	7	12.5	0	-	3	5.4
Polk	0	-	0	-	0	-	0	-
Red Willow	3	22.6	9	13.5	2	15.3	7	10.6
Richardson	1	14.9	3	7.2	0	-	1	2.4
Rock	0	-	0	-	0	-	0	-
Saline	0	-	7	7.0	0	-	2	2.0

TABLE 63: Perinatal and Fetal Deaths by Place of Residence, 2007 and 2003-2007 (Cont)

Place	2007		2003-2007		2007		2003-2007	
	Perinatal Deaths	Rate	Perinatal Deaths	Rate	Fetal Deaths	Rate	Fetal Deaths	Rate
Sarpy	21	8.1	84	6.8	11	4.3	47	3.8
Bellevue	6	6.2	32	7.5	2	2.1	16	3.7
LaVista	1	4.0	8	6.5	0	-	5	4.1
Papillion	2	5.5	9	5.7	2	5.5	7	4.4
Balance of Co.	12	12.1	35	6.8	7	7.1	19	3.7
Saunders	3	11.2	11	8.8	2	7.5	6	4.8
Scotts Bluff	6	10.7	26	9.6	3	5.4	13	4.8
Scottsbluff	4	14.1	14	10.6	2	7.1	6	4.6
Balance of Co.	2	7.2	12	8.6	1	3.6	7	5.0
Seward	1	5.1	11	11.0	0	-	9	9.1
Sheridan	0	-	1	2.9	0	-	1	2.9
Sherman	2	55.6	4	24.1	1	28.6	2	12.2
Sioux	0	-	1	17.2	0	-	1	17.5
Stanton	0	-	1	2.4	0	-	1	2.4
Thayer	0	-	2	7.1	0	-	1	3.6
Thomas	0	-	0	-	0	-	0	-
Thurston	3	16.4	15	17.9	2	11.0	11	13.3
Valley	0	-	0	-	0	-	0	-
Washington	1	4.6	13	11.7	0	-	9	8.1
Wayne	3	27.0	9	16.8	2	18.3	5	9.4
Webster	0	-	0	-	0	-	0	-
Wheeler	0	-	0	-	0	-	0	-
York	2	10.8	5	5.5	1	5.4	3	3.3

Indented - Cities over 10,000 population in 2000

Balance of County

Rates based on small numbers may be unreliable.

Perinatal and fetal death rates are per 1,000 live births.

TABLE 64: Fetal Deaths by Cause of Death, 2007 and 2003-2007

Cause	Total 2007	Total 2003-2007
BIRTH DEFECTS		
Anencephalus	0	9
Spina Bifida without mention of hydrocephalus	0	1
Encephalocele	1	2
Reduction deformities of brain	0	2
Other specified defects of brain	0	1
Other specified defects of nervous system	1	2
Other specified defects of face and neck	0	1
Other specified defects of heart	0	1
Unspecified defects of heart	0	2
Absence or hypoplasia of umbilical artery	1	1
Other specified defects of circulatory system	0	1
Congenital cystic lung	0	1
Tracheo-esophageal fistula, esophageal atresia and stenosis	0	1
Renal agenesis and dysgenesis	3	6
Cystic kidney disease	1	1
Diaphragm	0	1
Abdominal wall	1	3
Other specified defects of muscle, tendon, fasia and connective tissue	0	1
Down's syndrome	3	15
Patau's syndrome	0	2
Edward's syndrome	0	17
Other conditions due to autosomal defects	1	5
Gonadal dysgenesis	3	16
Conditions due to defect of unspecified chromosome	1	2
Situs inversus	1	1
Multiple defects, so described	0	5
Other specified defects	1	2
Unspecified defects	0	3
MATERNAL CONDITIONS		
Hypertensive disorders	2	20
Renal and urinary tract diseases	0	1
Infections	0	2
Other chronic maternal circulatory and respiratory diseases	2	2
Injury	2	7
Noxious influences transmitted via placenta or breast milk	1	1
Other	3	11
Unspecified	0	2
MATERNAL COMPLICATIONS OF PREGNANCY		
Incompetent cervix	10	26
Premature rupture of membranes	14	57
Oligohydramnios	1	6
Polyhydramnios	0	1
Multiple pregnancy	3	18
Other	0	2
COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES		
Placenta previa	0	2
Placental separation and hemorrhage	20	76
Other abnormalities of placenta	6	37
Placental transfusion syndrome	7	17
Prolapsed cord	2	6
Other compression of umbilical cord	18	60
Other and unspecified conditions of umbilical cord	7	41

TABLE 64: Fetal Deaths by Cause of Death, 2007 and 2003-2007 (Cont)

Cause	Total 2007	Total 2003-2007
Chorioamnionitis	6	35
Other Abnormalities of chorion and amnion	0	1
Unspecified abnormality of chorion and amnion	0	1
OTHER COMPLICATIONS OF LABOR AND DELIVERY		
Malpresentation, malposition and disproportion excluding breech	0	1
Other complications of labor and delivery	2	5
SLOW FETAL GROWTH AND FETAL MALNUTRITION		
Fetal growth retardation, unspecified	0	3
DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTHWEIGHT		
Extreme immaturity	5	19
Other preterm infants	0	10
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA		
Unspecified asphyxia in liveborn infant	0	5
OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN		
Primary atelectasis	0	1
INFECTIONS SPECIFIC TO PERINATAL PERIOD		
Congenital cytomegalovirus infection	0	1
Other congenital infections	1	3
Other infection specific to the perinatal period	1	2
FETAL AND NEONATAL HEMORRHAGE		
Umbilical hemorrhage after birth	1	1
Other	0	1
HEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION		
Hemolytic disease due to other and unspecified isoimmunization	0	2
ENDOCRINE AND METABOLIC DISTURBANCES SPECIFIC TO THE FETUS AND NEWBORN		
Syndrome of an infant of a diabetic mother	5	22
CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION		
Hydrops fetalis not due to isoimmunization	0	2
OTHER AND ILL-DEFINED CONDITIONS	37	159
TOTAL	174	774

TABLE 65: Fetal Deaths by Age Group of Mother, Sex, Race, Hispanic Origin and Place of Delivery, 2007

Age of Mother		Sex		Place of Delivery	
14 or under	0	Male	93	Hospital	169
15-19	22	Female	80	Non-Hospital	0
20-24	48	Unknown	1	Unknown	5
25-29	38				
30-34	32				
35-39	29	Race		Hispanic Origin*	
40-44	5	White	126	Mexican	15
45 +	0	Black	19	Other	6
		American Indian	8		
		Other	21	* Persons of Hispanic origin may be any race.	

MARRIAGE AND DIVORCE HIGHLIGHTS


In 2007, 12,164 marriages took place in Nebraska, which is an increase from the 12,053 marriages that occurred here in 2006. The Nebraska resident marriage rate in 2007 was 6.9 marriages per 1,000 population, which is the state's second-lowest annual marriage rate since 1925.

Age at marriage continues to increase in Nebraska, although this trend has slowed down in recent years. In 2007, 6.2% of all Nebraska marriages involved a teenaged bride or groom; thirty years ago, in 1977, 29.5% of all marriages in Nebraska had at least one teenaged bride or groom. Conversely, nearly half (45.6%) of all Nebraska marriages in 2007 involved either a bride or groom who was at least 30 years of age, up from 24.5% in 1977. The most popular ages for marriages taking place in Nebraska during 2007 were 24 for men and 23 for women; in 1977, the same numbers for Nebraska marriages were 21 for men and 19 for women.

There were 6,105 divorces granted in Nebraska in 2007, which is an increase from the 2006 count of 6,065. The 2007 number translates into a rate of 3.4 divorces per 1,000 population. Nebraska's divorce rate rose dramatically during the 1960s and 1970s (along with the number of divorces granted), stabilized during the 1980s, declined throughout the 1990s, and has stabilized again during the present decade.

More divorces were granted to people in their thirties than in any other decade of life, with 45.4% of Nebraska divorces in 2007 involving at least one person between 30 and 39 years of age. Almost one of every four (24.1%) Nebraska divorces in 2007 terminated marriages lasting three years or less, while half ended marriages lasting seven years or less. Just over half (51.4%) of the state's 2007 divorces involved couples with children, and custody of some or all of the children was awarded to the wife in about two-thirds (64.1%) of such cases. More than half (56.9%) of the state's 2007 divorces involved a settlement of some type: child support was the most frequent type of settlement and was awarded in 2,480 divorces, followed by property (awarded in 1,602 divorces), medical reimbursement (awarded in 714 divorces), and alimony (awarded in 626 divorces).

**Map 15: Marriages by County of Occurrence
Nebraska, 2007**



Statewide Marriages = 12,164

**Map 16: Marriage Rates by County of Occurrence
Nebraska, 2007**




TABLE 66: Marriages - Number and Rate by County, 2004-2007

County	2004		2005		2006		2007	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
TOTAL	12,484	7.1	12,260	7.0	12,053	6.8	12,164	6.9
Adams	214	6.9	208	6.3	206	6.2	242	7.3
Antelope	60	8.4	46	6.6	50	7.2	42	6.2
Arthur	1	2.5	3	7.9	1	2.7	1	2.8
Banner	0	-	1	1.4	2	2.6	3	4.1
Blaine	6	11.6	2	4.1	6	12.2	3	6.7
Boone	39	6.7	31	5.4	48	8.5	29	5.2
Box Butte	74	6.5	76	6.7	79	7.1	66	6.0
Boyd	18	7.9	10	4.4	16	7.3	16	7.6
Brown	19	5.5	19	5.7	18	5.4	17	5.3
Buffalo	333	7.7	384	8.8	338	7.7	344	7.6
Burt	50	6.7	42	5.6	39	5.3	36	5.1
Butler	66	7.5	55	6.3	42	4.9	72	8.6
Cass	136	5.3	122	4.7	126	4.9	112	4.4
Cedar	63	7.0	53	5.8	68	7.7	68	8.0
Chase	25	6.3	26	6.7	26	6.8	30	8.1
Cherry	63	10.4	70	11.5	47	7.9	52	9.1
Cheyenne	67	6.8	83	8.3	67	6.8	76	7.6
Clay	38	5.6	26	3.9	31	4.7	34	5.4
Colfax	70	6.7	76	7.3	84	8.3	58	5.8
Cuming	61	6.2	43	4.4	58	6.0	64	6.8
Custer	61	5.3	55	4.8	55	4.9	49	4.5
Dakota	184	8.9	144	7.1	188	9.1	189	9.3
Dawes	76	8.7	65	7.5	59	7.0	46	5.2
Dawson	159	6.5	176	7.1	146	5.8	144	5.8
Deuel	10	5.0	10	5.0	7	3.6	10	5.3
Dixon	50	8.2	54	8.8	37	6.0	38	6.1
Dodge	280	7.8	278	7.7	261	7.2	243	6.7
Douglas	3,772	7.8	3,619	7.4	3,682	7.5	3,828	7.7
Dundy	15	6.8	15	7.0	9	4.3	4	2.0
Fillmore	39	6.0	33	5.2	39	6.2	37	6.1
Franklin	25	7.3	27	7.9	21	6.3	16	5.1
Frontier	13	4.5	13	4.7	17	6.2	16	6.0
Furnas	37	7.2	37	7.4	29	5.8	29	6.1
Gage	172	7.3	147	6.3	164	7.0	142	6.1
Garden	14	6.5	14	7.0	11	5.5	14	7.6
Garfield	21	11.4	17	9.4	19	10.6	13	7.5
Gosper	17	8.4	20	9.9	20	10.1	21	10.7
Grant	1	1.5	5	7.5	3	4.5	2	3.3
Greeley	15	5.9	19	7.6	11	4.5	22	9.5
Hall	406	7.4	380	6.9	403	7.3	388	7.0
Hamilton	69	7.3	59	6.2	74	7.8	60	6.5
Harlan	20	5.5	22	6.4	24	7.0	27	8.0
Hayes	9	8.1	3	2.9	4	3.9	4	4.1
Hitchcock	14	4.6	21	7.1	22	7.5	11	3.9
Holt	79	7.3	65	6.0	68	6.4	76	7.4
Hooker	7	9.3	5	6.7	3	4.0	5	6.8
Howard	39	5.8	35	5.2	40	5.9	38	5.7
Jefferson	51	6.3	55	6.9	43	5.5	53	7.1
Johnson	34	7.5	32	6.8	37	7.9	35	7.8
Kearney	44	6.4	43	6.3	32	4.8	43	6.5

TABLE 66: Marriages - Number and Rate by County, 2004-2007 (Cont)

County	2004		2005		2006		2007	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
Keith	70	8.3	86	10.3	65	7.9	64	8.0
Keya Paha	4	4.3	3	3.3	4	4.5	5	5.9
Kimball	23	6.1	24	6.3	30	8.1	31	8.6
Knox	63	7.0	56	6.3	57	6.5	60	6.9
Lancaster	1,888	7.2	1,878	7.1	1,817	6.8	1,856	6.7
Lincoln	282	8.1	279	7.8	262	7.3	259	7.3
Logan	7	9.9	7	9.5	3	4.0	2	2.7
Loup	5	7.1	3	4.4	1	1.5	4	6.2
McPherson	0	-	1	2.0	4	8.0	3	6.0
Madison	267	7.5	251	7.1	243	6.9	252	7.4
Merrick	54	6.7	43	5.3	39	4.9	43	5.6
Morrill	28	5.3	22	4.3	22	4.3	27	5.3
Nance	31	8.3	25	6.8	25	6.7	25	7.0
Nemaha	63	8.9	57	8.2	55	7.6	59	8.4
Nuckolls	25	5.2	42	8.9	24	5.2	33	7.3
Otoe	155	10.0	132	8.5	155	9.8	133	8.5
Pawnee	19	6.7	19	6.6	13	4.6	14	5.2
Perkins	16	5.2	18	5.9	14	4.7	20	6.8
Phelps	59	6.1	69	7.3	53	5.6	73	8.0
Pierce	54	7.0	70	9.2	70	9.3	63	8.6
Platte	261	8.4	272	8.7	254	7.9	233	7.3
Polk	18	3.3	18	3.3	20	3.7	22	4.2
Red Willow	104	9.3	99	9.0	91	8.4	86	8.0
Richardson	63	7.1	71	8.1	53	6.1	60	7.2
Rock	11	7.0	6	3.8	11	7.1	10	6.6
Saline	91	6.4	102	7.2	87	6.1	108	7.8
Sarpy	694	5.1	761	5.5	740	5.2	642	4.4
Saunders	113	5.6	119	5.8	134	6.6	143	7.1
Scotts Bluff	257	7.0	262	7.1	274	7.5	247	6.8
Seward	95	5.7	104	6.2	98	5.8	114	6.9
Sheridan	36	6.2	32	5.6	31	5.6	38	7.0
Sherman	16	5.0	17	5.5	17	5.5	19	6.3
Sioux	3	2.1	4	2.7	5	3.6	4	3.0
Stanton	38	5.8	31	4.7	23	3.5	29	4.5
Thayer	53	9.6	34	6.3	43	8.1	47	9.1
Thomas	6	9.3	7	11.2	1	1.6	2	3.3
Thurston	36	5.0	37	5.0	30	4.1	28	3.9
Valley	35	7.7	29	6.6	22	5.0	25	5.9
Washington	113	5.8	125	6.3	93	4.6	112	5.6
Wayne	46	5.0	61	6.6	73	7.9	51	5.5
Webster	22	5.7	22	5.8	17	4.6	24	6.7
Wheeler	4	4.9	0	-	1	1.2	3	3.7
York	120	8.4	118	8.2	99	6.8	123	8.6

* The number of marriages per 1,000 population by county of occurrence

TABLE 67: Number of Marriages by Race of Bride and Groom, 2007

Groom	Total	Bride				
				American	All	Unknown
		White	Black	Indian	Other	
White	10,056	9,647	57	39	313	0
Black	605	228	342	5	30	0
American Indian	93	42	3	45	3	0
All Other	491	169	5	6	311	0
Unknown	919	0	0	0	218	701
Total	12,164	10,086	407	95	875	701


TABLE 68: Number of Marriages by Hispanic Origin of Bride and Groom, 2007

Groom	Total	Bride		
		Hispanic	Not Hispanic	Unknown
Hispanic	1,260	838	421	1
Not Hispanic	10,853	290	10,560	3
Unknown	51	1	7	43
Total	12,164	1,129	10,988	47

TABLE 69: Number of Marriages by Age of Bride and Groom, 2007


Age of Groom	Total	Age of Bride																		35	40	45	50	55	60	65	70	75+					
		< 18	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	40	45	50	55	60	65	70	75+					
Total	12,164	80	175	416	541	774	946	995	965	873	748	647	508	421	312	303	248	226	195	879	653	540	310	201	97	58	31	22					
< 18	14	4	3	1	1	1																											
18	49	10	11	17	5	4																											
19	176	17	28	65	26	15	8	1	4	2	2	4	2	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1					
20	317	15	30	78	84	54	20	8	7	6	4	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
21	468	10	35	73	101	105	68	25	21	8	5	2	3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
22	681	8	22	49	90	138	169	94	44	15	11	9	5	5	7	3	3	2	3	4													
23	849	5	16	36	67	121	206	209	94	32	19	13	9	2	7	2	1	2	1	6	1												
24	928	8	8	20	51	98	135	191	180	86	48	27	16	9	8	8	4	4	4	2	4	1											
25	905	2	8	15	33	71	91	138	175	161	78	48	33	13	10	9	8	2	1	7	2												
26	817	1	15	26	52	57	101	134	137	119	77	21	21	19	8	6	7	3	11	2													
27	751	5	13	11	27	55	62	88	124	108	100	57	34	14	16	9	4	4	15	2	3												
28	570	3	4	7	23	22	34	65	62	77	93	64	40	15	17	4	4	15	4														
29	531	2	13	6	22	19	26	29	59	72	52	56	54	22	30	12	16	11	22	6	1	1											
30	453	1	1	3	8	10	20	20	39	42	47	48	49	37	36	22	11	11	9	22	11	6											
31	364	4	2	9	12	18	25	39	33	41	22	23	29	25	17	9	25	7	6														
32	309	1	4	1	8	12	18	25	24	33	35	24	19	19	16	7	29	5	1														
33	289	3	2	4	4	8	10	19	15	26	19	25	21	23	19	11	36	15	6														
34	263	1	5	6	9	10	5	12	11	20	17	20	14	26	21	12	15	47	8	3	1												
35-39	1,038	1	1	9	9	16	27	20	39	43	42	49	59	68	65	53	67	63	263	103	30	8	2	1									
40-44	739	1	1	3	3	6	9	7	16	15	27	22	14	11	21	19	37	202	196	99	20	9	1										
45-49	638	1	1	2	2	2	6	5	8	3	12	8	11	9	15	10	113	178	186	46	16	2	2										
50-54	393	1	1	1	1	1	1	2	2	2	2	3	2	6	3	34	75	115	111	28	6												
55-59	266	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	15	27	53	69	76	14											
60-64	162	1															3	9	22	36	42	35	7	3	1								
65-69	98																2	5	12	23	24	26	5	1									
70-74	45																1	3	5	1	10	13	9	3									
75+	51																1	1	4	5	10	14	15										

**Map 17: Divorces by County of Occurrence
Nebraska, 2007**



Statewide Divorces = 6,105

**Map 18: Divorce Rates by County of Occurrence
Nebraska, 2007**



Statewide Divorce Rate = 3.4 (per 1,000 population)

TABLE 70: Divorces - Number and Rate by County, 2004-2007

County	2004		2005		2006		2007	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
TOTAL	5,942	3.4	5,830	3.3	6,065	3.4	6,105	3.4
Adams	98	3.2	116	3.5	113	3.4	101	3.1
Antelope	20	2.8	18	2.6	17	2.5	17	2.5
Arthur	1	2.5	0	-	1	2.7	3	8.4
Banner	1	1.3	0	-	2	2.6	0	-
Blaine	0	-	0	-	0	-	0	-
Boone	10	1.7	9	1.6	13	2.3	16	2.9
Box Butte	43	3.8	39	3.4	52	4.7	49	4.5
Boyd	3	1.3	2	0.9	1	0.5	4	1.9
Brown	10	2.9	9	2.7	11	3.3	9	2.8
Buffalo	175	4.0	154	3.5	165	3.8	136	3.0
Burt	8	1.1	20	2.7	33	4.5	14	2.0
Butler	24	2.7	28	3.2	18	2.1	22	2.6
Cass	85	3.3	87	3.4	98	3.8	94	3.7
Cedar	14	1.5	19	2.1	16	1.8	11	1.3
Chase	6	1.5	7	1.8	11	2.9	12	3.2
Cherry	23	3.8	13	2.1	19	3.2	15	2.6
Cheyenne	52	5.3	42	4.2	36	3.6	45	4.5
Clay	18	2.7	19	2.8	16	2.4	16	2.5
Colfax	27	2.6	30	2.9	32	3.2	28	2.8
Cuming	22	2.2	16	1.7	20	2.1	21	2.2
Custer	45	3.9	50	4.4	37	3.3	42	3.9
Dakota	65	3.2	56	2.8	50	2.4	41	2.0
Dawes	36	4.1	24	2.8	32	3.8	25	2.8
Dawson	82	3.3	60	2.4	91	3.6	88	3.6
Deuel	5	2.5	10	5.0	4	2.0	10	5.3
Dixon	17	2.8	20	3.2	24	3.9	14	2.2
Dodge	131	3.6	119	3.3	112	3.1	141	3.9
Douglas	1,628	3.4	1,582	3.2	1,712	3.5	1,713	3.4
Dundy	9	4.1	5	2.3	5	2.4	6	3.0
Fillmore	17	2.6	17	2.7	15	2.4	15	2.5
Franklin	7	2.0	13	3.8	8	2.4	18	5.7
Frontier	12	4.2	7	2.5	6	2.2	13	4.9
Furnas	26	5.1	21	4.2	16	3.2	17	3.6
Gage	100	4.3	93	4.0	91	3.9	54	2.3
Garden	9	4.1	2	1.0	5	2.5	3	1.6
Garfield	9	4.9	1	0.6	5	2.8	7	4.1
Gosper	7	3.4	5	2.5	6	3.0	5	2.5
Grant	3	4.5	2	3.0	2	3.0	0	-
Greeley	11	4.3	6	2.4	6	2.4	1	0.4
Hall	219	4.0	234	4.2	227	4.1	222	4.0
Hamilton	32	3.4	33	3.4	40	4.2	28	3.0
Harlan	10	2.7	12	3.5	10	2.9	8	2.4
Hayes	1	0.9	1	1.0	1	1.0	1	1.0
Hitchcock	13	4.3	6	2.0	8	2.7	15	5.3
Holt	22	2.0	27	2.5	31	2.9	26	2.5
Hooker	1	1.3	0	-	1	1.3	1	1.4
Howard	18	2.7	9	1.3	19	2.8	21	3.2
Jefferson	21	2.6	27	3.4	29	3.7	21	2.8
Johnson	23	5.0	20	4.3	20	4.3	23	5.1
Kearney	25	3.6	22	3.2	18	2.7	15	2.3

TABLE 70: Divorces - Number and Rate by County, 2004-2007 (Cont)

County	2004		2005		2006		2007	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
Keith	34	4.0	35	4.2	32	3.9	25	3.1
Keya Paha	4	4.3	1	1.1	1	1.1	0	-
Kimball	11	2.9	15	4.0	20	5.4	13	3.6
Knox	9	1.0	17	1.9	27	3.1	36	4.2
Lancaster	881	3.4	965	3.6	901	3.4	1,009	3.7
Lincoln	166	4.7	158	4.4	156	4.3	154	4.3
Logan	1	1.4	2	2.7	2	2.7	0	-
Loup	0	-	2	2.9	2	3.0	3	4.7
McPherson	1	1.9	2	3.9	3	6.0	2	4.0
Madison	131	3.7	137	3.9	123	3.5	110	3.2
Merrick	34	4.2	21	2.6	19	2.4	29	3.8
Morrill	27	5.1	22	4.3	18	3.5	12	2.4
Nance	11	2.9	7	1.9	10	2.7	13	3.6
Nemaha	23	3.3	24	3.4	15	2.1	22	3.1
Nuckolls	11	2.3	16	3.4	15	3.2	14	3.1
Otoe	34	2.2	62	4.0	55	3.5	47	3.0
Pawnee	13	4.6	16	5.6	10	3.6	9	3.4
Perkins	12	3.9	9	2.9	9	3.0	7	2.4
Phelps	32	3.3	29	3.1	35	3.7	37	4.0
Pierce	26	3.4	21	2.8	10	1.3	18	2.5
Platte	102	3.3	97	3.1	102	3.2	113	3.5
Polk	17	3.1	16	3.0	19	3.6	12	2.3
Red Willow	44	4.0	32	2.9	53	4.9	50	4.7
Richardson	31	3.5	35	4.0	32	3.7	35	4.2
Rock	6	3.8	6	3.8	3	1.9	4	2.6
Saline	43	3.0	35	2.5	41	2.9	51	3.7
Sarpy	477	3.5	454	3.3	493	3.5	568	3.9
Saunders	61	3.0	56	2.7	68	3.3	63	3.1
Scotts Bluff	161	4.4	150	4.1	183	5.0	154	4.2
Seward	42	2.5	35	2.1	53	3.1	50	3.0
Sheridan	19	3.3	18	3.2	14	2.5	25	4.6
Sherman	8	2.5	9	2.9	5	1.6	8	2.7
Sioux	5	3.5	1	0.7	4	2.9	4	3.0
Stanton	22	3.4	13	2.0	20	3.0	27	4.2
Thayer	15	2.7	18	3.3	13	2.4	17	3.3
Thomas	1	1.6	0	-	4	6.4	4	6.7
Thurston	29	4.1	20	2.7	20	2.7	13	1.8
Valley	9	2.0	10	2.3	13	3.0	10	2.3
Washington	58	3.0	55	2.8	54	2.7	45	2.3
Wayne	22	2.4	25	2.7	25	2.7	17	1.8
Webster	11	2.8	8	2.1	15	4.1	6	1.7
Wheeler	0	-	2	2.4	2	2.4	2	2.5
York	54	3.8	62	4.3	61	4.2	60	4.2

* The number of divorces per 1,000 population by county

TABLE 71: Number of Divorces by Age of Husband and Wife, 2007

Age of Husband	Total	Age of Wife																				Not Stated									
		< 20	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	45	50	55	60	65	70		
Total	6,105	22	43	65	105	130	194	194	220	203	204	224	223	207	210	164	198	202	190	223	191	177	853	652	439	215	91	47	16	25	178
< 20	2	2																													
20	22	3	7	6	2	1	2							1																	
21	33	6	7	8	4	3	2	1																						2	
22	39	2	5	6	14	5	3	2	1				1																		
23	96	1	9	13	16	16	20	8	5	2	1	1	1								2	1									
24	107	3	2	9	16	24	16	20	3	1	2	3	3	2								1	1								1
25	162	4	1	9	13	12	41	30	23	4	4	4	3	4	2							1	1								4
26	187	3	6	13	21	39	26	26	16	15	5	1	2	5	3	2						1								2	
27	187	1	4	2	4	19	15	24	35	26	10	8	14	5	3	3	1	1	3	1	2	1	2						3		
28	196					6	8	6	26	33	41	24	22	6	4	4	1	3	1	2	1	4								4	
29	190	1	7	10	12	14	19	23	24	29	14	7	5	5	3	1	2	1	4	6									1		
30	198		2	2	7	10	18	19	25	40	24	17	8	5	6	2	2	3	1	2	2								2		
31	175				1	7	5	11	12	25	16	32	23	17	5	3	2	1	3	4	2	5							1		
32	184		1	2	1	2	5	3	9	21	18	25	27	26	9	13	3	6	4	1	2	5							1		
33	189	2				4	2	12	8	8	9	23	25	23	16	9	13	4	4	4	5	12	3						3		
34	212			2	3	5	2	7	7	15	18	18	24	23	21	17	10	8	6	2	12	3	1					1	4		
35	214	1		1	4	2	9	8	11	5	12	15	18	19	30	14	14	15	7	3	16	7							3		
36	187	2		1	1	1	4	6	4	1	9	9	11	13	13	19	18	20	15	7	3	17	8	1				1			
37	208	1				2	2	1	3	10	9	6	7	8	12	21	23	30	17	6	7	30	7	1					5		
38	213					1	1	2	2	3	4	4	3	9	11	12	11	21	13	42	26	5	1	1				7			
39	203					1		2	2	4	4	6	6	6	5	6	10	18	17	24	19	24	34	8					3		
40-44	865	1					1	2	6	6	5	12	15	17	14	19	27	37	40	50	71	68	331	95	28	4	3		11		
45-49	749	1						2	1	2	4	4	6	12	7	12	17	11	15	29	224	274	69	14	7				7		
50-54	538								1	1	5	1	2	4	7	5	7	3	15	85	158	178	46	9	2			6			
55-59	300									1				2	1	2	3	4	1	2	22	53	101	88	15	3			2		
60-64	151														1	1	1	2	1	1	1	15	33	46	30	10				1	
65-69	65																				8	13	10	18	13	1					
70-74	34																				2	3	4	10	9	1					
75+	48																				1	3	3	5	5	6	23				
Not Stated	151	1																			1	2	6	2	3	1	1		101		

TABLE 72: Divorces by Duration of Marriage, 2005-2007

Duration of Marriage	2005		2006		2007	
	Number	Percent of Total	Number	Percent of Total	Number	Percent of Total
Less than 1 year	130	2.2	147	2.4	156	2.6
1 year	377	6.5	395	6.5	379	6.2
2 years	467	8.0	494	8.1	482	7.9
3 years	482	8.3	472	7.8	455	7.5
4 years	456	7.8	481	7.9	450	7.4
5 years	380	6.5	400	6.6	403	6.6
6 years	339	5.8	423	7.0	374	6.1
7 years	322	5.5	305	5.0	356	5.8
8 years	251	4.3	250	4.1	290	4.8
9 years	211	3.6	256	4.2	276	4.5
10 years	234	4.0	224	3.7	218	3.6
11 years	190	3.3	198	3.3	220	3.6
12 years	164	2.8	188	3.1	209	3.4
13 years	160	2.7	189	3.1	153	2.5
14 years	149	2.6	159	2.6	171	2.8
15 years	133	2.3	136	2.2	147	2.4
16 years	115	2.0	132	2.2	145	2.4
17 years	117	2.0	120	2.0	109	1.8
18 years	96	1.6	94	1.5	132	2.2
19 years	86	1.5	95	1.6	87	1.4
20 years	102	1.7	103	1.7	102	1.7
21 years	96	1.6	73	1.2	85	1.4
22 years	104	1.8	90	1.5	81	1.3
23 years	85	1.5	93	1.5	80	1.3
24 years	72	1.2	80	1.3	72	1.2
25 years	70	1.2	59	1.0	65	1.1
26 years	52	0.9	49	0.8	54	0.9
27 years	50	0.9	47	0.8	45	0.7
28 years	43	0.7	42	0.7	49	0.8
29 years	36	0.6	30	0.5	36	0.6
30 years	40	0.7	31	0.5	30	0.5
31 years	34	0.6	31	0.5	22	0.4
32 years	31	0.5	31	0.5	21	0.3
33 years	20	0.3	27	0.4	24	0.4
34 years	24	0.4	20	0.3	23	0.4
35-39 years	68	1.2	58	1.0	55	0.9
40-44 years	28	0.5	21	0.3	26	0.4
45-49 years	8	0.1	10	0.2	6	0.1
50-54 years	2	0.0	8	0.1	7	0.1
55-59 years	1	0.0	1	0.0	3	0.0
60-64 years	1	0.0	0	-	0	-
65-69 years	0	-	1	0.0	0	-
70-74 years	1	0.0	0	-	0	-
Unknown	3	0.1	2	0.0	7	0.1
Total	5,830	100.0	6,065	100.0	6,105	100.0

Percentages may not sum to 100.0 due to rounding.

TABLE 73: Number of Divorces by Race of Husband and Wife, 2007

Race of Husband	Race of Wife					
	Total	White	Black	American Indian	All Other	Unknown
White	4,780	4,596	20	26	93	45
Black	393	103	275	4	6	5
American Indian	48	28	1	17	1	1
All Other	350	123	2	10	214	1
Unknown	534	74	5	4	2	449
Total	6,105	4,924	303	61	316	501

TABLE 74: Divorces - Number of Divorces by Hispanic Origin of Husband and Wife, 2007

Hispanic Origin of Husband	Hispanic Origin of Wife			
	Total	Hispanic	Not Hispanic	Unknown
Hispanic Origin	541	308	210	23
Non Hispanic	4,804	109	4,668	27
Unknown	760	5	18	737
Total	6,105	422	4,896	787

TABLE 75: Number of Divorces by Settlement Type, 2007

Settlement Type	Number of Divorces
None	2,633
Alimony	158
Child Support	1,451
Property Settlement	642
Alimony & Child Support	196
Alimony & Property Settlement	105
Child Support & Property Settlement	136
Alimony, Child Support & Property Settlement	47
Child Support, Property Settlement & Medical Reimb	488
Property Settlement & Medical Reimbursement	64
Child Support & Medical Reimbursement	42
Alimony, Child Support, Property & Medical Reimb	120
Other	23
Total	6,105

TABLE 76: Divorces - Number of Children Affected, 2007

Number of Couples	Number of Children per Couple	Total Number of Children Affected
2,965	0	0
1,317	1	1,317
1,214	2	2,428
443	3	1,329
130	4	520
28	5	140
8	6+	51
6,105		5,785

TABLE 77: Divorces - Custody and Number of Children Awarded, 2007

Custody to:	Total	Number of Children Awarded						
		One	Two	Three	Four	Five	Six or More	
Husband	342	188	93	50	9	2	0	
Wife	2,063	918	770	273	77	20	5	
Joint	716	285	306	91	30	4	0	
Other	97	57	23	14	2	0	1	

TABLE S1: Principal Source of Payment for Delivery, 2007

Source of Payment	Number	%
Medicaid	9,987	37.1
Private Insurance	14,637	54.3
Self-Pay	843	3.1
Indian Health Service	20	0.1
CHAMPUS / TRICARE	551	2.1
Other Government	30	0.1
Other	545	2.0
Unknown	322	1.2
Total	26,935	100.0

TABLE S2: WIC/Breastfeeding, 2007

	Number	%
Did mother get WIC food for herself?		
Yes	10,051	37.3
WIC mothers who breastfed their infant	7,219	71.8
Non-WIC mothers who breastfed their infant	13,820	82.3

**TABLE S3: Weight Change During Pregnancy by Pre-Pregnancy Body Mass Index (BMI), 2007
(for singleton births)**

Weight Change	Pre-Pregnancy Body Mass Index (BMI)			Total
	< 19.8	19.8 - 26.0	26.1 - 29.0	
Loss 50-99 lbs.	0	1	2	23
Loss 25-49 lbs.	0	8	3	40
Loss < 25 lbs.	11	145	116	477
Gain 1-9 lbs.	27	238	166	575
Gain 10-20 lbs.	271	1,531	628	1,495
Gain 21-29 lbs.	661	3,063	795	1,295
Gain 30-39 lbs.	744	3,974	849	1,173
Gain 40-49 lbs.	404	2,416	519	614
Gain 50-99 lbs.	248	1,655	479	571
Gain 100-149 lbs.	8	21	8	12
Unknown	37	172	42	76
Total	2,411	13,224	3,607	6,337
				25,579

Supplemental Tables - Nebraska Births**TABLE S4: Maternal Morbidity, 2007**

Maternal Morbidity	Number	Percent of Births
Maternal Transfusion	70	0.3
Perineal Laceration	1,205	4.5
Ruptured Uterus	11	0.0
Unplanned Hysterectomy	11	0.0
Admit to Intensive Care	26	0.1
Unplanned Operation	274	1.0

TABLE S5: Infections Present, 2007

Infections	Number	Percent of Births
Gonorrhea	67	0.3
Syphilis	15	0.1
Herpes Simplex (HSV)	337	1.3
Chlamydia	326	1.2
Hepatitis B	31	0.1
Hepatitis C	27	0.1

Supplemental Tables - Nebraska Births**TABLE S6a: Premature Births by County of Residence, 2007 and 2003-2007**

County	2007			2003-2007		
	Premature Births*	Total Births	% Premature Births	Premature Births*	Total Births	% Premature Births
TOTAL	2,584	26,935	9.6	12,846	132,024	9.7
Adams	43	415	10.4	170	2,167	7.8
Antelope	3	83	3.6	23	383	6.0
Arthur	.	5	.	.	25	.
Banner	2	5	40.0	4	27	14.8
Blaine	1	3	33.3	1	25	4.0
Boone	7	64	10.9	21	279	7.5
Box Butte	15	149	10.1	68	738	9.2
Boyd	8	25	32.0	12	85	14.1
Brown	2	29	6.9	18	160	11.3
Buffalo	66	663	10.0	311	3,299	9.4
Burt	13	80	16.3	47	399	11.8
Butler	7	86	8.1	40	445	9.0
Cass	26	311	8.4	173	1,576	11.0
Cedar	5	102	4.9	32	544	5.9
Chase	7	61	11.5	23	246	9.3
Cherry	8	64	12.5	31	361	8.6
Cheyenne	15	141	10.6	69	667	10.3
Clay	7	68	10.3	30	366	8.2
Colfax	17	201	8.5	61	985	6.2
Cuming	10	104	9.6	52	615	8.5
Custer	17	134	12.7	66	654	10.1
Dakota	41	419	9.8	199	1,997	10.0
Dawes	8	116	6.9	29	519	5.6
Dawson	27	377	7.2	173	2,147	8.1
Deuel	1	26	3.8	7	111	6.3
Dixon	7	86	8.1	30	402	7.5
Dodge	51	478	10.7	260	2,498	10.4
Douglas	880	8,655	10.2	4,554	41,732	10.9
Dundy	.	15	.	5	87	5.7
Fillmore	7	60	11.7	31	315	9.8
Franklin	2	32	6.3	7	155	4.5
Frontier	2	32	6.3	16	141	11.3
Furnas	2	52	3.8	13	242	5.4
Gage	38	312	12.2	159	1,402	11.3
Garden	.	19	.	5	84	6.0
Garfield	3	17	17.6	4	83	4.8
Gosper	2	14	14.3	7	107	6.5
Grant	1	8	12.5	4	31	12.9
Greeley	6	28	21.4	11	145	7.6
Hall	86	1,010	8.5	461	4,802	9.6
Hamilton	11	83	13.3	65	492	13.2
Harlan	2	24	8.3	4	162	2.5
Hayes	.	11	.	1	42	2.4
Hitchcock	3	25	12.0	14	150	9.3
Holt	10	120	8.3	44	595	7.4
Hooker	1	6	16.7	4	27	14.8
Howard	4	63	6.3	33	389	8.5

TABLE S6a: Premature Births by Place of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Premature Births*	Total Births	% Premature Births	Premature Births*	Total Births	% Premature Births
Jefferson	7	87	8.0	30	408	7.4
Johnson	4	51	7.8	24	284	8.5
Kearney	8	80	10.0	38	395	9.6
Keith	20	101	19.8	64	469	13.6
Keya Paha	.	3	.	4	54	7.4
Kimball	6	42	14.3	21	204	10.3
Knox	8	100	8.0	43	497	8.7
Lancaster	349	4,170	8.4	1,880	20,501	9.2
Lincoln	72	515	14.0	308	2,499	12.3
Logan	.	6	.	1	50	2.0
Loup	2	12	16.7	3	27	11.1
McPherson	1	9	11.1	1	30	3.3
Madison	47	540	8.7	233	2,813	8.3
Merrick	9	83	10.8	39	417	9.4
Morrill	4	60	6.7	29	286	10.1
Nance	1	32	3.1	13	197	6.6
Nemaha	5	84	6.0	27	399	6.8
Nuckolls	8	37	21.6	34	257	13.2
Otoe	20	209	9.6	92	945	9.7
Pawnee	3	21	14.3	16	114	14.0
Perkins	2	35	5.7	11	185	5.9
Phelps	7	121	5.8	45	563	8.0
Pierce	8	85	9.4	29	432	6.7
Platte	44	466	9.4	164	2,348	7.0
Polk	4	58	6.9	29	316	9.2
Red Willow	6	131	4.6	48	659	7.3
Richardson	8	67	11.9	50	418	12.0
Rock	.	13	.	7	78	9.0
Saline	15	206	7.3	82	1,003	8.2
Sarpy	265	2,570	10.3	1,248	12,232	10.2
Saunders	23	266	8.6	126	1,245	10.1
Scotts Bluff	42	557	7.5	199	2,706	7.4
Seward	18	197	9.1	100	990	10.1
Sheridan	8	62	12.9	24	344	7.0
Sherman	7	35	20.0	19	164	11.6
Sioux	.	11	.	5	57	8.8
Stanton	5	76	6.6	35	413	8.5
Thayer	3	59	5.1	18	280	6.4
Thomas	.	5	.	3	34	8.8
Thurston	11	181	6.1	56	828	6.8
Valley	5	51	9.8	16	246	6.5
Washington	25	219	11.4	109	1,106	9.9
Wayne	10	109	9.2	32	531	6.0
Webster	4	42	9.5	10	156	6.4
Wheeler	.	6	.	.	33	.
York	16	184	8.7	89	908	9.8

* Premature births are live births with < 37 weeks of gestation. Gestational age was determined by ultrasound.

Supplemental Tables - Nebraska Births**TABLE S6b: Premature Births by County of Residence, 2007 and 2003-2007**

County	2007			2003-2007		
	Premature Births*	Total Births	% Premature Births	Premature Births*	Total Births	% Premature Births
TOTAL	3,214	26,935	11.9	16,032	132,024	12.1
Adams	40	415	9.6	214	2,167	9.9
Antelope	2	83	2.4	36	383	9.4
Arthur	.	5	.	1	25	4.0
Banner	3	5	60.0	5	27	18.5
Blaine	1	3	33.3	1	25	4.0
Boone	10	64	15.6	32	279	11.5
Box Butte	18	149	12.1	77	738	10.4
Boyd	8	25	32.0	15	85	17.6
Brown	1	29	3.4	22	160	13.8
Buffalo	73	663	11.0	387	3,299	11.7
Burt	18	80	22.5	58	399	14.5
Butler	10	86	11.6	45	445	10.1
Cass	33	311	10.6	185	1,576	11.7
Cedar	10	102	9.8	54	544	9.9
Chase	6	61	9.8	28	246	11.4
Cherry	9	64	14.1	42	361	11.6
Cheyenne	16	141	11.3	94	667	14.1
Clay	6	68	8.8	32	366	8.7
Colfax	28	201	13.9	118	985	12.0
Cuming	16	104	15.4	60	615	9.8
Custer	15	134	11.2	75	654	11.5
Dakota	56	419	13.4	306	1,997	15.3
Dawes	10	116	8.6	45	519	8.7
Dawson	46	377	12.2	262	2,147	12.2
Deuel	3	26	11.5	9	111	8.1
Dixon	10	86	11.6	53	402	13.2
Dodge	66	478	13.8	305	2,498	12.2
Douglas	1,091	8,655	12.6	5,400	41,732	12.9
Dundy	.	15	.	5	87	5.7
Fillmore	7	60	11.7	30	315	9.5
Franklin	1	32	3.1	11	155	7.1
Frontier	3	32	9.4	20	141	14.2
Furnas	4	52	7.7	20	242	8.3
Gage	55	312	17.6	210	1,402	15.0
Garden	.	19	.	6	84	7.1
Garfield	3	17	17.6	5	83	6.0
Gosper	1	14	7.1	8	107	7.5
Grant	.	8	.	2	31	6.5
Greeley	6	28	21.4	13	145	9.0
Hall	119	1,010	11.8	573	4,802	11.9
Hamilton	12	83	14.5	78	492	15.9
Harlan	2	24	8.3	9	162	5.6
Hayes	.	11	.	2	42	4.8
Hitchcock	1	25	4.0	12	150	8.0
Holt	16	120	13.3	72	595	12.1
Hooker	1	6	16.7	5	27	18.5
Howard	4	63	6.3	45	389	11.6

TABLE S6b: Premature Births by Place of Residence, 2007 and 2003-2007 (Cont)

County	2007			2003-2007		
	Premature Births*	Total Births	% Premature Births	Premature Births*	Total Births	% Premature Births
Jefferson	5	87	5.7	45	408	11.0
Johnson	4	51	7.8	20	284	7.0
Kearney	10	80	12.5	50	395	12.7
Keith	19	101	18.8	65	469	13.9
Keya Paha	.	3	.	3	54	5.6
Kimball	6	42	14.3	22	204	10.8
Knox	14	100	14.0	66	497	13.3
Lancaster	452	4,170	10.8	2,491	20,501	12.2
Lincoln	85	515	16.5	355	2,499	14.2
Logan	1	6	16.7	3	50	6.0
Loup	2	12	16.7	4	27	14.8
McPherson	1	9	11.1	1	30	3.3
Madison	47	540	8.7	287	2,813	10.2
Merrick	9	83	10.8	50	417	12.0
Morrill	6	60	10.0	35	286	12.2
Nance	3	32	9.4	22	197	11.2
Nemaha	6	84	7.1	41	399	10.3
Nuckolls	7	37	18.9	35	257	13.6
Otoe	28	209	13.4	117	945	12.4
Pawnee	4	21	19.0	19	114	16.7
Perkins	3	35	8.6	15	185	8.1
Phelps	16	121	13.2	62	563	11.0
Pierce	10	85	11.8	37	432	8.6
Platte	41	466	8.8	230	2,348	9.8
Polk	3	58	5.2	41	316	13.0
Red Willow	10	131	7.6	62	659	9.4
Richardson	8	67	11.9	62	418	14.8
Rock	.	13	.	8	78	10.3
Saline	24	206	11.7	114	1,003	11.4
Sarpy	304	2,570	11.8	1,430	12,232	11.7
Saunders	31	266	11.7	160	1,245	12.9
Scotts Bluff	59	557	10.6	287	2,706	10.6
Seward	25	197	12.7	137	990	13.8
Sheridan	10	62	16.1	34	344	9.9
Sherman	9	35	25.7	25	164	15.2
Sioux	.	11	.	8	57	14.0
Stanton	6	76	7.9	44	413	10.7
Thayer	6	59	10.2	26	280	9.3
Thomas	.	5	.	3	34	8.8
Thurston	21	181	11.6	111	828	13.4
Valley	6	51	11.8	19	246	7.7
Washington	24	219	11.0	122	1,106	11.0
Wayne	15	109	13.8	49	531	9.2
Webster	5	42	11.9	11	156	7.1
Wheeler	1	6	16.7	2	33	6.1
York	28	184	15.2	115	908	12.7

* Premature births are live births with < 37 weeks of gestation. Gestational age was determined using a CDC algorithm.

Supplemental Tables - Nebraska Births**TABLE S7: Abnormal Conditions of Newborn, 2007**

Abnormal Conditions of Newborn	Number	Percent of Births
Assisted Ventilation	1,023	3.8
Assisted Ventilation > 6 Hours	375	1.4
Admission to NICU	1,953	7.3
Surfactant	187	0.7
Antibiotics	862	3.2
Seizures	13	0.1
Birth Injury	24	0.1

TABLE S8: Congenital Anomalies, 2007

Congenital Anomalies	Number	Percent of Births
Anencephaly	7	0
Meningomyelocele/Spina Bifida	14	0.1
Cyanotic Congenital Heart Disease	22	0.1
Congenital Diaphragmatic Hernia	3	0
Omphalocele	5	0
Gastroschisis	13	0.1
Limb Reduction Defect	12	0
Cleft Lip with or without Cleft Palate	21	0.1
Cleft Palate Alone	16	0.1
Down Syndrome - Confirmed	16	0.1
Down Syndrome - Pending	17	0.1
Suspected Chromosomal Disorder - Confirmed	8	0
Suspected Chromosomal Disorder - Pending	20	0.1
Hypospadias	16	0.1

APPENDIX

Selected Tables by Service Area and Health Department

Page intentionally blank

TABLE 4a: Births by Place of Occurrence and by Usual Residence of the Mother, 2005-2007

	2005		2006		2007		2007
	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Birth Rate*
STATE	26,349	26,142	26,895	26,723	27,119	26,935	15.2
Service Area:							
Western Service Area	2,354	2,542	2,355	2,559	2,397	2,596	13.5
Central Service Area	3,116	2,962	3,231	3,073	3,117	3,007	13.7
Northern Service Area	2,729	3,766	2,667	3,677	2,626	3,679	13.8
Southeast Service Area	5,840	6,242	5,947	6,346	5,996	6,428	14.1
Eastern Service Area	12,310	10,630	12,695	11,068	12,983	11,225	17.7
Health Department:							
Dakota County	1	418	0	374	3	419	20.4
Douglas County	11,742	8,199	12,297	8,548	12,625	8,655	17.6
Scotts Bluff County	779	520	811	552	827	557	15.2
Lincoln-Lancaster County	4,892	4,067	4,967	4,095	5,042	4,170	15.6
Central District	1,071	1,123	1,032	1,149	1,056	1,176	16.1
East Central District	706	772	738	757	739	763	14.8
Elkhorn Logan Valley	1,041	851	1,011	817	1,016	800	13.6
Four Corners	353	480	368	555	331	525	11.6
Loup Basin	136	347	175	343	145	349	11.0
North Central District	268	523	269	525	253	522	10.9
Northeast Nebraska	123	465	120	476	127	478	15.2
Panhandle	346	618	327	586	339	631	12.6
Public Health Solutions	345	680	344	698	382	724	12.7
Sarpy/Cass	570	2,765	401	2,821	358	2,881	17.1
South Heartland District	754	599	784	606	735	562	11.7
Southeast District	248	420	264	451	241	432	11.0
Southwest	255	361	223	325	262	362	11.5
Three Rivers	590	998	530	974	488	963	12.6
Two Rivers	1,444	1,324	1,507	1,419	1,419	1,311	14.0
West Central District	685	612	727	652	731	655	13.7

* The number of resident live births per 1,000 population

TABLE 5a: Births by Sex, Race and Hispanic Origin, By Service Area and Health Department (Residence), 2007

	Total Births	Sex		Race				Hispanic Origin*	
		Male	Female	White	Black	Amer Indian	Asian		
STATE	26,935	13,872	13,063	21,024	1,831	493	636	2,951	4,065
Service Area:									
Western Service Area	2,596	1,355	1,241	2,092	26	70	21	387	494
Central Service Area	3,007	1,563	1,444	2,502	27	31	27	420	491
Northern Service Area	3,679	1,895	1,784	2,846	32	226	58	517	696
Southeast Service Area	6,428	3,300	3,128	5,531	220	59	178	440	539
Eastern Service Area	11,225	5,759	5,466	8,053	1,526	107	352	1,187	1,845
Health Department:									
Dakota County	419	198	221	207	16	27	19	150	203
Douglas County	8,655	4,395	4,260	5,890	1,395	91	263	1,016	1,604
Scotts Bluff County	557	276	281	403	3	24	1	126	172
Lincoln-Lancaster County	4,170	2,147	2,023	3,488	211	46	155	270	356
Central District	1,176	634	542	831	17	15	9	304	339
East Central District	763	399	364	532	3	7	21	200	232
Elkhorn Logan Valley	800	397	403	712	7	14	7	60	131
Four Corners	525	275	250	500	3	0	5	17	19
Loup Basin	349	173	176	342	1	3	1	2	3
North Central District	522	280	242	474	0	33	1	14	15
Northeast Nebraska	478	255	223	313	2	144	1	18	31
Panhandle	631	313	318	542	3	40	11	35	56
Public Health Solutions	724	355	369	600	4	4	9	107	112
Sarpy/Cass	2,881	1,526	1,355	2,464	132	17	91	177	248
South Heartland District	562	289	273	487	5	5	9	56	64
Southeast District	432	228	204	384	1	5	6	36	40
Southwest	362	180	182	330	3	1	0	28	34
Three Rivers	963	499	464	866	4	4	10	79	89
Two Rivers	1,311	694	617	1,055	17	11	11	217	259
West Central District	655	359	296	604	4	2	6	39	58

* Persons of Hispanic origin may be any race.

**TABLE 7a: Teen Births by Service Area and Health Department (Residence), 2007
and 2003-2007**

	2007			2003-2007		
	Teen Births	Total Births	% Teen Births	Teen Births	Total Births	% Teen Births
STATE	2,303	26,935	8.6	11,241	132,024	8.5
Service Area:						
Western Service Area	297	2,596	11.4	1,475	12,914	11.4
Central Service Area	278	3,007	9.2	1,383	14,997	9.2
Northern Service Area	366	3,679	9.9	1,758	18,600	9.5
Southeast Service Area	419	6,428	6.5	2,219	31,549	7.0
Eastern Service Area	943	11,225	8.4	4,417	53,964	8.2
Health Department:						
Dakota County	52	419	12.4	227	1,997	11.4
Douglas County	812	8,655	9.4	3,782	41,732	9.1
Scotts Bluff County	71	557	12.7	389	2,706	14.4
Lincoln-Lancaster County	268	4,170	6.4	1,411	20,501	6.9
Central District	141	1,176	12.0	646	5,711	11.3
East Central District	88	763	11.5	387	3,809	10.2
Elkhorn Logan Valley	73	800	9.1	422	4,240	10.0
Four Corners	38	525	7.2	165	2,659	6.2
Loup Basin	22	349	6.3	129	1,766	7.3
North Central District	30	522	5.7	179	2,645	6.8
Northeast Nebraska	55	478	11.5	274	2,305	11.9
Panhandle	89	631	14.1	322	3,037	10.6
Public Health Solutions	51	724	7.0	287	3,408	8.4
Sarpy/Cass	145	2,881	5.0	715	13,808	5.2
South Heartland District	53	562	9.4	306	2,946	10.4
Southeast District	37	432	8.6	207	2,160	9.6
Southwest	31	362	8.6	157	1,752	9.0
Three Rivers	79	963	8.2	338	4,849	7.0
Two Rivers	115	1,311	8.8	589	6,828	8.6
West Central District	53	655	8.1	320	3,165	10.1

Teen Births = Ages 19 and under

TABLE 13a: Births by Trimester Prenatal Care Began and Percent Receiving Inadequate Prenatal Care by Service Area and Health Department (Residence), 2007

	Trimester Prenatal Care Began				Unknown	Percent Inadequate Care*
	First Trimester	Second Trimester	Third Trimester	None		
STATE	19,721	3,399	1,050	184	581	14.2
Service Area:						
Western Service Area	1,781	640	145	18	12	19.2
Central Service Area	2,216	636	125	25	5	14.2
Northern Service Area	2,703	760	162	28	26	14.6
Southeast Service Area	5,015	1,139	197	53	24	13.1
Eastern Service Area	8,006	2,224	421	60	514	13.6
Health Department:						
Dakota County	301	99	11	7	1	14.7
Douglas County	6,038	1,774	340	48	455	14.5
Scotts Bluff County	412	106	34	4	1	17.1
Lincoln-Lancaster County	3,352	647	120	41	10	13.0
Central District	799	316	49	9	3	16.7
East Central District	541	175	40	3	4	17.5
Elkhorn Logan Valley	602	143	41	6	8	13.7
Four Corners	391	106	26	2	0	13.0
Loup Basin	254	74	18	3	0	13.2
North Central District	384	104	25	2	7	12.6
Northeast Nebraska	363	86	22	4	3	16.1
Panhandle	429	155	38	5	4	21.7
Public Health Solutions	516	180	22	2	4	13.6
Sarpy/Cass	2,216	503	88	12	62	10.7
South Heartland District	448	78	31	5	0	13.5
Southeast District	294	114	15	5	4	16.4
Southwest	270	78	14	0	0	13.3
Three Rivers	726	192	30	9	6	12.3
Two Rivers	967	282	50	10	2	15.1
West Central District	418	187	36	7	7	19.9

* Calculated by using the Kotelchuk Index. The Kotelchuk Index measures adequacy of prenatal care (adequate, inadequate, intermediate) by using a combination of the following factors: number of prenatal visits; gestation; and trimester prenatal care started

TABLE 35a: Deaths by Place of Occurrence and Usual Residence of Deceased, 2005-2007

	2005		2006		2007		2007
	Occ.	Res.	Occ.	Res.	Occ.	Res.	Death Rate*
STATE	15,138	14,950	15,060	14,894	15,427	15,256	8.6
Service Area:							
Western Service Area	2,003	2,151	1,948	2,092	1,947	2,104	11.0
Central Service Area	2,177	2,177	2,215	2,206	2,183	2,223	10.2
Northern Service Area	2,356	2,745	2,268	2,691	2,331	2,725	10.4
Southeast Service Area	3,740	3,727	3,684	3,696	3,865	3,905	8.5
Eastern Service Area	4,862	4,150	4,945	4,209	5,101	4,299	6.7
Health Department:							
Dakota County	104	186	103	171	114	181	8.9
Douglas County	4,388	3,536	4,446	3,561	4,542	3,587	7.2
Scotts Bluff County	500	430	481	432	474	412	11.3
Lincoln-Lancaster County	2,074	1,700	2,012	1,645	2,125	1,767	6.4
Central District	684	678	717	699	671	670	9.2
East Central District	405	494	357	443	354	448	8.8
Elkhorn Logan Valley	643	649	601	629	583	589	10.3
Four Corners	438	495	411	467	412	473	10.6
Loup Basin	330	419	294	382	317	409	13.3
North Central District	493	591	484	571	529	619	13.3
Northeast Nebraska	236	307	225	302	204	292	9.3
Panhandle	541	616	468	537	481	568	11.4
Public Health Solutions	587	675	590	698	625	721	12.9
Sarpy/Cass	603	821	620	854	675	942	5.5
South Heartland District	457	511	457	498	463	500	10.5
Southeast District	400	472	420	488	433	504	13.2
Southwest	315	383	313	392	355	435	14.2
Three Rivers	587	696	628	767	701	806	10.6
Two Rivers	899	803	972	872	941	874	9.3
West Central District	454	488	461	486	428	459	9.8

* The number of resident deaths per 1,000 population

TABLE 43a: Deaths by Age Group and Place of Residence, 2007

	Age Group*					Total
	< 45 Years	45-64 Years	65-74 Years	75-84 Years	85+ Years	
STATE	1,008	2,297	2,248	4,165	5,537	15,255
Service Areas:						
Western Service Area	133	300	287	572	812	2,104
Central Service Area	118	263	333	615	894	2,223
Northern Service Area	150	332	381	774	1,088	2,725
Southeast Service Area	217	587	532	1,067	1,501	3,904
Eastern Service Area	390	815	715	1,137	1,242	4,299
Health Department:						
Dakota County	16	31	27	48	59	181
Douglas County	326	690	587	926	1,058	3,587
Scotts Bluff County	27	57	59	112	157	412
Lincoln-Lancaster County	136	308	232	454	636	1,766
Central District	34	82	100	207	247	670
East Central District	29	59	65	137	158	448
Elkhorn Logan Valley	35	65	74	172	243	589
Four Corners	24	60	56	127	206	473
Loup Basin	21	49	58	118	163	409
North Central District	23	69	93	163	271	619
Northeast Nebraska	13	41	35	79	124	292
Panhandle	36	81	79	153	219	568
Public Health Solutions	21	94	111	197	298	721
Sarpy/Cass	76	169	160	284	253	942
South Heartland District	24	50	96	133	197	500
Southeast District	20	54	73	143	214	504
Southwest	17	67	51	118	182	435
Three Rivers	38	94	115	248	311	806
Two Rivers	53	115	111	210	385	874
West Central District	39	62	66	136	156	459

* Age was missing for one death

TABLE 44-50a: Deaths by Cause (Top Seven) by Place of Residence, 2007

	Cause							
	Heart Disease	Cancer	Cerebro-vascular Disease	Chronic Lung Disease	Accidental Deaths	Alzheimer's Disease	Diabetes Mellitus	All Other
STATE	3,517	3,477	920	810	674	512	472	4,874
Service Area:								
Western Service Area	532	436	119	116	114	68	82	637
Central Service Area	554	462	142	129	102	78	55	701
Northern Service Area	673	626	196	129	129	108	82	782
Southeast Service Area	819	916	237	188	163	145	121	1,316
Eastern Service Area	939	1,037	226	248	166	113	132	1,438
Health Department:								
Dakota County	41	42	8	10	10	7	9	54
Douglas County	788	851	193	206	130	92	118	1,209
Scotts Bluff County	106	68	23	30	25	17	9	134
Lincoln-Lancaster County	315	438	94	92	77	44	60	647
Central District	146	126	51	41	33	30	12	231
East Central District	84	115	34	25	24	19	17	130
Elkhorn Logan Valley	176	122	44	24	24	23	21	155
Four Corners	151	92	28	19	18	27	19	119
Loup Basin	96	89	27	31	18	11	7	130
North Central District	188	135	39	34	34	27	10	152
Northeast Nebraska	72	66	29	9	13	5	9	89
Panhandle	133	124	32	31	35	10	15	188
Public Health Solutions	166	173	52	30	25	35	19	221
Sarpy/Cass	205	238	48	56	43	27	22	303
South Heartland District	158	110	29	21	19	14	14	135
Southeast District	104	109	39	26	25	21	10	170
Southwest	114	94	32	23	21	12	23	116
Three Rivers	141	198	51	34	35	39	21	287
Two Rivers	215	182	45	45	44	36	36	271
West Central District	118	105	22	23	21	16	21	133

TABLE 66 & 70a: Marriages and Divorces - Number and Rate by Service Area and Health Department, 2007

	Marriages		Divorces	
	Number	Rate*	Number	Rate**
TOTAL	12,164	6.9	6,105	3.4
Service Area:				
Western Service Area	1,265	6.6	743	3.9
Central Service Area	1,503	6.9	724	3.3
Northern Service Area	1,796	6.9	753	2.9
Southeast Service Area	3,130	6.8	1,604	3.5
Eastern Service Area	4,470	6.9	2,281	3.5
Health Department:				
Dakota County	189	9.3	41	2.0
Douglas County	3,828	7.7	1,713	3.4
Scotts Bluff County	247	6.8	154	4.2
Lincoln-Lancaster County	1,856	6.7	1,009	3.7
Central District	491	6.8	279	3.8
East Central District	345	6.8	170	3.3
Elkhorn Logan Valley	381	6.7	172	3.0
Four Corners	331	7.4	144	3.2
Loup Basin	176	5.7	94	3.1
North Central District	341	7.3	129	2.8
Northeast Nebraska	185	5.9	55	1.8
Panhandle	315	6.3	186	3.7
Public Health Solutions	387	6.9	158	2.8
Sarpy/Cass	754	4.4	662	3.8
South Heartland District	333	7.0	137	2.9
Southeast District	301	7.9	136	3.6
Southwest	200	6.5	121	4.0
Three Rivers	498	6.5	249	3.3
Two Rivers	668	7.1	307	3.3
West Central District	338	7.2	189	4.0

* The number of marriages per 1,000 population

** The number of divorces per 1,000 population



Nebraska Department of Health and Human Services

Division of Public Health
Health Statistics
PO Box 95026
Lincoln, NE 68509-5026
(402) 471-2241

07/2009 – 75

AA/EOE/ADA

Alternate formats are available upon request. Please contact
Health Statistics at (402) 471-2241 or (402) 471-9570 (TDD).

Printed with soy ink on recycled paper.